


WHITELINE

PLUS



**CHASSIS CONTROL
CATALOGUE**

INTERNATIONAL WEB EDITION 1.1

Catalogue Details

All care has been exercised in the research and production of this manual. Due to vehicle production changes and supercession, no responsibility is accepted by Redranger Pty Ltd for any inaccuracies of any information contained herein. Manufacturers names appearing in this manual are used for identification purposes only.

Copyright Notice

Redranger Pty Ltd is the owner of Copyright in this publication, including layout, drawings, text and part number systems. This publication must not be reproduced in whole, or in part without authorisation from Redranger Pty Ltd A.B.N. 99 124 177 297.

Contact Details**Redranger Pty Ltd - Australia**

Address: 4 Warringah Close
Somersby NSW 2250
Australia

Ph: 61-2-4340 2355
Fax: 61-2-4340 2466
E-mail:
Accounts: accounts@whiteline.com.au
Admin: admin@whiteline.com.au
Sales: sales@whiteline.com.au
Tech support: support@whiteline.com.au

Website: www.whiteline.com.au
www.suspensionparts.info (Suspension technical forum)

Whiteline Automotive - UK & Europe

Ph: +44 1383 738 077
Fax: +44 1383 741157
Web: jgevers@btconnect.com

Whiteline Automotive - USA

Ph: 616 399 9025
Fax: 616 399 9174
Email: glenn@globalperformanceparts.com

Refer to our web site for current details of all distributors and dealers throughout the world.

Returns

The Buyer shall inspect the Goods on delivery and shall within fourteen (14) days of delivery (time being of the essence) notify the Seller of any alleged defect, shortage in quantity, damage or failure to comply with the description or quote. The Buyer shall afford the Seller an opportunity to inspect the Goods within a reasonable time following delivery if the Buyer believes the Goods are defective in any way. If the Buyer shall fail to comply with these provisions the Goods shall be presumed to be free from any defect or damage. For defective Goods, which the Seller has agreed in writing that the Buyer is entitled to reject, the Seller's liability is limited to either [at the Seller's discretion] replacing the Goods or repairing the Goods except where the Buyer has acquired Goods as a consumer within the meaning of the Trade Practices Act 1974 (Cwlth) or the Fair Trading Acts of the relevant state or territories of Australia, and is therefore also entitled to, at the consumer's discretion either a refund of the purchase price of the Goods, or repair of the Goods, or replacement of the Goods.

Returns will only be accepted provided that:

- [a] the Buyer has complied with the above clause and
- [b] the Seller has agreed in writing to accept the return of the Goods; and
- [c] the Goods are returned at the Buyer's cost within fourteen (14) days of the delivery date; and
- [d] the Seller will not be liable for Goods which have not been stored or used in a proper manner; and
- [e] the Goods are returned in the condition in which they were delivered and with all packaging material, brochures and instruction material in as new condition as is reasonably possible in the circumstances.

The Seller may (in its discretion) accept the return of Goods for credit but this may incur a handling fee of fifteen percent (15%) of the value of the returned Goods plus any freight. Should the Seller decide to accept the return of the goods from the Purchaser, the Purchaser must apply for and receive a "tracking" number from the Company and provide original invoice number before a credit will be considered. Goods made to order or purchased specifically on behalf of the Purchaser will not be credited.

Warranty

For Goods not manufactured by the Seller, the warranty shall be the current warranty provided by the manufacturer of the Goods. The Seller shall not be bound by nor be responsible for any term, condition, representation or warranty other than that which is given by the manufacturer of the Goods.

The Buyer acknowledges that any warranty for "Road-Rated" Goods will be void if used on a race circuit, or in any form of motor sport, or in any form of racing in general.

No warranty, either specified or implied, is given for any Goods specified as "Race", "Competition", or "Off-road".

The Seller gives no warranty as to the fitness of the Goods for any particular purpose or use and shall have no liability in that regard. Goods supplied under this agreement should only be used after the Goods have been properly tested by or on behalf of the Buyer. The risks involved and any cost of testing the Goods will be the Buyer's responsibility.

Whiteline Branded Product - The Seller warrants all road rated (excludes items marked "Race" or "for off-road use only") catalogued product under its various brands to the original Buyer against manufacturing defects, faulty materials and workmanship, when used for their designated purpose for a period or 1 year from the purchase date of retail sale or 20,000 kms from the date of fitment, whichever occurs first. Warranty is automatically voided for all products if they are used on a race circuit or in any form of racing in general. Any products catalogued or marked as "Race" or "Off-road use only" are not suitable for conventional road use and are not covered by this or any other warranty whether specified or implied. The Seller's obligation under this warranty is limited to the replacement of the defective unit. The cost of removal of the defective unit and the installation of a replacement unit are not included.

Contents

BRAND OVERVIEW	4
INSTALLATION GUIDE	7
SUSPENSION GEOMETRY	8
HOW TO READ THIS CATALOGUE	9
UNIVERSAL APPLICATIONS	10
AUDI	12
BMW	12
CHEVROLET	14
CHRYSLER	16
DAIHATSU	18
DAIHATSU COMMERCIAL	18
FORD	19
FORD COMMERCIAL	34
GMH (HOLDEN)	37
GMH (HOLDEN) COMMERCIAL	49
HONDA	51
HYUNDAI	52
INTERNATIONAL	54
ISUZU	54
IVECO	55
JAGUAR	55
JEEP	56
LEXUS	56
LEYLAND	57
MAZDA	58
MAZDA COMMERCIAL	64
MINI (BMW)	66
MITSUBISHI	66
MITSUBISHI COMMERCIAL	70
NISSAN	73
NISSAN (COMMERCIAL)	83
OPEL	89
PEUGEOT	89
PONTIAC	89
PORSCHE	91
PROTON	91
ROVER	91
SUBARU	94
SUZUKI	97
SUZUKI (COMMERCIAL)	98
TOYOTA	99
TOYOTA COMMERCIAL	108
VAUXHALL	118
VOLVO	118
VW	119
NOTES	120

BRAND OVERVIEW

Whiteline Automotive has its roots in the original Selbys Steering and Suspension company, started in the early 1960's making sway bars. Whiteline Automotive purchased the sway bar manufacturing division and retained the Selby's Swaybars brand continuing a proud 30 year history. At that time the company only manufactured sway bars for the majority of the Australian aftermarket suspension brands. Shortly after, we changed the company name to Whiteline Automotive and started to increase both the product range and brand awareness for Whiteline products.

The company now markets many separate brands covering a variety of suspension and under car related products. Whiteline is famous for its range of tuned suspension kits delivering exceptional handling and ride with further options for road, race and club motorsport. Your car is made to a compromise. A compromise of quality, price and performance. The fact is that manufacturers tolerances are very broad, too broad for optimum performance and tyre wear. All your tricky springs and shocks etc. could be wasted if your wheel alignment is not at its best. No more compromise!

Using the complete Whiteline product range, our suspension kits are specially developed as a tuned package. Packages can be bought in stages for a fixed price with fitting labour estimates including a quality wheel alignment using our unique alignment settings. You can buy the kits directly or have a Whiteline dealer or your local suspension specialist fitter supply and fit delivering a complete package.

POLYURETHANE BUSHING HISTORY

The use of polyurethane in automotive suspension bushings dates back to the early 1970s when race car enthusiasts looked for improved handling and suspension performance without having to resort to solid pivot points and connections. Traditionally, polyurethane bushings and mounts were made from very hard urethane compounds exceeding 100 on the durometer scale; where rubber was much softer and measured less than 58 on the durometer scale. The main reason for the extreme hardness was the use of low grade polyurethanes.

In order to achieve abrasion resistance, tearing and compression set, the polyurethane needed to be very hard.

The second reason for this hardness was how the component was designed and manufactured.

While high performance polyurethanes were available they were both very expensive and required complex machinery in order to process, mix and cast the component. Few customers would pay for the added expense; especially when the automotive performance aftermarket was selling products at a third of the cost.

One company believed that the market would soon grow weary of ultra hard bushings that were noisy on the road and offered little improvement in handling.

After many years of extensive development and testing of materials that would offer strength and durability, geometry retention and memory without the harshness, WHITELINE created a progressive, long-chain polymer compound incorporating polyurethane constituents, which deliver the combined physical advantages of a solid bushing, with the extreme flexibility characteristics of rubber.

Whiteline Plus polyurethanes provide the softness needed for low vibration, noise and harshness characteristics, while displaying extreme abrasion, tear and cut resistance, and near-zero compression set at lower durometer reading of 70-80.

In addition, these performance polyurethanes allowed the polymer chains to be bonded directly to the metal shell, which provided a method of flow control giving the bushing the characteristics of soft ride while on smooth roads, and when under cornering pressure caused the bushing to become firmer for improved suspension performance.

The quality ride of rubber, the performance of solid links; offering the best of both worlds!

That range of product is known as WHITELINE 'PLUS'.



TRANSLUCENT BLACK

Key Benefits of WHITELINE PLUS polyurethane bushings:

- The quality of ride of rubber, with the performance of solid links.
- Long lasting durability.
- Resistant to chemicals, oils and weathering.
- Enhanced handling, steering response and road holding stability.
- Increased braking capacities and positive brake pedal 'feel'.

RANGE COVERS:

Control/wishbone arms
Radius/ caster rods
Trailing arms
Panhard Rods
Watts Linkage
Subframe Mounts
Sway bar mounts & links
Bumpstops
Engine mounts
Steering components & much more...

WHITELINE has engineered a wide range of products to cover the common passenger, commercial and 4x4 markets and will continue to grow the range to service new models and escalating demand.

REPLACEMENT SUSPENSION ARMS

All would agree that the time & stress to remove & replace bushings and ball joints to suspension arms is possibly not worth it. Making up press tools & damaging arms are just two of the problems one can endure. Why put yourself through it when you can purchase complete arms, fitted with market leading WHITELINE PLUS polyurethane bushings and premium quality ball joints. Research proves by purchasing complete arms you can reduce the time taken to do the job by up to 70% which means less stress for the DIY repairer and greater job turnover and profit for fitters/workshops.

CAMBER & CASTER BUSH KITS

WHITELINE offers a range of offset, eccentric adjustable & shim adjustable bush kits to rectify or optimise wheel alignment settings. Kits have been developed to target caster correction or camber correction in order to prolong tyre life and enhance handling characteristics. WHITELINE's eccentric adjustable licensed design allows wheel aligners to dial in incremental wheel alignment settings with simple hand tools.

WHITELINE's shim adjustable kits also provide incremental changes based on shim thickness and the amount of shims used.

UNIVERSAL SUSPENSION PRODUCTS

Having trouble trying to find a product for your vehicle? Whiteline plus offers a range of sway bar, shock absorber and spring pad bushings in various shapes and sizes to get you out of trouble. Also available is a range of camber bolts, ranging from 12mm in diameter to 17mm, strut mounts that can be modified to suit any application and our popular range of coil over hardware.

What is the core differences between polyurethane and rubber bushings?

Although rubber and polyurethane suspension bushes may have the same purpose, the technology behind their design and outright performance is blatantly different. 'Rubber suspension bushes' are developed to be compressed and / or chemically bonded to the suspension components in its application.

For example, a shackle bush's outer diameter is greater than the eye it is applied to, whilst the centre of the bush - the inner diameter [bore] is a firm fit on the pin or sleeve. Due to this tight fit between the pin/shackle and bush, it is necessary to lubricate the bush internally and externally with soapy water solution [e.g water based hand cleaner] to permit the internal and external access of the bush into the eye. Once the shackle plates are tightened or the component is installed with the chassis clevis, the bush enters a state of static compression.

A metallastic rubber bush [outer steel shell] is under compression from the time of manufacture and is chemically bonded to the outer of the metal centre sleeve and the inner of the steel shell. As a result, suspension movement is restricted when the metallastic bush is press fitted, and clamped by the bolt through to the chassis [subframe].

WHITELINE PLUS

WHITELINE PLUS Spring Eye and Shackle Bushings

- Induce free pivot in spring length changes under bump and droop loading
- Enhance manoeuvrability
- Eliminate pitching [rocking horse ride] in short wheel based 4WD's
- Permit camber and spring length change ultimately reducing axle tramp



WHITELINE PLUS Shock Absorber Bushings

- Eliminate low speed valving lag, including the use of heavy duty hydraulic and gas shocks
- Enhance the performance of both new and used shock absorbers
- Have superior density and linear flow properties, radically enhancing capacity to cope with bump and rebound travel



WHITELINE PLUS Steering Rack Bushings

- Exude characteristics that are chemically resistant to oils, coolants and solvents
- Enhances the stability of the steering rack



WHITELINE PLUS Sway Bar Bushings

- Increase bar rates by 10-20%
- Reduce lag in the suspension as the bar moves
- Pivot at both mounting points, utilising entire bar length



WHITELINE PLUS Trailing Arm Bushings

- Permit optimum pinion angle changes eliminating differential, tailshaft and/or gearbox failure
- Eliminate take off and driveline shudder under heavy loads



WHITELINE PLUS Radius Rod/ Caster bar Bushings

- Enhance suspension geometry retention
- Provide 'crisp', responsive handling
- Optimise braking capacities



WHITELINE PLUS Control Arm Bushings

- Enhance handling characteristics
- Provide a better steering feel and vehicle stability
- Induce more responsive braking
- Rectify wheel alignment settings



OTHER WHITELINE PRODUCTS AVAILABLE

- Fixed and adjustable sway bars
- Anti lift caster correction kits
- Aluminium sway bar links
- Strut and chassis braces
- Adjustable 'Max-C' strut mounts
- Adjustable control arms



INSTALLATION GUIDE

WHITELINE 'PLUS' suspension components are manufactured to very high standards utilising the very latest and most up to date polyurethane technology available worldwide.

We have formulated #85 Duro, #75 Duro polyurethane and application engineered them to give outstanding ride and geometry control whilst maintaining overall driver and passenger comfort. In all wishbone, control arm and leaf spring applications the WHITELINE 'PLUS' polyurethane bushes act as a flexible bearing and must be greased at the time of assembly.

What type of grease do you supply with your bushes?

Goop grease has been supplied in the kits where required and must be used to optimise bush performance and durability. Goop grease has been formulated from a reinforced No. 2 lithium complex base and selected additives with molybdenum disulphide for mechanical stability, extreme pressure qualities for extended life and a high melting or drop point of 2300C minimum. Goop grease should only be applied to the bores and outer flanges of all bushes and components - it is not recommended to grease the outside surfaces of bushes and components.

To gain optimum performance from WHITELINE "PLUS" components take the following precautions when installing:

- a. Ensure all suspension parts are free from rust, scale, paint and previous rubber deposits.
- b. Shackle and mounting pins, control arm and spring eyes and shoulders must show no major signs of pitting or damage - any damaged components must be replaced or repaired to vehicle manufacturer's tolerances.
- c. Grease has been supplied in the kits where required and must be used to optimise bush performance and durability. Grease has been formulated from a reinforced No. 2 lithium complex base and selected additives with molybdenum disulphide for mechanical stability, extreme pressure qualities for extended life and a high melting or drop point of 2300C minimum. Grease should only be applied to the bores and outer flanges of all bushes and components - it is not recommended to grease the outside surfaces of bushes and components.
- d. Tighten mounting bolts with the vehicle at normal ride height, to minimise risk of premature bush failure.



TESTING & DEVELOPMENT

CHASSIS CONTROL



HIGHEST STANDARDS




OUTSTANDING RIDE




SUSPENSION GEOMETRY

CAMBER



A tyre wears most at the point(s) where the majority of the vehicle's load rests. A properly set camber maximizes a tyre's contact patch, leading to even wear. Excessive negative or positive camber has an adverse effect on treadlife by causing premature outer or inner shoulder wear.

CASTER




The goal of proper caster alignment is to achieve optimal balance between low-speed steering effort and high-speed stability.

- An increasingly positive caster enhances highspeed stability, but increases low-speed steering effort.
- An increasingly negative caster decreases lowspeed steering effort and high-speed stability.

For cars with power steering, an increase in low-speed steering effort increases the rate of wear in the power steering system. With most suspension designs, there is a trade-off between caster and camber angles at the extreme limits.

TOE



Toe describes how close to parallel the two tyres are, and whether they are toed-in (closer at the front of the tyre) or toed-out (closer at the rear of the tyre). The goal of toe is to provide proper tyre wear through various driving conditions. The amount of toe your suspension is set to varies by the drive layout of your vehicle, driving preference, and car's handling characteristics.

On a rear-wheel-driven car, acceleration forces on the tyre tend to push the front tyres back slightly in the wheel well. Static toe-in will result in a zero-toe situation at speed.

For a front-wheel-driven vehicle, the front wheels will pull themselves forward in the wheel wells under acceleration. This happens because as the [driven] front wheels claw for traction, they pull themselves forward, dragging the rest of the car along. For this situation, static toe-out will result in a zero-toe condition at speed.

For information on more wheel alignment products refer to the Whiteline Flat Out catalogue.

WHITELINE

Flat out

HOW TO READ THIS CATALOGUE.

Please read below for instructions of how to read this catalogue.

Vehicle brand on current page.							Type of catalogue.	
Vehicle make header.		HITELINE PLUS CHASSIS CONTROL CATALOGUE						
F/R	APPLICATION	WL+ PART NO.	KITS	BUSH	CRUSH	TUBE	HARDWARE	NOTES/COMMENTS
AUDI	80/90/100 86-94							
F	Sway bar - link	W21014	1	8				F = Front R = Rear
F	Control arm - lower inner	W51972	1	4	4			
A3 97-02								
F	Control arm - lower inner rear	W52090	1	2	2			Std setting
F	Control arm - lower inner front	W52091	1	4	2			
BMW								
3 SERIES (E30) 88-91								
F	Control arm - lower inner rear	W81364	2					Whiteline plus part number.
F	Control arm - lower inner rear	W81924	1	2				Caster adjustable
F	Gearbox - mount	W92839	1	2				
R	Subframe - mount	W92964	1	2	2			
R	Sway bar - link	W21357	1	8				14mm - measure bar size
R	Sway bar - mount 14mm	W22184	1	2				
R	Strut - mount	W44040	1	2	2	x		Non adj.
R	Control arm - lower	W62187	1	4				Std.
R	Control arm - camber/toe kit	W62188	1	4		x		Eccentric
3 SERIES (E36) 91-02								
F	Sway bar - mount 22.5mm	W22642	1	2				22.5mm - measure bar size
F	Sway bar - mount 25.5mm	W22809	1	2				25.5mm - measure bar size
F	Sway bar - mount 27mm	W22810	1	2				27mm - measure bar size
F	Control arm - lower inner rear	W81364	1	2				Concentric
F	Control arm - lower inner rear	W81924	1	2				Caster adjustable
F	Gearbox - mount	W92839	1	2				
R	Control arm - lower outer	W62384	1	2	2	x		Camber adjusta
R	Control arm - upper outer	W62384	1	2	2	x		Camber adjustable
R	Crossmember - rear mount	W92619	1	2	2			
R	Crossmember - front mount	W92620	1	2	2			
R	Diff. - mount	W92623	1	1				
R	Diff. - rear cross brace	W92626	1	2	2			
R	Sway bar - mount 14mm	W22184	1	2				14mm - measure bar size - 318i Compact only
R	Sway bar - mount 20mm	W22801	1	2				20mm - measure bar size
R	Sway bar - mount 14mm	W22807	1	2				14mm - measure bar size
R	Sway bar - mount 19mm	W22851	x	1	2			19mm - measure ba
R	Strut - mount	W44040	1	2	2	x		
R	Trailing arm	W61923	1	2	2			Non adjustable
R	Control arm - lower	W62187	1	4				Std. - 318i Compact models only
R	Control arm - camber/toe kit	W62188	1	4		x		Eccentric adjustable. 318i Compact models only
R	Control arm - lower outer	W62622	1	2	2			
R	Control arm - upper outer	W62622	1	2	2			
R	Control arm - lower inner	W62625						
R	Spring - pad	W72042						
BMW, 3 SERIES (E36) 91-02 continues on next page							Footnote indicating "current model continues on next page".	
Page 10 of 152		© Copyright Redranger Pty Ltd 2008 A.B.N. 99 124 177 297						
Current page number of total pages.								

F or R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
UNIVERSAL APPLICATIONS							
SWAY BAR - LINK							
F/R	Sway bar - link assembly	KL1	1	x		140mm - Bushes not included	
F/R	Sway bar - link assembly	KL1P	1	8	x	140mm - Bushes included	
F/R	Sway bar - link assembly	KL2	1	x		165mm - Bushes not included	
F/R	Sway bar - link assembly	KL2P	1	8	x	165mm - Bushes included	
F/R	Sway bar - link assembly	KL3	1	x		200mm - Bushes not included	
F/R	Sway bar - link assembly	KL3P	1	8	x	200mm - Bushes included	
F/R	Sway bar - link assembly	KL4	1	x		240mm - Bushes not included	
F/R	Sway bar - link assembly	KL4P	1	8	x	240mm - Bushes included	
F/R	Sway bar - link assembly	KL5	1	x		280mm - Bushes not included	
F/R	Sway bar - link assembly	KL5P	1	8	x	280mm - Bushes included	
F/R	Sway bar - link assembly	KLC13	1	4	2	Single eye link kit - 220mm centres [with hardware]	
F/R	Sway bar - link assembly	KLD110B	1	8	4	Double eye S link kit - 110mm centres with bolts	
F/R	Sway bar - link assembly	KLD55	1	8	4	Double eye S link kit - 55mm centres	
F/R	Sway bar - link assembly	KLD55B	1	8	4	Double eye S link kit - 55mm centres with bolts	
F/R	Sway bar - link assembly	KLD700S	1	8	4	Double eye S link kit - 75mm centres [90deg. Offset]	
F/R	Sway bar - link assembly	KLD75	1	8	4	Double eye S link kit - 75mm centres	
F/R	Sway bar - link assembly	KLD75B	1	8	4	Double eye S link kit - 75mm centres with bolts	
F/R	Sway bar - link assembly	KLS075B	1	8	4	Double eye S link kit - 75mm centres [with hardware]	
F/R	Sway bar - link assembly	KLS090B	1	8	4	Double eye S link kit - 90mm centres [with hardware]	
F/R	Sway bar - link assembly	KLS125	1	4	2	Single eye link kit - 125mm centres	
F/R	Sway bar - link assembly	KLS190	1	4	2	Single eye link kit - 190mm centres	
F/R	Sway bar - link assembly	KLS190B	1	4	2	Single eye link kit - 190mm centres [with hardware]	
F/R	Sway bar - link assembly	KLS220	1	4	2	Single eye link kit - 220mm centres	
F/R	Sway bar - link assembly	KLS270	1	4	2	Single eye link kit - 270mm centres	
F/R	Sway bar - link assembly	KLS270B	1	4	2	Single eye link kit - 270mm centres [with hardware]	
SWAY BAR - MOUNT							
F/R	Sway bar - mount	22mm	W21047	1	2	22mm - measure bar size	
F/R	Sway bar - mount	19mm	W21053	1	2	19mm - measure bar size	
F/R	Sway bar - mount	24mm	W21058	1	2	24mm - measure bar size	
F/R	Sway bar - mount	20mm	W21063	1	2	20mm - measure bar size	
F/R	Sway bar - mount	18mm	W21086	1	2	18mm - measure bar size	
F/R	Sway bar - mount	21mm	W21105	1	2	21mm - measure bar size	
F/R	Sway bar - mount	23mm	W21175	1	2	23mm - measure bar size	
F/R	Sway bar - mount	25mm	W21212	1	2	25mm - measure bar size	
F/R	Sway bar - mount	16mm	W21259	1	2	16mm - measure bar size	
F/R	Sway bar - mount	17mm	W21260	1	2	17mm - measure bar size	
F/R	Sway bar - mount	27mm	W21269	1	2	27mm - measure bar size	
F/R	Sway bar - mount	30mm	W21270	1	2	30mm - measure bar size	
F/R	Sway bar - mount	14mm	W22080	1	2	14mm - measure bar size	
F/R	Sway bar - mount	26mm	W22788	1	2	26mm - measure bar size	
F/R	Sway bar - mount	28mm	W22789	1	2	28mm - measure bar size	
F/R	Sway bar - mount bracket		W21301	1	2	x	
BUMPSTOPS with stud							
F/R	Bump stop		W71824	1	2	L-60mmxW-26mmxH-48mm [2 stud]	
F/R	Bump stop		W52124	1	2	L-60mmxW-26mmxH-44mm [1 stud]	

BUMPSTOPS without stud

F/R	Bump stop	W52278	1	2	OD-43mmxD-0mmxL-58mm
F/R	Bump stop	W92328	1	2	OD-49mmxD-12mmxL-35mm
F/R	Bump stop	W92333	1	2	OD-96mmxD-34mmxL-87mm
F/R	Bump stop	W92334	1	2	OD-96mmxD-19mmxL-68mm

F or R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
F/R	Bump stop	W92346	1	2		OD-55mmxD-19.6mmxL-28mm	
F/R	Bump stop	W92347	1	2		OD-53.5mmxD-19.6mmxL-50mm	
F/R	Bump stop	W92348	1	2		OD-57mmxD-20mmxL-70mm	
F/R	Bump stop	W92827	1	2		OD-45.5mmxD-0mmxL-38mm	
F/R	Bump stop	W92898	1	2		OD-44.3mmxD-18mmxL-70mm	
F/R	Bump stop	W92899	1	2		OD-44mmxD-18mmxL-57mm	
F/R	Bump stop	W92900	1	2		OD-43mmxD-18mmxL-35mm	
F/R	Bump stop	W92901	1	2		OD-53mmxD-12.3mmxL-49.5mm	

COIL OVER HARDWARE

F/R	Threaded tube - ID 54mm	W44500	1	x	Suits Commodore/ BMW	
F/R	Threaded tube - ID 55mm	W44501	1	x	Height adjustable hardware	
F/R	Threaded tube - ID 54mm	W44502	1	x	Height adjustable hardware	
F/R	Threaded tube - ID 51mm	W44503	1	x	Height adjustable hardware	
F/R	Threaded tube - ID 50mm	W44504	1	x	Height adjustable hardware	
F/R	Threaded tube - ID 48mm	W44505	1	x	Height adjustable hardware	
F/R	Threaded tube - ID 45mm	W44506	1	x	Height adjustable hardware	
F/R	Coill over hardware spanner	W44560	1	x	Suits all Noltec locknuts	

ENGINE MOUNTS

F/R	Engine mount	W92930	1	2	H-72mmxW-75mmxStud-12mm	
F/R	Engine mount	W92539	1	2	H-68mmxW-75mmxStud-10mm	

 SHEET

F/R	Sheet	W91255	1	1	600 x 300 x10mm #85 Duro	
F/R	Sheet	W91252	1	1	600 x 300 x 5mm #85 Duro	

SOLID ROD
<table border="1

F or R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
AUDI							
80/90/100 86-94							
F	Sway bar - link	W21014	1	8			
F	Control arm - lower inner	W51972	1	4	4		
A3 97-02							
F	Control arm - lower inner rear	W52090	1	2	2	Std setting	
F	Control arm - lower inner front	W52091	1	4	2		
BMW							
3 SERIES (E30) 88-91							
F	Control arm - lower inner rear	W81924	1	2		Caster adjustable	
F	Control arm - lower inner rear	W81364	1	2		Concentric	
F	Gearbox - mount	W92839	1	2			
R	Control arm - camber/toe kit	W62188	1	4	x	Eccentric adjustable	
R	Control arm - lower	W62187	1	4		Std.	
R	Strut - mount	W44040	1	2	2	x	Non adjustable
R	Subframe - mount	W92964	1	2	2		
R	Sway bar - link	W21357	1	8			
R	Sway bar - mount 14mm	W22184	1	2		14mm - measure bar size	
3 SERIES (E36) 91-02							
F	Control arm - lower inner rear	W81924	1	2		Caster adjustable	
F	Control arm - lower inner rear	W81364	1	2		Concentric	
F	Gearbox - mount	W92839	1	2			
F	Sway bar - mount 22.5mm	W22642	1	2		22.5mm - measure bar size	
F	Sway bar - mount 25.5mm	W22809	1	2		25.5mm - measure bar size	
F	Sway bar - mount 27mm	W22810	1	2		27mm - measure bar size	
R	Control arm - camber/toe kit	W62188	1	4	x	Eccentric adjustable. 318i Compact models only	
R	Control arm - lower	W62187	1	4		Std. - 318i Compact models only	
R	Control arm - lower inner	W62625	1	2	2		
R	Control arm - lower outer	W62384	1	2	2	x	Camber adjustable
R	Control arm - lower outer	W62622	1	2	2		
R	Control arm - upper outer	W62384	1	2	2	x	Camber adjustable
R	Control arm - upper outer	W62622	1	2	2		
R	Crossmember - front mount	W92620	1	2	2		
R	Crossmember - rear mount	W92619	1	2	2		
R	Diff - mount	W92623	1	1		60mm long crush tube	
R	Diff. - rear cross brace	W92626	1	2	2		
R	Spring - pad	W72042	1	2		6mm	
R	Spring - pad	W72043	1	2		8mm	
R	Spring - pad	W72044	1	2		10mm	
R	Spring - pad	W72045	1	2		12mm	
R	Strut - mount	W44040	1	2	2	x	Non adjustable
R	Sway bar - mount 14mm	W22184	1	2		14mm - measure bar size - 318i Compact only	
R	Sway bar - mount 14mm	W22807	1	2		14mm - measure bar size	
R	Sway bar - mount 19mm	W22851	1	2		19mm - measure bar size	
R	Sway bar - mount 20mm	W22801	1	2		20mm - measure bar size	
R	Trailing arm	W61923	1	2	2		
3 SERIES (E46) 98-02							
F	Control arm - lower inner rear	W52605	1	2		66.3mm OD	
F	Control arm - lower inner rear	W52585	1	2		60.3mm OD offset	
F	Control arm - lower inner rear	W52584	1	2		60.3mm OD	
F	Control arm - lower inner rear	W52606	1	2		66.3mm OD offset	
F	Gearbox - mount	W92839	1	2			
F	Sway bar - mount 27mm	W22798	1	2		27mm - measure bar size	
R	Control arm - lower inner	W62625	1	2	2		
R	Control arm - lower outer	W62384	1	2	2	x	Camber adjustable
R	Control arm - lower outer	W62622	1	2	2		

BMW 3 SERIES (E46) 98-02 continues on next page...

F or R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
R							
Control arm - upper outer							
R	Control arm - upper outer	W62384	1	2	2	x	Camber adjustable
R	Crossmember - front mount	W92620	1	2	2		
R	Crossmember - rear mount	W92619	1	2	2		
R	Diff. - rear cross brace	W92626	1	2	2		
R	Spring - pad	W72042	1	2		6mm	
R	Spring - pad	W72043	1	2		8mm	
R	Spring - pad	W72044	1	2		10mm	
R	Spring - pad	W72045	1	2		12mm	
R	Strut - mount	W44040	1	2	2	x	Non adjustable
R	Sway bar - mount 14mm	W22807	1	2		14mm - measure bar size	
R	Sway bar - mount 19mm	W22851	1	2		19mm - measure bar size	
R	Sway bar - mount 20mm	W22801	1	2		20mm - measure bar size	
R	Trailing arm	W61923	1	2	2		
5 SERIES (E12) 73							
F	Radius rod	W82868	1	2	2	x	
R	Crossmember - mount	W92924	1	2	2	x	
5 SERIES (E34) 88-95							
F	Radius rod	W81368	1	2		x	
R	Crossmember - mount	W92924	1	2	2	x	
5 SERIES (E39) 96-02							
F	Radius Rod	W82977	1	2	2		V8 only -
F	Sway bar - mount 27mm	W22805	1	2		27mm - measure bar size	
R	Sway bar - mount 14mm	W22807	1	2		14mm - measure bar size	
R	Sway bar - mount 18mm	W22806	1	2		18mm - measure bar size	
R	Sway bar - mount 19mm	W22851	1	2		19mm - measure bar size	
R	Sway bar - mount 20mm	W22801	1	2		20mm - measure bar size	
5 SERIES (E39) 00 on							
F	Sway bar - mount 27mm	W22805	1	2		27mm - measure bar size	
R	Sway bar - mount 14mm	W22807	1	2		14mm - measure bar size	
R	Sway bar - mount 18mm	W22806	1	2		18mm - measure bar size	
R	Sway bar - mount 19mm	W22851	1	2		19mm - measure bar size	
R	Sway bar - mount 20mm	W22801	1	2		20mm - measure bar size	
5SERIES (E28) 74 on							
F	Radius rod	W81367	1	2	2		
F	Radius rod - control arm	W82479	1	2	2		6 series only
R	Crossmember - mount	W92924	1	2	2	x	
6 SERIES (E24) 76-90							
F	Radius rod - control arm	W82479	1	2	2		
F	Radius rod - chassis	W82267	1	2	2		
7 SERIES (E23) 77-86							
F	Radius rod - chassis	W82505	1	2	2		
7 SERIES 730,735,740,750 (E38) 93-01							
F	Radius Rod	W82977	1	2	2		
MINI (R50) & COOPER S 01 on							

F or R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
F	Control arm - lower inner rear	W52614	1	2			Offset for caster
F	Control arm - lower inner rear	W52613	1	2			
F	Engine mount	W92879	1	2	2		Engine steady
F	Engine mount - insert lower front	W92631	1	2			Engine steady
F	Engine mount - insert upper rear	W92630	1	2			Up to 12/03
F	Sway bar - mount 22mm	W22629	1	2			22mm - measure bar size
F	Sway bar - mount 24mm	W22886	1	2			24mm - measure bar size
R	Control arm - lower inner	W62632	1	4	4		
R	Control arm - lower outer	W62633	1	4	4		
R	Control arm - upper inner	W62632	1	4	4		
R	Control arm - upper outer	W62633	1	4	4		
R	Trailing arm - front	W62636	1	2	2	x	

Z3 [E36/E37] 97-02

F	Control arm - lower inner rear	W81924	1	2			Offset for caster
F	Control arm - lower inner rear	W81364	1	2			Concentric
F	Sway bar - mount 22.5mm	W22642	1	2			22.5mm - measure bar size
R	Control arm - camber/toe kit	W62188	1	4		x	Eccentric adjustable
R	Control arm - lower	W62187	1	4			Std.
R	Strut - mount	W44040	1	2	2	x	Non adjustable
R	Subframe - mount	W92964	1	2	2		
R	Sway bar - link	W21357	1	8			
R	Sway bar - mount 14mm	W22184	1	2			14mm - measure bar size

CHEVROLET**CHEVETTE 60 - on 6/8CYL**

R	Panhard rod	W81482	1	1			1 piece type/Incl. crush tube
R	Panhard rod	W81006	1	4	1		2 piece type/Incl. crush tube

IMPALA 60-64 6/8CYL

F	Sway bar - link	W21014	1	8			
---	-----------------	--------	---	---	--	--	--

LUMINA 97-2/99

F	Control arm - lower inner	W51233	1	2	2		
F	Control arm - lower inner	W53175	1	2	2		Poly only replacement
F	Control arm - lower	WA120A	1				Series 1 only - Spigot ball joint
F	Control arm - lower inner [offset]	W52566	1	2	2		Must be used with W82047
F	Engine mount	W92930	1	2			V8 models only (Gen III LS1)
F	Radius rod - caster kit	W82047	1	2	2	x	Shim adjustable caster kit
F	Radius rod - rear	W52906	1	4	2		Heavy Duty
F	Radius rod - rear	W81099	1	2			
F	Strut - mount	W41771	1	2		x	Without bearing
F	Strut - mount	W41772	1	2		x	With bearing
F	Strut - mount offset	W42565	1	2		x	Camber adjustment - with spring platform
F	Strut - mount offset	W42565S	1	2		x	Camber adjustment - Coil overs only
F	Sway bar - link	W2199A	1	8			
F	Sway bar - mount 22mm	W21337	1	2			22mm - measure bar size
F	Sway bar - mount 24mm	W21334	1	2			24mm - measure bar size
F	Sway bar - mount 26mm	W21151	1	2			26mm - measure bar size
F	Sway bar - mount 27mm	W21335	1	2			27mm - measure bar size
F	Sway bar - mount 28mm	W22327	2				28mm - measure bar size
F	Sway bar - mount 30mm	W21336	1	2			30mm - measure bar size
F	Sway bar - link assembly	W23000A	1	8		x	Heavy Duty 'Z' link design
R	Control arm	W61483	2	4	2		
R	Control arm - camber/toe kit	W61309	1	4	2	x	Std height vehicles
R	Control arm - camber/toe kit	W61309	2	4	2	x	FE2&Lowered vehicles
R	Control arm - camber/toe kit	W61309S	1	4	2	x	Includes removal tool
R	Control arm - camber/toe kit	W62927	1	4	2	x	Super low kit - outer bushes only
R	Control arm - camber/toe kit	W62946	1	2	2	x	Super low kit with removal tool
R	Crossmember - outer mount	W92350	1	2			To minimise axle tramp use with W92616
R	Diff. - mount insert	W92615	1	1			Suits up to VX Series 1 8/01
R	Diff. - mount insert	W92616	1	1			Suits VX Series 2 9/01 on
R	Shock absorber - upper	W31487	1	2			Sedan models
R	Spring - pad	W72042	1	2			6mm
R	Spring - pad	W72043	1	2			8mm
R	Spring - pad	W72044	1	2			10mm
R	Spring - pad	W72045	1	2			12mm
R	Sway bar - link	W23034	2				
R	Sway bar - mount 14mm	W21419	1	2			14mm - measure bar size
R	Sway bar - mount 16mm	W21484	1	2			16mm - measure bar size

CHEVROLET LUMINA 97-2/99 continues on next page...

F or R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
R	Diff. - mount insert	W92615	1	1			Rear of differential
R	Shock absorber - upper	W31467	1	2			Sedan models
R	Spring - pad	W72042	1	2			6mm
R	Spring - pad	W72043	1	2			8mm
R	Spring - pad	W72044	1	2			10mm
R	Spring - pad	W72045	1	2			12mm
R	Sway bar - link	W23034	2				
R	Sway bar - mount 14mm	W21419	1	2			14mm - measure bar size
R	Sway bar - mount 16mm	W21484	1	2			16mm - measure bar size

LUMINA 9/00 on

F	Control arm - lower inner	W53175	1	2	2		Poly only replacement
F	Control arm - lower	WA130A	1				Complete replacement arm - Threaded ball joint
F	Control arm - lower	WA120A	1				Series 1 only - Spigot ball joint
F	Control arm - lower inner	W51233	1	2	2		
F	Control arm - lower inner [offset]	W52566	1	2	2		Must be used with W82047
F	Engine mount	W92930	1	2			V8 models only (Gen III LS1)
F	Radius rod - caster kit	W82047	1	2	2	x	Shim adjustable caster kit
F	Radius rod - rear	W52906	1	4	2		Heavy Duty
F	Radius rod - rear	W81099	1	2			
F	Strut - mount	W41771	1	2		x	Without bearing
F	Strut - mount	W41772	1	2		x	With bearing
F	Strut - mount offset	W42565	1	2		x	Camber adjustment - with spring platform
F	Strut - mount offset	W42565S	1	2		x	Camber adjustment - Coil overs only
F	Sway bar - link	W22772	1	4			
F	Sway bar - link	W22921	1	4			
F	Sway bar - mount 22mm	W21337	1	2			22mm - measure bar size
F	Sway bar - mount 24mm	W21334	1	2			24mm - measure bar size
F	Sway bar - mount 26mm	W21151	1	2			26mm - measure bar size
F	Sway bar - mount 27mm	W21335	1	2			27mm - measure bar size
F	Sway bar - mount 28mm	W22327	2				28mm - measure bar size
F							

F or R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
CHRYSLER							
CENTURA KB,KC 4/75-78							
F	Steering - coupling	W11083	1	1	x		
F	Sway bar - link	W21014	1	8			
F	Sway bar - mount 16mm	W21259	1	2		16mm - measure bar size	
F	Sway bar - mount 17mm	W21260	1	2		17mm - measure bar size	
F	Sway bar - mount 18mm	W21086	1	2		18mm - measure bar size	
F	Sway bar - mount 19mm	W21053	1	2		19mm - measure bar size	
F	Sway bar - mount 20mm	W21063	1	2		20mm - measure bar size	
F	Sway bar - mount 21mm	W21105	1	2		21mm - measure bar size	
F	Sway bar - mount 22mm	W21047	1	2		22mm - measure bar size	
F	Sway bar - mount 23mm	W21175	1	2		23mm - measure bar size	
F	Sway bar - mount 24mm	W21058	1	2		24mm - measure bar size	
F	Sway bar - mount 25mm	W21212	1	2		25mm - measure bar size	
F	Sway bar - mount 27mm	W21269	1	2		27mm - measure bar size	
F	Sway bar - mount 30mm	W21270	1	2		30mm - measure bar size	
F	Sway bar - mount bracket	W21301	1	2	x		
DODGE PHOENIX 64 on							
F	Steering - idler	W11020	1	1	1		
R	Spring - shackle assembly	W72853	1	8	x	Incl. 2 shackles, 8 bushes	
VALIANT RV1 61-62							
F	Control arm - upper inner	W51090	1	4	4	x	/washers
F	Radius rod	W81372	1	2			Tapered one piece
F	Steering - coupling	W11066	1	1	x		
F	Steering - idler	W11089	1	1	1		
F	Sway bar - link	W21014	1	8			
F	Sway bar - mount 16mm	W21259	1	2		16mm - measure bar size	
F	Sway bar - mount 17mm	W21260	1	2		17mm - measure bar size	
F	Sway bar - mount 18mm	W21086	1	2		18mm - measure bar size	
F	Sway bar - mount 19mm	W21053	1	2		19mm - measure bar size	
F	Sway bar - mount 20mm	W21063	1	2		20mm - measure bar size	
F	Sway bar - mount 21mm	W21105	1	2		21mm - measure bar size	
F	Sway bar - mount 22mm	W21047	1	2		22mm - measure bar size	
F	Sway bar - mount 23mm	W21175	1	2		23mm - measure bar size	
F	Sway bar - mount 24mm	W21058	1	2		24mm - measure bar size	
F	Sway bar - mount 25mm	W21212	1	2		25mm - measure bar size	
F	Sway bar - mount 27mm	W21269	1	2		27mm - measure bar size	
F	Sway bar - mount 30mm	W21270	1	2		30mm - measure bar size	
F	Sway bar - mount bracket	W21301	1	2	x		
R	Spring - front eye	W71377	1	4	2		Incl. crush tubes
R	Spring - rear eye & shackle	W71374	1	8			
VALIANT SV1,AP5,AP6,VC,VE,VF,VG,VH,VJ,VK 62-76							
F	Control arm - upper inner	W51090	1	4	4	x	/washers
F	Control arm - lower inner	W81097	1	2	x		Orig. shell to remain in arm
F	Radius rod	W81069	1	2			Two piece
F	Radius rod	W81372	1	2			Tapered one piece
F	Steering - coupling	W11066	1	1	x		
F	Steering - idler	W11089	1	1	1		Chassis end
F	Steering - idler pin	W11236	1	1			To draglink
F	Sway bar - link	W21014	1	8			
F	Sway bar - mount 16mm	W21259	1	2		16mm - measure bar size	
F	Sway bar - mount 17mm	W21260	1	2		17mm - measure bar size	
F	Sway bar - mount 18mm	W21086	1	2		18mm - measure bar size	
F	Sway bar - mount 19mm	W21053	1	2		19mm - measure bar size	
F	Sway bar - mount 20mm	W21063	1	2		20mm - measure bar size	
F	Sway bar - mount 21mm	W21105	1	2		21mm - measure bar size	
F	Sway bar - mount 22mm	W21047	1	2		22mm - measure bar size	
F	Sway bar - mount 23mm	W21175	1	2		23mm - measure bar size	
F	Sway bar - mount 24mm	W21058	1	2		24mm - measure bar size	
F	Sway bar - mount 25mm	W21212	1	2		25mm - measure bar size	
F	Sway bar - mount 27mm	W21269	1	2		27mm - measure bar size	
F	Sway bar - mount 30mm	W21270	1	2		30mm - measure bar size	
F	Sway bar - mount bracket	W21301	1	2	x		
R	Spring - front eye	W71377	1	4	2		Incl. crush tubes
R	Spring - rear eye & shackle	W71374	1	8			

CHRYSLER VALIANT SV1,AP5,AP6,VC,VE,VF,VG,VH,VJ,VK 62-76 continues on next page...

F or R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
DAEWOO							
1.5 94-95 4cyl							
F	Sway bar- link	W21014	1	8			
CIELO 94-7/98 4cyl							
F	Sway bar- link	W21014	1	8			
ESPERO 94-8/97 on 4cyl							
F	Sway bar- link	W21014	1	8			
LANOS 8/97 on 4cyl							
F	Sway bar- link	W21014	1	8			
NUBIRA J100 6/97-02 4cyl							
F	Sway bar - ball/ball link kit	W23180	1				Universal sway bar link must cut to 260mm
F	Control arm - lower inner rear	W53174	1				
F	Control arm - lower inner front	W53173	1	2	2		

F or R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
DAIHATSU							
	APPLAUSE A101 6/89 on 4cyl						
R	Trailing arm	W61222	1	8	4		
R	Sway bar - link	W21173	1	4			
CHARADE G100,G102 87-93 3/4cyl							
R	Trailing arm	W61222	1	8	4		
R	Sway bar - link	W21173	1	4			
DAIHATSU COMMERCIAL							
	DELTA V57,58,67,68,78,79,98,99,107 84-on 4cyl						
F	Shock absorber - upper	W21173	1	4			
F20,F25,F50,F55,F60,F65 4WD All 79-84 4cyl							
F	Shock absorber	W31062	2	2			
F	Spring - front eye	W72130	1	4		F25,F55,F65	
F	Spring - rear eye	W72129	1	4	2		
F	Spring - shackle	W72128	1	4			
R	Shock absorber	W31062	2	2			
R	Spring - front eye	W72129	1	4	2	F20,F50,F60	
R	Spring - front eye	W72130	1	4		F25,F55,F65	
R	Spring - rear eye	W72129	1	4	2	F20,F50,F60	
R	Spring - rear eye	W72130	1	4		F25,F55,F65	
R	Spring - shackle	W72128	1	4		F25,F55,F65	
FEROZA F300,F310 88-00 4cyl							
F	Shock absorber - upper	W21173	1	4		to 5/92	
F	Sway bar - link	W21135	1	8			
F	Sway bar - mount	W21058	1	2			
R	Shock absorber - lower	W21173	1	4		5/92 on	
R	Shock absorber - lower	W31062	1	2		to 5/92	
R	Shock absorber - upper	W21172	1	4		5/92 On	
R	Shock absorber - upper	W21173	1	4		to 5/92	
R	Spring - rear eye	W72130	1	4		F300 7/90 on	
R	Spring - rear eye	W72167	1	4	2	F300 to 7/90-Incl.crush tubes	
R	Spring - shackle	W72128	1	4			
HI-JET S38,S40,S60 71-81							
F	Shock absorber - upper	W21173	1	4			
R	Shock absorber	W31062	2	2			
R	Spring - front eye	W72129	1	4	2	S40 only	
R	Spring - rear eye	W72129	1	4	2		
R	Spring - shackle	W72128	1	4			
HI-JET S70,S75,S76 5/82-5/86 3cyl							
R	Shock absorber	W31062	2	2			
R	Spring - front eye	W72129	1	4	2		
R	Spring - rear eye	W72129	1	4	2		
ROCKY F70,F75,F77,F80,F85,F87 4/84 on 4cyl							
F	Spring - front & rear eye	W72167	2	4	2		
F	Shock absorber - upper	W21172	1	4			
F	Shock absorber - lower	W31062	1	2		to 10/89	
F	Spring - shackle	W72128	1	4			
F	Sway bar - link assembly	W22107	1	4	2		

DAIHATSU COMMERCIAL ROCKY F70,F75,F77,F80,F85,F87 4/84 on 4cyl continues on next page...

F or R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
DAIHATSU							
F	Sway bar - link outer	W22107	1	4	2		
F	Sway bar - mount	W21047	1	2		22mm - measure bar size	
F	Sway bar - link	W21173	1	4			
R	Shock absorber - lower	W31062	1	2			
R	Shock absorber - upper	W21172	1	4		9/86 on F77,F87	
R	Shock absorber - upper	W21173	1	4			
R	Spring - front & rear eye	W72130	2	4		F77,F87 9/86 on	
R	Spring - front & rear eye	W72167	2	4	2	Excl.F77,F87 9/86 on	
R	Spring - shackle	W72128	1	4		Excl.F77,F87 9/86 on	
FORD							
	ANGLIA/PERFECT 1959-62 4cyl						
F	Control arm - lower inner	W51051	1	4	2		
F	Sway bar - radiator support	W51051	1	4	2		
R	Spring - shackle	W71388	1	4			
CAPRI 1600,3000,GT 69-73 4/6cyl							
F	Control arm - lower inner	W51051	1	4	2		
F	Steering - coupling	W11281	1	1		x	13mm
F	Steering - coupling	W11163	1	1		x	26.5mm
F	Steering - coupling	W11282	1	1		x	21mm
F	Steering - rack mount	W11071	1	1			
F	Steering - rack support	W11113	1	1			Internal
F	Sway bar - control arm	W51054	1	4	2	x	
F	Sway bar - mount	W21092	1	2			19mm - measure bar size
F	Sway bar - mount	W21110	1	2			20mm - measure bar size
F	Sway bar - mount	W21385	1	2			22mm - measure bar size
F	Sway bar - mount	W21864	1	2			24mm - measure bar size
R	Spring - front eye	W71289	1	4	2		4cyl/
R	Spring - front eye	W71386	1	2	2		V6/ Incl.crush tubes
R	Spring - rear eye	W71387	1	4			
R	Spring - sandwich pad	W71973	1	4			51.5mm wide spring
R	Spring - shackle	W71388	1	4			
R	Trailing arm - upper	W62536	1	2	2		
CAPRI SA,SC,SE 89-94 4cyl							
F	Control arm - lower inner front	W51280	1	4	2		
F	Control arm - lower inner rear	W51141	1	2	2		
F	Strut - mount	W44101	1	2	2	x	Non adjustable
F	Sway bar - link	W21169	1	8			
F	Sway bar - mount	W21420	1	2			27mm - measure bar size
R	Control arm	W61753	1	8	6		
R	Sway bar - link	W21169	1	8			
R	Trailing arm	W61764	1	4	2		
CORSAIR UA 89-92 4cyl							
F	Control arm - lower inner front	W51778	1	2	2		
F	Control arm - lower inner rear	W51451	1	2	2		
F	Sway bar - link	W21014	1	8			
R	Control arm	W51450	2	2	2		IRS/
R	Sway bar - link	W21014	1	8			
R	Sway bar - link upper	W22110	1	4			
R	Sway bar - mount	W22112	1	2			18mm - measure bar size
R	Trailing arm - lower	W61238	2	4	2		To 2/85 live axle
R	Trailing arm - upper	W61631	2	4	2		To 2/85 live axle

FORD

F or R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
CORTINA Mk1 & LOTUS 62-67 4cyl							
F	Control arm - lower inner	W51389	1	4	2		
F	Control arm - lower inner	W51051	1	4	2		
F	Steering - drag link	W11887	1	4			
F	Sway bar - control arm	W21390	1	4	2		
F	Sway bar - mount 19mm	W21092	1	2			19mm - measure bar size
F	Sway bar - mount 20mm	W21110	1	2			20mm - measure bar size
F	Sway bar - mount 22mm	W21385	1	2			22mm - measure bar size
F	Sway bar - mount 24mm	W21864	1	2			24mm - measure bar size
R	Spring - front eye	W71289	1	4	2		
R	Spring - rear eye & shackle	W71388	2	4			
R	Spring - shackle	W71388	1	4			35mm OD - export only
R	Tramp rod	W51051	1	4	2		GT only/
CORTINA Mk2 67-71 4cyl							
F	Control arm - lower inner	W51051	1	4	2		
F	Sway bar - control arm	W51054	1	4	2	x	
F	Sway bar - mount 19mm	W21092	1	2			19mm - measure bar size
F	Sway bar - mount 20mm	W21110	1	2			20mm - measure bar size
F	Sway bar - mount 22mm	W21385	1	2			22mm - measure bar size
F	Sway bar - mount 24mm	W21864	1	2			24mm - measure bar size
R	Spring - front eye	W71289	1	4	2		
R	Spring - rear eye	W71159	1	4			41mm OD
R	Spring - rear eye	W71387	1	4			48mm OD/10.2mm ID
R	Spring - shackle	W71388	1	4			
R	Tramp rod	W51051	1	4	2		GT only/
CORTINA Mk3,Mk4,Mk5 68-76 4cyl							
F	Control arm - lower inner	W51393	1	4	2		
F	Control arm - upper inner	W51392	1	4	4		
F	Radius rod	W81048	1	4	2		Round spigot/Incl.crush tubes
F	Radius rod	W81399	1	4	2		Oval spigot/Incl.crush tubes
F	Steering - coupling	W11163	1	1		x	26.5mm
F	Steering - coupling	W11281	1	1		x	13mm
F	Steering - coupling	W11282	1	1		x	21mm
F	Steering - rack support	W11113	1	1			Internal
F	Sway bar - link	W21014	1	8			
F	Sway bar - mount 19mm	W21092	1	2			19mm - measure bar size
F	Sway bar - mount 20mm	W21110	2				20mm - measure bar size
F	Sway bar - mount 22mm	W21385	2				22mm - measure bar size
F	Sway bar - mount 24mm	W21864	2				24mm - measure bar size
R	Trailing arm - lower front	W61394	1	2	1		44mm OD/Incl.crush tubes
R	Trailing arm - lower front	W61395	1	2	2		50mm OD/
R	Trailing arm - lower rear	W61184	1	2	2		
R	Trailing arm - upper front	W61067	1	2	2		
R	Trailing arm - upper rear	W61067	1	2	2		
CORTINA TC,TD 71-76 4cyl							
F	Control arm - lower inner	W51398	1	4	2		14 mm ID crush tube 7/72 on
F	Control arm - upper inner	W51392	1	4	4		12mm ID crush tube to 7/72
F	Radius rod	W81048	1	4	2		Round spigot/Incl.crush tubes
F	Radius rod	W81399	1	4	2		Oval spigot/Incl.crush tubes
F	Steering - coupling	W11282	1	1		x	Fitting kit supplied
F	Sway bar - link	W21013	1	8			
R	Trailing arm - lower front	W61076	1	2	2		8/72 on/
R	Trailing arm - lower front	W61394	1	2	1		to 8/72/
R	Trailing arm - lower rear	W61184	1	2	2		
R	Trailing arm - upper front	W61067	1	2	2		to 7/72/ Incl.crush tubes
R	Trailing arm - upper front	W61076	1	2	2		7/72 on/ Incl.crush tubes
R	Trailing arm - upper rear	W61067	1	2	2		Incl.crush tubes

F or R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
CORTINA TE,TF 77-82 4cyl							
F	Control arm - upper inner	W51017	1	4	4	x	/ washers
F	Control arm - lower inner	W51711	1	2	2	x	TF/
F	Control arm - lower inner	W51402	1	2	2	x	TE/
F	Radius rod	W81073	1	4	2		
F	Shock absorber - upper	W31408	1	4			
F	Sway bar - link	W21013	1	8			
F	Sway bar - mount 16mm	W21259	1	2			16mm - measure bar size
F	Sway bar - mount 17mm	W21260	1	2			17mm - measure bar size
F	Sway bar - mount 18mm	W21086	1	2			18mm - measure bar size
F	Sway bar - mount 19mm	W21053	1	2			19mm - measure bar size
F	Sway bar - mount 20mm	W21063	1	2			20mm - measure bar size
F	Sway bar - mount 21mm	W21105	1	2			21mm - measure bar size
F	Sway bar - mount 22mm	W21047	1	2			22mm - measure bar size
F	Sway bar - mount 23mm	W21175	1	2			23mm - measure bar size
F	Sway bar - mount 24mm	W21058	1	2			24mm - measure bar size
F	Sway bar - mount 25mm	W21212	1	2			25mm - measure bar size
F	Sway bar - mount 27mm	W21269	1	2			27mm - measure bar size
F	Sway bar - mount 30mm	W21270	1	2			30mm - measure bar size
F	Sway bar - mount bracket	W21301	1	2		x	
R	Shock absorber - upper & lower	W31408	2	4			
R	Trailing arm - lower front	W61076	1	2	2		
R	Trailing arm - lower rear	W61184	1	2	2		
R	Trailing arm - upper front	W61076	1	2	2		
R	Trailing arm - upper rear	W61067	1	2	2		
ESCORT Mk1 - 1100,1300,1600 70-75 4cyl							
F	Control arm - lower inner	W51051	1	4	2		
F	Steering - coupling	W11281	1	1		x	13mm
F	Steering - coupling	W11163	1	1		x	26.5mm
F	Steering - coupling	W11282	1	1		x	21mm
F	Steering - rack mount	W11071	1	1			
F	Steering - rack support	W11113	1	1			Internal
F	Sway bar - control arm	W51054	1	4	2	x	
F	Sway bar - mount 19mm	W21092	1	2			19mm - measure bar size
F	Sway bar - mount 20mm	W21110	1	2			20mm/Twin cam to 5/70
F	Sway bar - mount 22mm	W21385	1	2			22mm/Twin cam 5/70 on
F	Sway bar - mount 24mm	W21864	2				24mm - measure bar size
R	Spring - front eye	W71289	1	4	2		
R	Spring - rear eye	W71159	1	4			
R	Spring - sandwich pad	W71403	1	4			61.5mm wide spring
R	Spring - sandwich pad	W71973	1	4			51.5mm wide spring
R	Spring - shackle	W71388	1	4			
R	Tramp rod - rear	W51051	1	4	2		RS1600
ESCORT MK2 - 2000 & RS2000 75-82 4cyl							
F	Control arm - lower inner	W51051	1	4	2		Incl.crush tubes
F	Steering - coupling	W11281	1	1		x	13mm
F	Steering - coupling	W11163	1	1		x	26.5mm
F	Steering - coupling	W11282	1	1		x	21mm
F	Steering - rack mount	W11071	1	1			
F	Steering - rack support	W11113	1	1			Internal
F	Sway bar - control arm	W51054	1	4	2	x	
F	Sway bar - mount 19mm	W21092	1	2			19mm - measure bar size
F	Sway bar - mount 20mm	W21110	1	2			20mm - measure bar size

F or R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
F	Radius rod	W81011	1	4	2		
F	Shock absorber - lower	W31409	1	8			
F	Shock absorber - upper	W31408	1	4			
F	Spring - pad	W71476	1	2		10mm	
F	Spring - pad	W71477	1	2		6mm	
F	Spring - pad	W71478	1	2		8mm	
F	Spring - saddle	W71407	2	2	x	Regreasable	
F	Steering - coupling	W11415	1	1	x	Fitting kit supplied	
F	Steering - idler	W11019	1	1	1	Draglink	
F	Steering - idler	W11020	1	1	1	Chassis	
F	Steering - idler arm	W11414	1	1	1		
F	Sway bar - link	W21013	1	8			
F	Sway bar - link assembly	W21807S	1	8	x	Incl. Rods & bushes	
F	Sway bar - mount 16mm	W21259	1	2		16mm - measure bar size	
F	Sway bar - mount 17mm	W21260	1	2		17mm - measure bar size	
F	Sway bar - mount 18mm	W21086	1	2		18mm - measure bar size	
F	Sway bar - mount 19mm	W21053	1	2		19mm - measure bar size	
F	Sway bar - mount 20mm	W21063	1	2		20mm - measure bar size	
F	Sway bar - mount 21mm	W21105	1	2		21mm - measure bar size	
F	Sway bar - mount 22mm	W21047	1	2		22mm - measure bar size	
F	Sway bar - mount 23mm	W21175	1	2		23mm - measure bar size	
F	Sway bar - mount 24mm	W21058	1	2		24mm - measure bar size	
F	Sway bar - mount 25mm	W21212	1	2		25mm - measure bar size	
F	Sway bar - mount 27mm	W21269	1	2		27mm - measure bar size	
F	Sway bar - mount 30mm	W21270	1	2		30mm - measure bar size	
F	Sway bar - mount bracket	W21301	1	2	x		
R	Shock absorber	W31408	2	4			
R	Spring - front eye	W71103	1	4	2		
R	Spring - rear eye & shackle	W71078	1	8			
R	Spring - sandwich pad	W71413	1	4			
R	Sway bar - link	W21013	1	8			
R	Sway bar - link assembly	W21807S	1	8	x	Incl. Rods & bushes	
R	Sway bar - mount 16mm	W21259	1	2		16mm - measure bar size	
R	Sway bar - mount 17mm	W21260	1	2		17mm - measure bar size	
R	Sway bar - mount 18mm	W21086	1	2		18mm - measure bar size	
R	Sway bar - mount 19mm	W21053	1	2		19mm - measure bar size	
R	Sway bar - mount 20mm	W21063	1	2		20mm - measure bar size	
R	Sway bar - mount 21mm	W21105	1	2		21mm - measure bar size	
R	Sway bar - mount 22mm	W21047	1	2		22mm - measure bar size	
R	Sway bar - mount 23mm	W21175	1	2		23mm - measure bar size	
R	Sway bar - mount 24mm	W21058	1	2		24mm - measure bar size	
R	Sway bar - mount 25mm	W21212	1	2		25mm - measure bar size	
R	Sway bar - mount 27mm	W21269	1	2		27mm - measure bar size	
R	Sway bar - mount 30mm	W21270	1	2		30mm - measure bar size	
R	Sway bar - mount bracket	W21301	1	2	x		
R	Torque rod - differential	W61067	2	2	2	4/73 on	
R	Torque rod - differential	W61997	2	2	2	To 4/73	

FALCON XC/FAIRLANE ZH 7/76-2/79 6/8cyl

F	Control arm - upper inner	W51017	1	4	4	x	/washers
F	Control arm - lower inner	W51016	1	2	4	x	1/2"and 9/16"CT's supplied
F	Control arm - lower	WA201A	1				1/2" ID crush tubes - Complete replacement arm
F	Radius rod	W81073	1	4	2		
F	Shock absorber - lower	W31409	1	8			
F	Shock absorber - upper	W31408	1	4			
F	Spring - pad	W71476	1	2		10mm	
F	Spring - pad	W71477	1	2		6mm	
F	Spring - pad	W71478	1	2		8mm	
F	Spring - saddle	W71407	2	2	x	Regreasable	
F	Steering - coupling	W11415	1	1	x	Fitting kit supplied	
F	Steering - idler	W11019	1	1	1	Draglink	
F	Steering - idler	W11020	1	1	1	Chassis	
F	Steering - idler arm	W11414	1	1	1		

FORD FALCON XC/FAIRLANE ZH 7/76-2/79 6/8cyl continues on next page...

F or R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
F	Sway bar - link	W21013	1	8			
F	Sway bar - link assembly	W21807S	1	8	x	Incl. Rods & bushes	
F	Sway bar - mount 16mm	W21259	1	2		16mm - measure bar size	
F	Sway bar - mount 17mm	W21260	1	2		17mm - measure bar size	
F	Sway bar - mount 18mm	W21086	1	2		18mm - measure bar size	
F	Sway bar - mount 19mm	W21053	1	2		19mm - measure bar size	
F	Sway bar - mount 20mm	W21063	1	2		20mm - measure bar size	
F	Sway bar - mount 21mm	W21105	1	2		21mm - measure bar size	
F	Sway bar - mount 22mm	W21047	1	2		22mm - measure bar size	
F	Sway bar - mount 23mm	W21175	1	2		23mm - measure bar size	
F	Sway bar - mount 24mm	W21058	1	2		24mm - measure bar size	
F	Sway bar - mount 25mm	W21212	1	2		25mm - measure bar size	
F	Sway bar - mount 27mm	W21269	1	2		27mm - measure bar size	
F	Sway bar - mount 30mm	W21270	1	2		30mm - measure bar size	
F	Sway bar - mount bracket	W21301	1	2	x		
R	Shock absorber	W31408	2	4			
R	Spring - front eye	W71103	1	4	2		
R	Spring - front eye	W71416	1	4	2		ZH 3/78 on - Oval bush
R	Spring - rear eye & shackle	W71078	1	8			
R	Spring - sandwich pad	W71413	1	4			
R	Sway bar - link	W21013	1	8			
R	Sway bar - link assembly	W21807S	1	8	x	Incl. Rods & bushes	
R	Sway bar - mount 16mm	W21259	1	2		16mm - measure bar size	
R	Sway bar - mount 17mm	W21260	1	2		17mm - measure bar size	
R	Sway bar - mount 18mm	W21086	1	2		18mm - measure bar size	
R	Sway bar - mount 19mm	W21053	1	2		19mm - measure bar size	
R	Sway bar - mount 20mm	W21063	1	2		20mm - measure bar size	
R	Sway bar - mount 21mm	W21105	1	2		21mm - measure bar size	
R	Sway bar - mount 22mm	W21047	1	2		22mm - measure bar size	
R	Sway bar - mount 23mm	W21175	1	2		23mm - measure bar size	
R	Sway bar - mount 24mm	W21058	1	2		24mm - measure bar size	
R	Sway bar - mount 25mm	W21212	1	2		25mm - measure bar size	
R	Sway bar - mount 27mm	W21269	1	2		27mm - measure bar size	
R	Sway bar - mount 30mm	W21270	1	2		30mm - measure bar size	
R	Sway bar - mount bracket	W21301	1	2	x		
R	Torque rod - differential	W61067	2	2	2	4/73 on	
R	Torque rod - differential	W61997	2	2	2	To 4/73	

FALCON XD/FAIRLANE ZJ/LTD FC 3/79-2/82 6/8cyl

F	Control arm - lower inner	W51016L	1	2	2	x	Use 9/16"cr. tubes 5/81 on
F	Control arm - lower inner	W51016	1	2	4	x	1/

F or R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
F	Sway bar - mount	24mm	W21058	1	2		24mm - measure bar size
F	Sway bar - mount	25mm	W21212	1	2		25mm - measure bar size
F	Sway bar - mount	27mm	W21269	1	2		27mm - measure bar size
F	Sway bar - mount	30mm	W21270	1	2		30mm - measure bar size
F	Sway bar - mount bracket		W21301	1	2	x	
R	Shock absorber		W31408	2	4		
R	Spring - front eye		W71103	1	4	2	Excl ZJ,FC
R	Spring - front eye		W71416	2	4	2	ZJ,FC - Oval bush
R	Spring - rear eye & shackle		W71078	1	8		
R	Spring - sandwich pad		W71413	1	4		
R	Sway bar - link		W21013	1	8		
R	Sway bar - link assembly		W21807S	1	8	x	Incl. Rods & bushes
R	Sway bar - mount	16mm	W21259	1	2		16mm - measure bar size
R	Sway bar - mount	17mm	W21260	1	2		17mm - measure bar size
R	Sway bar - mount	18mm	W21086	1	2		18mm - measure bar size
R	Sway bar - mount	19mm	W21053	1	2		19mm - measure bar size
R	Sway bar - mount	20mm	W21063	1	2		20mm - measure bar size
R	Sway bar - mount	21mm	W21105	1	2		21mm - measure bar size
R	Sway bar - mount	22mm	W21047	1	2		22mm - measure bar size
R	Sway bar - mount	23mm	W21175	1	2		23mm - measure bar size
R	Sway bar - mount	24mm	W21058	1	2		24mm - measure bar size
R	Sway bar - mount	25mm	W21212	1	2		25mm - measure bar size
R	Sway bar - mount	27mm	W21269	1	2		27mm - measure bar size
R	Sway bar - mount	30mm	W21270	1	2		30mm - measure bar size
R	Sway bar - mount bracket		W21301	1	2	x	
R	Torque rod - differential		W61067	1	2	2	39.5mm OD
R	Torque rod - differential		W61076	1	2	2	48mm OD

FALCON XE/FAIRLANE ZK/LTD FD 3/82-7/84 6/8cyl

F	Control arm - lower inner		W51016L	1	2	2	x	Use 9/16"cr. tubes 5/81 on
F	Control arm - lower inner		W51016	1	2	4	x	1/2"and 9/16"ID crush tubes
F	Control arm - lower		WA201A	1				9/16" ID crush tubes - Complete replacement arm
F	Control arm - upper inner		W51017	1	4	4	x	
F	Radius rod		W81011	1	4	2		
F	Shock absorber - lower		W31409	1	8			
F	Shock absorber - upper		W31408	1	4			
F	Spring - pad		W71476	1	2			10mm
F	Spring - pad		W71477	1	2			6mm
F	Spring - pad		W71478	1	2			8mm
F	Spring - saddle		W71407	2	2		x	Regreasable
F	Steering - coupling		W11415	1	1		x	Fitting kit supplied
F	Steering - idler		W11019	1	1	1		Draglink
F	Steering - idler		W11020	1	1	1		Chassis
F	Steering - idler arm		W11414	1	1	1		
F	Sway bar - link		W21013	1	8			
F	Sway bar - link assembly		W21807S	1	8	x	Incl. Rods & bushes	
F	Sway bar - mount	21mm	W21206	1	2			21mm - measure bar size
F	Sway bar - mount	22mm	W21022	1	2			22mm - measure bar size
F	Sway bar - mount	24mm	W21214	1	2			24mm - measure bar size
F	Sway bar - mount	25mm	W21106	1	2			25mm - measure bar size
F	Sway bar - mount	26mm	W21143	1	2			26mm - measure bar size
F	Sway bar - mount	27mm	W21285	1	2			27mm - measure bar size
R	Shock absorber		W31408	2	4			
R	Spring - front eye		W71103	1	4	2		51mm OD Wagon & ute only
R	Spring - front eye		W71416	1	4	2		Oval bush - Wagon & ute only
R	Spring - rear eye & shackle		W71078	1	8			
R	Spring - sandwich pad		W71413	1	4			
R	Sway bar - link		W21013	1	8			
R	Sway bar - link assembly		W21807S	1	8	x	Incl. Rods & bushes	
R	Sway bar - mount	21mm	W21206	1	2			21mm - measure bar size
R	Sway bar - mount	22mm	W21022	1	2			22mm - measure bar size
R	Sway bar - mount	24mm	W21214	1	2			24mm - measure bar size
R	Sway bar - mount	25mm	W21106	1	2			25mm - measure bar size
R	Sway bar - mount	26mm	W21143	1	2			26mm - measure bar size
R	Sway bar - mount	27mm	W21285	1	2			27mm - measure bar size
R	Trailing arm - lower		WA205A	1				Sedan only - Complete replacement arm
R	Trailing arm - lower		W61002	2	2	2		Shelled
R	Trailing arm - lower		W61786	2	2	2		Non shelled
R	Trailing arm - lower		W61786	1	2	2		Non shelled
R	Trailing arm - upper		WA204A	1				350mm centre-centre - Complete replacement arm
R	Trailing arm - upper front		W61015	1	2	2		Shelled
R	Trailing arm - upper front		W61787	1	2	2		Non shelled
R	Trailing arm - upper rear		W61002	1	2	2		Shelled
R	Watts link - pivot		W81039	1	1	1		
R	Watts link - side rods		W81040	1	4	4		

FORD FALCON XE/FAIRLANE ZK/LTD FD 3/82-7/84 6/8cyl continues on next page...

F or R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
R	Sway bar - mount	26mm	W21143	1	2		26mm - measure bar size
R	Sway bar - mount	27mm	W21285	1	2		27mm - measure bar size
R	Trailing arm - lower		WA205A	1			Sedan only - Complete replacement arm
R	Trailing arm - lower		W61002	2	2	2	Shelled
R	Trailing arm - lower		W61786	2	2	2	Non shelled
R	Trailing arm - lower		W61786	1	2	2	Non shelled
R	Trailing arm - upper		WA204A	1			Sedan only - Complete replacement arm
R	Trailing arm - upper front		W61015	1	2	2	Shelled
R	Trailing arm - upper front		W61787	1	2	2	Non shelled
R	Trailing arm - upper rear		W61002	1	2	2	Shelled
R	Watts link - pivot		W81039	1	1	1	
R	Watts link - side rods		W81040	1	4	4	

FALCON XF,XG/FAIRLANE ZL/LTD FE 8/84-12/87 6/8cyl

F	Control arm - lower inner		W51016L	1	2	2	x	Use 9/16"cr. tubes 5/81 on
F	Control arm - lower inner		W51016	1	2	4	x	1/2"and 9/16"ID crush tubes
F	Control arm - lower		WA201A	1				9/16" ID crush tubes - Complete replacement arm
F	Control arm - upper inner		W51017	1	4	4	x	
F	Radius rod		W81011	1	4	2		
F	Shock absorber - lower		W31409	1	8			
F	Shock absorber - upper		W31408	1	4			
F	Spring - pad		W71476	1	2			10mm
F	Spring - pad		W71477	1	2			6mm
F	Spring - pad		W71478	1	2			8mm
F	Spring - saddle		W71407	2	2		x	Regreasable
F	Steering - coupling		W11415	1	1	1	x	F

FORD

F or R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
FALCON EA,EB/FAIRLANE NA/LTD DA 88-92 6/8cyl							
F	Camber /caster adjuster	W51375	2	2	2	x	Camber/caster shimable
F	Camber /caster adjuster shims - 1.5mm	W51210	1			x	10 pack
F	Camber /caster adjuster shims - 1.5mm	W51210/100	1			x	100 pack
F	Camber /caster adjuster shims - 3.0mm	W51209	1			x	10 pack
F	Camber /caster adjuster shims - 3.0mm	W51209/100	1			x	100 pack
F	Control arm - lower inner	W51298	1	4	2		
F	Control arm - upper inner	W51417	1	8	4		
F	Control arm - upper inner	W51941	1	4	4		Shelled - Incl.crush tubes
F	Radius rod - front	W81000	1	4	2		Chassis/Incl.crush tubes
F	Radius rod - rear	W81195	1	2			To control arm
F	Shock absorber - lower	W31296	1	4	2		To control arm
F	Shock absorber - upper	W31739	1	2			
F	Spring - pad	W72085	1				
F	Sway bar - link	W21013	1		8		
F	Sway bar - link	W21014	1		8		Tickford XR & GT
F	Sway bar - link assembly	W21807S	1		8	x	Incl. Rods & bushes
F	Sway bar - mount	W21206	1		2		21mm - measure bar size
F	Sway bar - mount	W21022	1		2		22mm - measure bar size
F	Sway bar - mount	W21214	1		2		24mm - measure bar size
F	Sway bar - mount	W21106	1		2		25mm - measure bar size
F	Sway bar - mount	W21143	1		2		26mm - measure bar size
F	Sway bar - mount	W21285	1		2		27mm - measure bar size
R	Bump stop- upper	W92328	1		2		
R	Shock absorber - upper	W31408	1	4			
R	Spring - front eye	W71103	1	4	2		51mm OD Wagon & ute only
R	Spring - front eye	W71416	1	4	2		Oval bush - Wagon & ute only
R	Spring - front eye	W72682	1	2	2		55mm OD Wagon & ute only
R	Spring - rear eye & shackle	W71078	1	8			
R	Spring - sandwich pad	W71413	1	4			
R	Sway bar - link	W21013	1	8			
R	Sway bar - link	W21014	1	8			Tickford XR & GT
R	Sway bar - link assembly	W21807S	1	8	x		Incl. Rods & bushes
R	Sway bar - mount	W21206	1	2			21mm - measure bar size
R	Sway bar - mount	W21022	1	2			22mm - measure bar size
R	Sway bar - mount	W21214	1	2			24mm - measure bar size
R	Sway bar - mount	W21106	1	2			25mm - measure bar size
R	Sway bar - mount	W21143	1	2			26mm - measure bar size
R	Sway bar - mount	W21285	1	2			27mm - measure bar size
R	Trailing arm - lower	WA205A	1				Sedan only - Complete replacement arm
R	Trailing arm - lower	W61002	2	2	2		Shelled
R	Trailing arm - lower	W61786	2	2	2		Non shelled
R	Trailing arm - lower	W61786	1	2	2		Non shelled
R	Trailing arm - upper	WA204A	1				Sedan only - Complete replacement arm
R	Trailing arm - upper front	W61015	1	2	2		Shelled
R	Trailing arm - upper front	W61787	1	2	2		Non shelled
R	Trailing arm - upper rear	W61002	1	2	2		Shelled
R	Watts link - pivot	W81039	1	1	1		Incl. crush tube
R	Watts link - side rods	W81040	1	4	4		

FALCON EB2,ED/FAIRLANE NC/LTD DC 92-94 6/8cyl

F	Camber /caster adjuster	W51375	2	2	2	x	Camber/caster shimable
F	Camber /caster adjuster shims - 1.5mm	W51210	1			x	10 pack
F	Camber /caster adjuster shims - 1.5mm	W51210/100	1			x	100 pack
F	Camber /caster adjuster shims - 3.0mm	W51209	1			x	10 pack
F	Camber /caster adjuster shims - 3.0mm	W51209/100	1			x	100 pack
F	Control arm - lower inner	W51298	1	4	2		
F	Control arm - upper inner	W51417	1	8	4		
F	Control arm - upper inner	W51941	1	4	4		Shelled - Incl.crush tubes
F	Radius rod - front	W81000	1	4	2		Chassis/Incl.crush tubes
F	Radius rod - rear	W81195	1	2			To control arm

FORD FALCON EB2,ED/FAIRLANE NC/LTD DC 92-94 6/8cyl continues on next page...

F or R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS	
FALCON EF,EL/FAIRLANE NF,NL/XH Ute 94-98 6/8cyl								
F	Shock absorber - lower	W31296	1		4	2	To control arm	
F	Shock absorber - upper	W31739	1		2			
F	Spring - pad	W72085	1		2			
F	Sway bar - link	W21013	1		8			
F	Sway bar - link	W21014	1		8		Tickford XR & GT	
F	Sway bar - link assembly	W21807S	1		8	x	Incl. Rods & bushes	
F	Sway bar - mount	W21206	1		2		21mm - measure bar size	
F	Sway bar - mount	W21022	1		2		22mm - measure bar size	
F	Sway bar - mount	W21214	1		2		24mm - measure bar size	
F	Sway bar - mount	W21106	1		2		25mm - measure bar size	
F	Sway bar - mount	W21143	1		2		26mm - measure bar size	
F	Sway bar - mount	W21285	1		2		27mm - measure bar size	
R	Bump stop- upper	W92328	1		2			
R	Shock absorber - upper	W31408	1		4			
R	Spring - front eye	W71103	1		4	2	51mm OD Wagon & ute only	
R	Spring - front eye	W71416	1		4	2	Oval bush - Wagon & ute only	
R	Spring - front eye	W72682	1		2	2	55mm OD Wagon & ute only	
R	Spring - rear eye & shackle	W71078	1		8			
R	Spring - sandwich pad	W71413	1		4			
R	Sway bar - link	W21013	1		8			
R	Sway bar - link	W21014	1		8		Tickford XR & GT	
R	Sway bar - link assembly	W21807S	1		8	x	Incl. Rods & bushes	
R	Sway bar - mount	W21206	1		2		21mm - measure bar size	
R	Sway bar - mount	W21022	1		2		22mm - measure bar size	
R	Sway bar - mount	W21214	1		2		24mm - measure bar size	
R	Sway bar - mount	W21106	1		2		25mm - measure bar size	
R	Sway bar - mount	W21143	1		2		26mm - measure bar size	
R	Sway bar - mount	W21285	1		2		27mm - measure bar size	
R	Trailing arm - lower	WA206A	1				Sedan only - Complete replacement arm	
R	Trailing arm - lower	W61204	2		2	2	Shelled	
R	Trailing arm - lower	W61786	1		2	2	Non shelled	
R	Trailing arm - lower	W61788	2		2	2	x	Non shelled
R	Trailing arm - upper	WA204A	1				Sedan only - Complete replacement arm	
R	Trailing arm - upper front	W61015	1		2	2	Shelled	
R	Trailing arm - upper front	W61787	1		2	2	Non shelled	
R	Trailing arm - upper rear	W61002	1		2	2		
R	Watts link - pivot	W81039	1	1	1		Incl. crush tube	
R	Watts link - side rods	W81040	1	4	4			

FALCON EF,EL/FAIRLANE NF,NL/XH Ute 94-98 6/8cyl

F	Camber /caster adjuster	W51375	2	2	2	x	Camber/caster shimable
F	Camber /caster adjuster shims - 1.5mm	W51210	1			x	10 pack
F	Camber /caster adjuster shims - 1.5mm</						

FORD

F or R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
F	Sway bar - mount	25mm					W21743
F	Sway bar - mount	26mm					W21143
F	Sway bar - mount	26mm					W21744
F	Sway bar - mount	27mm					W21285
F	Sway bar - mount	27mm					W21745
R	Bump stop- upper						W92328
R	Shock absorber - upper						W31408
R	Spring - front eye						W71103
R	Spring - front eye						W71416
R	Spring - front eye						W72682
R	Spring - rear eye & shackle						W71078
R	Spring - sandwich pad						W71413
R	Sway bar - link						W21013
R	Sway bar - link						W21865
R	Sway bar - link assembly					x	W21807S
R	Sway bar - mount	21mm					W21206
R	Sway bar - mount	22mm					W21022
R	Sway bar - mount	22mm					W21740
R	Sway bar - mount	23mm					W21741
R	Sway bar - mount	24mm					W21214
R	Sway bar - mount	24mm					W21742
R	Sway bar - mount	25mm					W21106
R	Sway bar - mount	25mm					W21743
R	Sway bar - mount	26mm					W21143
R	Sway bar - mount	26mm					W21744
R	Sway bar - mount	27mm					W21285
R	Sway bar - mount	27mm					W21745
R	Trailing arm - lower						WA206A
R	Trailing arm - lower						W61204
R	Trailing arm - lower					x	W61788
R	Trailing arm - upper						WA204A
R	Trailing arm - upper						WA222A
R	Trailing arm - upper						W61241
R	Trailing arm - upper						W61789
R	Watts link - pivot						W81039
R	Watts link - side rods						W81040

FALCON AU,AU2 & AU3 9/98-02 6/8cyl INDEPENDENT REAR SUSPENSION

F	Camber /caster adjuster	W51827	2	2	2	x	Camber/caster shimable - includes bush
F	Camber /caster adjuster	W51827S	2			x	Camber/caster shimable
F	Camber /caster adjuster shims - 1.5mm	W51210	1			x	10 pack
F	Camber /caster adjuster shims - 1.5mm	W51210/100	1			x	100 pack
F	Camber /caster adjuster shims - 3.0mm	W51209	1			x	10 pack
F	Camber /caster adjuster shims - 3.0mm	W51209/100	1			x	100 pack
F	Control arm - lower inner front	W51828	1	2	2		
F	Control arm - lower inner front	W52720	1	2	2		Offset for caster
F	Control arm - lower inner rear	W51829	1	2	2		
F	Control arm - upper inner	W51826	1	4	4		
F	Shock absorber - lower	W31296	1	4	2		To control arm
F	Shock absorber - upper	W31783	1	2			
F	Spring - pad	W72085	1	2			
F	Sway bar - link	W21865	1	8			Suits threaded style link
F	Sway bar - mount	24mm					W22710
F	Sway bar - mount	28mm					W22944
F	Sway bar - mount	30mm					W22945
R	Control arm - lower inner front	W62701	1	2	2		
R	Control arm - lower inner rear	W62702	1	2	2		
R	Control arm - upper inner	W62704	1	4	4		
R	Shock absorber - control arm	W32707	1	2	2		

FALCON AU,AU2 & AU3 9/98-02 6/8cyl LIVE REAR AXLE

F or R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
F	Camber /caster adjuster	W51827	2			x	Camber/caster shimable - includes bush
F	Camber /caster adjuster	W51827S	2			x	Camber/caster shimable
F	Camber /caster adjuster shims - 1.5mm	W51210	1			x	10 pack
F	Camber /caster adjuster shims - 1.5mm	W51210/100	1			x	100 pack
F	Camber /caster adjuster shims - 3.0mm	W51209	1			x	10 pack
F	Camber /caster adjuster shims - 3.0mm	W51209/100	1			x	100 pack
F	Control arm - lower inner front	W51828	1	2	2		
F	Control arm - lower inner front	W52720	1	2	2		Offset for caster
F	Control arm - lower inner rear	W51829	1	2	2		
F	Control arm - upper inner	W51826	1	4	4		
F	Shock absorber - lower	W31296	1	4	2		To control arm
F	Shock absorber - upper	W31783	1	2			
F	Spring - pad	W72085	1	2			
F	Sway bar - link	W21865	1	8			Suits threaded style link
F	Sway bar - mount	24mm					W22710
F	Sway bar - mount	28mm					W22944
F	Sway bar - mount	30mm					W22945
R	Shock absorber - lower	W31296	1	4	2		
R	Shock absorber - upper	W31783	1	2			
F	Spring - pad	W72085	1	2			
F	Sway bar - link	W21865	1	8			
F	Sway bar - mount	24mm					W22710
F	Sway bar - mount	28mm					W22944
F	Sway bar - mount	30mm					W22945
R	Bump stop	W92901	1	2			50mm

FALCON BA, BF 9/02 on 6/8cyl INDEPENDENT REAR SUSPENSION

F	Bump stop	W92898	1	2			70mm - Standard
F	Bump stop	W92899	1	2			57mm - XR6/XR8 only
F	Bump stop	W92900	1	2			35mm - Super low
F	Camber /caster adjuster	W51827	2	2	2	x	Camber/caster shimable - includes bush
F	Camber /caster adjuster	W51827S	2			x	Camber/caster shimable
F	Camber /caster adjuster shims - 1.5mm	W51210	1			x	10 pack
F	Camber /caster adjuster shims - 1.5mm	W51210/100	1			x	100 pack
F	Camber /caster adjuster shims - 3.0mm	W51209	1			x	10 pack
F	Camber /caster adjuster shims - 3.0mm	W51209/100	1			x	100 pack
F	Control arm - lower inner front	W51828	1	2	2		
F	Control arm - lower inner front	W52720	1	2	2		Offset for caster
F	Control arm - lower inner rear	W51829	1	2	2		
F	Control arm - upper inner	W51826	1	4	4		
F	Shock absorber - lower	W31296	1	4	2		To control arm
F	Shock absorber - upper	W31783	1	2			
F	Spring - pad	W72085	1	2			
F	Sway bar - link	W21865	1	8			
F	Sway bar - mount	24mm					W22710
F	Sway bar - mount	28mm					W22944
F	Sway bar - mount	30mm					W22945
R	Bump stop	W92901	1	2			50mm

FALCON BA, BF 9/02 on 6/8cyl LIVE REAR AXLE

F	Bump stop	W92898	1	2			70mm - Standard
F	Bump stop	W92899	1	2			57mm - XR6/XR8 only
F	Bump stop	W92900	1</td				

F or R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
PROBE ST,SV 6/94-9/98							
F	Control arm - lower inner front	W51307	1	4	2	x	
F	Control arm - lower inner rear	W51308	1	2	2		
F	Sway bar - ball/ball link kit	W23180	1				Universal sway bar link must cut to 105mm
TELSTAR AR,AS 83-87							
F	Control arm - lower inner	W51276	1	4	4		to 12/84-30mm O.D.
F	Control arm - lower inner	W51140	1	4	4		12/84 on-34mm O.D.
F	Sway bar - link	W21169	1	8			
F	Sway bar - mount 20mm	W21160	1	2			20mm
R	Sway bar - link	W21169	1	8			
R	Sway bar - mount 16mm	W22166	1	2			16mm - measure bar size
TELSTAR AT,AV 87-92							
F	Control arm - lower inner	W51284	1	4	4		
F	Sway bar - ball/ball link kit	W23180	1				Universal sway bar link must cut to 105mm
F	Sway bar - link	W21169	1	8			
F	Sway bar - mount 20mm	W21160	1	2			20mm - To 12/89
R	Control arm	W61759	1	4	4		
R	Sway bar - link	W21169	1	8			
R	Sway bar - mount 16mm	W22166	1	2			16mm - measure bar size
R	Trailing arm	W61767	1	4	2		
TELSTAR AX,AY 92-96							
F	Control arm - lower inner front	W51307	1	4	2	x	
F	Control arm - lower inner rear	W51308	1	2	2		
R	Sway bar - link	W23034	2	2			
TERRITORY SX 2/04 on							
F	Control arm - upper inner	W51827S	2		x		Camber/caster shimable w/o bush
F	Control arm - lower inner rear	W51829	1	2	2		
F	Control arm - lower inner	W51828	1	2	2		Chassis to ball joint spindle
FORD COMMERCIAL							
BRONCO 4WD 82-87							
F	Shock absorber - upper	W31408	1	4			
R	Sway bar - link upper	W22171	1	4	2		
COURIER PE, PF, PG 2WD 2/99-7/04							
F	Control arm - upper inner	W53179	1	4	2		
COURIER PE, PF, PG 4WD 2/99-7/04							
F	Control arm - upper inner	W53179	1	4	2		
COURIER PH 2WD 8/04-on							
F	Control arm - upper inner	W53179	1	4	2		
COURIER PH 4WD 8/04-on							
F	Control arm - upper inner	W53179	1	4	2		
COURIER UTE 2WD 81-85							
F	Shock absorber - upper & lower	W21172	1	4			
F	Sway bar - link	W21014	1	8			
R	Spring - front eye	W72065	1	4	2		

F or R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
COURIER/ RAIDER 2WD & 4WD 85-99							
F	Radius rod	W81157	1	4	2		2WD
F	Shock absorber - upper	W21173	1	4			2WD
F	Shock absorber - upper	W21172	1	4			4WD
F	Steering - idler	W11421	1	2			
F	Sway bar - link	W21172	1	4			Suits diesel models
F	Sway bar - link	W31207	1	8			Suits petrol models
F	Sway bar - mount 22mm	W21047	1	2			22mm-2WD 9/87 on
F	Sway bar - mount 24mm	W21058	1	2			24mm-2WD to 9/87/All 4WD
R	Shock absorber	W31062	2	2			2WD
R	Spring - front eye	W72065	1	4	2		
R	Spring - rear eye	W71136	1	4			
R	Spring - shackle	W71215	1	4			
ECONOVAN 1400,1800,2000,2200 5/83 on							
F	Control arm - lower inner	W52125	1	2	2	x	2WD & 4WD
F	Control arm - upper	W51180	1	2	2		
F	Radius rod	W82134	1	4	2	x	2WD
F	Shock absorber - upper	W21173	1	4			
F	Sway bar - link	W21169	1	8			
F	Sway bar - mount 17mm	W21260	1	2			17mm-2WD dual wheel van
F	Sway bar - mount 21mm	W21105	1	2			21mm-2WD single wheel van
R	Shock absorber	W31062	2	2			
R	Spring - rear eye & shackle	W71187	2	4			All excl.2.0 4WD SRW
R	Spring - shackle	W71187	1	4			All DRW
ECONOVAN 1600 78-81							
F	Control arm - upper	W51180	1	2	2		
F	Shock absorber	W21172	1	4			
F	Steering - idler	W11561	1	2			
F	Sway bar - link	W22120	1	4			
R	Shock absorber	W31062	2	2			
R	Spring - front eye, rear eye & shackle	W71424	1	12	6		
ECONOVAN 1600,2200 81-83							
F	Control arm - upper	W51180	1	2	2		
F	Shock absorber - upper	W21173	1	4			
F	Steering - idler	W11561	1	2			
F	Sway bar - link	W22120	1	4			
R	Shock absorber	W31062	2	2			
R	Spring - front eye, rear eye & shackle	W71187	3	4			
F100,F150,F250,F350 80-91							
F	Radius rod	W82264	1	4			
F	Radius rod	W81426	1	2			
F	Radius rod	W81425	1	2			
F	Radius rod	W81073	1	4	2		Alternate fitment/refer drawings
R	Spring - front & rear eye	W72256	1	4	2		F350
R	Spring - rear eye	W72332	1	2	2		F100
R	Spring - shackle	W71862	1	2	2		F350
R	Spring - shackle	W72332	1	2	2		F100
R	Sway bar - link upper	W22171	1	4	2		All
F100,F250, F350 70-81							
F	Radius rod	W81426	1	2			
F	Radius rod	W81425	1	2			
F	Eye beam bush	W52268	1	4	2		
F	Radius rod	W82264	1	4			
F	Radius rod	W81073	1	4	2		Alternate fitment/refer drawings
FORD COMMERCIAL F100,F250, F350 70-81 continues on next page...							

F or R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
R	Spring - front eye, rear eye & shackle	W72133	3	2			F100 73 on
R	Sway bar - link upper	W22171	1	4	2		All
MAVERICK LWB & SWB [Coil Sprung] 87-97							
F	Panhard rod	W81430	1	1	1		
F	Radius rod - chassis	W81429	1	4			
F	Radius rod - diff.	W81428	1	4	4		
F	Radius rod - diff.	W81730	1	4	4		Caster adjustable
F	Shock absorber	W21793	2	4			Coil sprung
F	Steering - damper	W31469	1	4			
F	Sway bar - link	W21014	1	8			
R	Panhard rod	W81430	1	1	1		89 on/
R	Panhard rod	W81438	1	1	1		To 89/
R	Shock absorber	W31435	1	4	2		Coil sprung
R	Sway bar - link	W21014	1	8			
R	Trailing arm - lower	W61705	1	4	4		
R	Trailing arm - upper	W61705	1	4	4		
MAVERICK Ute & Cab chassis [Leaf Sprung] 88-94							
F	Shock absorber - lower	W21172	1	4			Leaf sprung
F	Spring - front eye, rear eye & shackle	W71708	1	8			Leaf sprung only
F	Steering - damper	W31469	1	4			
F	Sway bar - link	W21014	1	8			
R	Shock absorber - lower	W21172	1	4			Leaf sprung
R	Shock absorber - upper	W21793	1	4			Leaf sprung
R	Spring - front eye, rear eye & shackle	W71042	1	12			Leaf sprung only
R	Sway bar - link	W21014	1	8			
R	Sway bar - mount	W21228	1	2			
RAIDER UV 91-97							
F	Radius rod	W81157	1	4	2		
F	Shock absorber - upper	W21173	1	4			2WD
F	Steering - idler	W11421	1	2			
F	Sway bar - link	W31207	1	8			
F	Sway bar - mount 22mm	W21047	1	2			22mm - measure bar size
F	Sway bar - mount 24mm	W21058	1	2			24mm - measure bar size
R	Shock absorber	W31062	2	2			
R	Spring - front eye	W72065	1	4	2		
R	Spring - rear eye	W71136	1	4			
R	Spring - shackle	W71215	1	4			
SPECTRON 1800,2000 5/84-88							
F	Control arm - lower inner	W52125	1	2	2	x	2WD & 4WD
F	Radius rod	W82134	1	4	2	x	2WD
F	Shock absorber - upper	W21173	1	4			
F	Sway bar - link	W21169	1	8			
F	Sway bar - mount 17mm	W21260	1	2			17mm - measure bar size
F	Sway bar - mount 21mm	W21105	1	2			21mm - measure bar size
R	Shock absorber	W31062	2	2			
R	Spring - rear eye	W71187	1	4			Excl. 2.0 4WD
R	Spring - shackle	W71187	1	4			2WD
TRADER 3500,4100 84 on							
F	Shock absorber - lower	W31062	1	2			
F	Shock absorber - upper	W21172	1	4			
F	Spring - front eye	W71562	1	4	2		
F	Spring - rear eye	W71439	1	4	2		
F	Spring - shackle	W71439	1	4	2		
F	Sway bar - link	W31207	1	8			

FORD COMMERCIAL TRADER 3500,4100 84 on continues on next page...

F or R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
R	Shock absorber	W31062	2	2			
R	Spring - front eye	W71562	1	4	2		
R	Spring - rear eye	W71439	1	4	2		
R	Spring - shackle	W71439	1	4	2		
TRANSIT VAN 102F 78-81							
F	Spring - rear eye & shackle	W71440	2	4			
R	Spring - front eye	W71441	2	2	2		
TRANSIT VAN 80F 65-70							
F	Spring - rear eye & shackle	W71440	2	4			
R	Spring - rear eye & shackle	W71440	2	4			
TRANSIT VAN 80F 71-78							
F	Spring - front eye	W71441	1	2	2		
F	Spring - rear eye & shackle	W71440	2	4			
R	Spring - front eye	W71441	1	2	2		
R	Spring - rear eye & shackle	W71440	2	4			Incl.crush tubes
GMH (HOLDEN)							
APOLLO JK,JL 89-93							
F	Control arm - lower	WA605A	1				Complete replacement arm
F	Control arm - lower inner	W51178	1	4	2		
F	Sway bar - control arm	W21211	1	4	2	x	& washers
F	Sway bar - mount 24mm	W22106	1	2			24mm - measure bar size
F	Sway bar - mount 24mm	W22416	1	2			24mm 2xcaster offset,1xSTD
F	Sway bar - mount 27mm	W22298	1	2			27mm - measure bar size
R	Control arm	W61442	1	2	2		
R	Sway bar - link	W23034	2	2			
R	Sway bar - mount 14mm	W21419	1	2			14mm - measure bar size
R	Sway bar - mount 16mm	W21484	1	2			16mm - measure bar size
R	Trailing arm	W61446	1	8	4		
APOLLO JM,JP 93-97							
F	Control arm - lower inner rear	W51721	1	2	2		
F	Control arm - lower inner front	W51720	1	4		x	
F	Control arm - lower	WA606A	1				Complete replacement arm
F	Engine steady	W92493	1	1	1		
F	Steering - rack mount	W11722	1	1			Suits round bush pinion end
F	Sway bar - ball/ball link kit	W23180	1				Universal sway bar link must cut to 63mm
F	Sway bar - mount 16mm	W23177	1	2			
R	Sway bar - link	W23034	2	2			
R	Sway bar - link	W23034	2	2			
R	Sway bar - mount 14mm	W21419	1	2			14mm - measure bar size
R	Trailing arm	W61446	1	8	4		
ASTRA LB,LC 84-87							
F	Control arm - lower inner front	W51450	1	2	2		
F	Sway bar - link	W21169	1	8			
R	Control arm	W61449	1	4	4		
ASTRA LD 87-89							
F	Control arm - lower inner front	W51450	1	2	2		
F	Control arm - lower inner rear	W51451	1	2	2		
F	Steering - rack mount	W11732	1	1			TRW Australia
F	Sway bar - link	W21014	1	8			

GMH (HOLDEN) ASTRA LD 87-89 continues on next page...

F or R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
R	Diff. - mount insert	W92615	1	1			Rear of differential
R	Shock absorber - upper	W31467	1	2			Sedan models
R	Spring - pad	W72042	1	2			6mm
R	Spring - pad	W72043	1	2			8mm
R	Spring - pad	W72044	1	2			10mm
R	Spring - pad	W72045	1	2			12mm
R	Sway bar - link lower	W23034	1	2			
R	Sway bar - mount 14mm	W21419	1	2			14mm - measure bar size
R	Sway bar - mount 16mm	W21484	1	2			16mm - measure bar size

COMMODORE VR,VS,(incl. Ute) 93-97 LIVE REAR AXLE

F	Control arm - lower	WA111A	1				Complete replacement arm
F	Control arm - lower inner	W51233	1	2	2		
F	Control arm - lower inner	W53175	1	2	2		Poly only replacement
F	Control arm - lower inner [offset]	W52566	1	2	2		Replacement kit for W82567
F	Radius rod - caster kit	W82567	1		x		Adjustable
F	Radius rod - front	W81004	1	4	2		2 piece bush
F	Radius rod - front	W81312	1	2	2		1 piece bush
F	Radius rod - rear	W52906	1	4	2		Heavy Duty
F	Radius rod - rear	W81099	1	2			
F	Strut - mount	W41771	1	2	x		Without bearing
F	Strut - mount	W41772	1	2	x		With bearing
F	Strut - mount offset	W42565	1	2	x		Camber adjustment - with spring platform
F	Strut - mount offset	W42565S	1	2	x		Camber adjustment - Coil overs only
F	Sway bar - link	W21999A	1	8			
F	Sway bar - mount 22mm	W21337	1	2			22mm - measure bar size
F	Sway bar - mount 24mm	W21334	1	2			24mm - measure bar size
F	Sway bar - mount 26mm	W21151	1	2			26mm - measure bar size
F	Sway bar - mount 27mm	W21335	1	2			27mm - measure bar size
F	Sway bar - mount 28mm	W22327	2				28mm - measure bar size
F	Sway bar - mount 30mm	W21336	1	2			30mm - measure bar size
F	Sway bar - link assembly	W23000A	1	8	x		Heavy Duty 'Z' link design
R	Bump stop	W92333	1	2			Ute only
R	Bump stop	W92334	1	2			Super low height - Ute only
R	Coil over adjustable - street	W44602	1		x		Height adjustable with springs
R	Coil over adjustable - street	W44603	1		x		Height adjustable without springs
R	Panhard rod	W81006	1	4	1		2 piece type/Incl. crush tube
R	Panhard rod	W81482	1	1			1 piece type/Incl. crush tube
R	Panhard rod - adjustable	W81715	1		x		Heavy duty adjustable
R	Shock absorber - lower	W31469	1	4			
R	Shock absorber - upper	W31467	1	2			Sedan models
R	Spring - pad lower	W72385	1	2			
R	Spring - pad upper	W71472	1	2			10mm
R	Spring - pad upper	W71473	1	2			4mm
R	Spring - pad upper	W71474	1	2			6mm
R	Sway bar - link	W21014	1	8			
R	Sway bar - mount 16mm	W21318	1	2			16mm - measure bar size
R	Sway bar - mount 18mm	W21168	1	2			18mm - measure bar size
R	Sway bar - mount 19mm	W21471	1	2			19mm - measure bar size
R	Sway bar - mount 20mm	W21319	1	2			20mm - measure bar size
R	Trailing arm - lower	WA113A	1				Complete replacement arm
R	Trailing arm - lower front	W61024	1	2	2	x	/washers
R	Trailing arm - lower rear	W61079	1	2	2		To differential
R	Trailing arm - upper	WA112A	1				Complete replacement arm
R	Trailing arm - upper	KTA103	1		x		Adjustable
R	Trailing arm - upper	W61003	1	4	4		

COMMODORE VT 97-10/00

F	Control arm - lower	WA130A	1				Series 2 on - Threaded ball joint
F	Control arm - lower	WA120A	1				Series 1 only - Spigot ball joint
F	Control arm - lower inner	W53175	1	2	2		Poly only replacement
F	Control arm - lower inner	W51233	1	2	2		
F	Control arm - lower inner [offset]	W52566	1	2	2		Must be used with W82047

GMH (HOLDEN) COMMODORE VT 97-10/00 continues on next page...

F or R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
F	Engine mount	W92930	1		2		V8 - VT Series II (Gen III LS1)
F	Radius rod - caster kit	W82047	1	2	2	x	Shim adjustable caster kit
F	Radius rod - rear	W52906	1	4	2		Heavy Duty
F	Radius rod - rear	W81099	1	2			
F	Strut - mount	W41771	1	2	x		Without bearing
F	Strut - mount	W41772	1	2	x		With bearing
F	Strut - mount offset	W42565	1	2	x		Camber adjustment - with spring platform
F	Strut - mount offset	W42565S	1	2	x		Camber adjustment - Coil overs only
F	Sway bar - link	W21999A	1	8			
F	Sway bar - mount 22mm	W21337	1	2			22mm - measure bar size
F	Sway bar - mount 24mm	W21334	1	2			24mm - measure bar size
F	Sway bar - mount 26mm	W21151	1	2			26mm - measure bar size
F	Sway bar - mount 27mm	W21335	1	2			27mm - measure bar size
F	Sway bar - mount 28mm	W22327	2				28mm - measure bar size
F	Sway bar - mount 30mm	W21336	1	2			30mm - measure bar size
F	Sway bar -link assembly	W23000A	1	8	x		Heavy Duty 'Z' link design
R	Control arm	W61483	2	4	2		
R	Control arm - camber/toe kit	W61309	1	4	2	x	Std height vehicles
R	Control arm - camber/toe kit	W61309	2	4	2	x	FE2&Lowered vehicles
R	Control arm - camber/toe kit	W61309S	1	4	2	x	Includes removal tool
R	Control arm - camber/toe kit	W62927	1	4	2	x	Super low kit - outer bushes only
R	Control arm - camber/toe kit	W62946	1	2	2	x	Super low kit with removal tool
R	Crossmember - outer mount	W92350	1	2			To minimise axle tramp use with N92615
R	Diff. - mount insert	W92615	1	1			Rear of differential
R	Shock absorber - upper	W31467	1	2			Sedan models
R	Spring - pad	W72042	1	2			6mm
R	Spring - pad	W72043	1	2			8mm
R	Spring - pad	W72044	1	2			10mm
R	Spring - pad	W72045	1	2			12mm
R	Sway bar - link	W23034	2	2			
R	Sway bar - mount 14mm	W21419	1	2			14mm - measure bar size
R	Sway bar - mount 16mm	W21484	1	2			16mm - measure bar size

COMMODORE VX & WH STATESMAN 9/00-9/02

F	Control arm - lower	WA130A	1				Series 2 on - Threaded ball joint
F	Control arm - lower inner	W51233	1	2	2		Poly only replacement
F	Control arm - lower inner	W53175	1	2	2		
F	Control arm - lower inner [offset]	W52566	1	2	2		Must be used with W82047
F	Engine mount	W92930	1	2			V8 models only (Gen III LS1)
F	Radius rod - caster kit	W82047	1	2	2	x	Shim adjustable caster kit
F	Radius rod - rear	W52906	1	4	2	</td	

F or R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
XKE - E Type Series 1 & 2 62 on							
F	Control arm - lower inner	W51512	1	8	4		
F	Control arm - upper inner	W51511	1	8	4		
F	Steering - rack mount	W11077	1	6	3		
F	Sway bar - mount 20mm	W21314	1	2		20mm	
F	Sway bar - mount 21mm	W21315	1	2		21mm	

JEEP							
CJ7 & CJ8 73-85							
F	Shock absorber	W31469	2	4			
F	Spring - front eye	W72319	1	8			
F	Spring - rear eye	W72317	1	4	2		
R	Shock absorber	W31469	2	4			
R	Spring - rear eye & shackle	W72318	1	8			

CHEROKEE XJ 4/94-8/97							
F	Panhard rod - front eye	W82589	1	1	1		
F	Shock absorber - upper	W21172	1	4			
F	Spring - front eye, rear eye & shackle	W72315	1	12		71	
F	Trailing arm - lower	W51750	1	4	4		
F	Trailing arm - upper	W51749	1	4	4		
R	Panhard rod	W82590	1	2	2		
R	Spring - front eye	W73078	1	4	2	Suits 63mm aftermarket spring eye	
R	Spring - front eye	W73079	1	4	2	Suits 65mm aftermarket spring eye	
R	Spring - front eye, rear eye & shackle	W72315	1	12		22mm OD - Suits some models	
R	Spring - rear eye	N73080	1	4	2	Suits 65mm aftermarket spring eye	

GRAND CHEROKEE LAREDO ZG,ZJ 96-99							
F	Sway bar - link	W21172	1	4			
F	Panhard rod - front eye	W82589	1	1	1		
F	Panhard rod - adjustable	KPR200	1		x	Std. replacement	
F	Trailing arm - lower	W51750	1	4	4		
F	Trailing arm - upper	W51749	1	4	4		
R	Panhard rod - adjustable	KPR211	1		x	Std. replacement	
R	Trailing arm - lower	W51750	1	4	4		
R	Trailing Arm - upper	W51749	1	4	4		

WRANGLER TJ 10/96-4/02							
F	Trailing arm - upper	W51749	1	4	4		
F	Trailing arm - lower	W51750	1	4	4		
F	Panhard rod - front eye	W82589	1	1	1		
R	Panhard rod	W82590	1	2	2		
R	Trailing arm - lower	W51750	1	4	4		
R	Trailing Arm - upper	W51749	1	4	4		

LEXUS							
LEXUS 470 5/98 on							
R	Panhard rod	W81701	1	2	2		
F	Sway bar - link upper	W21172	1	4			
F	Sway bar - link	W21014	1	8			
R	Panhard rod - adjustable	KPR008	1		x	Heavy duty adjustable	
R	Sway bar - link	W22107	1	4	2		
R	Trailing arm - lower	W61700	1	4	4		
R	Trailing arm - upper	W61699	1	4	4		

LEXUS ES300 93-96							
F	Control arm - lower inner rear	W51721	1	2	2		
F	Control arm - lower inner front	W51720	1	4		x	

LEXUS; LEXUS ES300 93-96 continues on next page...

F or R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
F	Control arm - lower	WA606A	1				Complete replacement arm
F	Engine steady	W92493	1		1	1	
F	Steering - rack mount	W11722	1		1		Suits round bush pinion end
R	Sway bar - mount 14mm	W21419	1		2		14mm - measure bar size
R	Trailing arm	W61446	1		8	4	

LEXUS ES300 96-98							
F	Control arm - lower inner rear	W51721	1		2	2	
F	Control arm - lower inner front	W51720	1		4		x
F	Control arm - lower	WA606A	1				
F	Engine steady	W92493	1		1	1	
F	Steering - rack mount	W11722	1		1		Suits round bush pinion end
R	Trailing arm	W61446	1		8	4	

LEXUS SOARER To 12/89							
F	Control arm - upper inner	W52299	1		4	4	OD - 43.5mm
F	Control arm - upper inner	W52100	1		4	4	OD - 43.0mm
F	Control arm - lower inner	W52099	1		4	4	

LEXUS SOARER UZZ31/ SC400/LS400 1/90-97							
F	Control arm - upper inner	W52100	1		4	4	OD - 43.0mm
F	Control arm - lower inner rear	W51232	1		2	2	Suits early model OD - 54.8mm
F	Control arm - lower inner front	W51231	1		2	2	Suits early model OD - 49.5mm
F	Control arm - upper inner	W52299	1		4	4	OD - 43.5mm
F	Steering - rack mount	W11970	1		1		

F or R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
MORRIS MAJOR 58-61							
R	Spring - front eye, rear eye & shackle	W51491	3	4	4	35mm wide spring	
MORRIS MAJOR ELITE 61-64							
R	Spring - front eye, rear eye & shackle	W51491	3	4	4	35mm wide spring	
MORRIS MINOR All models to '59							
F	Control arm - upper outer	W51525	1	4		Shock absorber link	
F	Control arm - lower inner	W51491	1	4	4		
F	Clutch relay shaft	W91980	1	1			
F	Radius rod	W81526	1	4			
R	Spring - front eye	W71527	1	4			
R	Spring - rear eye	W71527	1	4			
R	Spring - shackle	W71528	1	4			
MORRIS OXFORD 49-56							
R	Spring - front eye, rear eye & shackle	W51491	3	4	4	35mm wide spring	
MAZDA							
121 DA 86-90							
F	Sway bar - control arm	W21082	1	4			
121 DB 90-98							
F	Sway bar - control arm	W21082	1	4			
121,121L 76-79							
F	Sway bar - link	W21135	1	8			
F	Steering - idler	W11531	1	2		10/77 on	
F	Steering - idler	W11010	1	2		To 10/77 & Pwr. Steering	
F	Sway bar - mount	W21147	1	2		To 4/77	
R	Shock absorber - lower	W31062	1	2			
R	Shock absorber - upper	W21172	1	4			
1300 7/70-77							
F	Control arm - lower inner	W51546	1	4	2		
F	Steering - idler	W11531	1	2		No flange-11.5mm long	
F	Steering - idler	W11010	1	2		Flanged-21mm long	
F	Sway bar - control arm	W21082	1	4			
F	Sway bar - mount	W22543	1	2		24mm - measure bar size	
F	Sway bar - mount	W21326	1	2		20mm - measure bar size	
F	Sway bar - mount	W21327	1	2		21mm - measure bar size	
F	Sway bar - mount	W21147	1	2		23mm - measure bar size	
R	Panhard rod	W81551	1	2	1		
R	Shock absorber	W31207	1	8			
R	Spring - rear eye & shackle	W71534	2	4			
R	Trailing arm - lower	W61550	1	8	4		
R	Trailing arm - upper	W61550	1	8	4		
3 BK							
F	Sway bar - ball/ball link kit	W23180	1			Universal sway bar link must cut to 305mm	
323 (ASTINA,FAMILIA) FWD BA 94-9/98							
F	Control arm - lower inner front	W51769	1	4	2		
F	Control arm - lower inner rear	W51770	1	2	2	x	
F	Sway bar - ball/ball link kit	W23180	1			Universal sway bar link must cut to 105mm	

MAZDA 323 (ASTINA,FAMILIA) FWD BA 94-9/98 continues on next page...

F or R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
R	Sway bar - ball/ball link kit	W23180	1				Universal sway bar link must cut to 250mm
R	Sway bar - link	W21169	1		8		
R	Trailing arm	W61765	1	4	2		
323 (ASTINA,FAMILIA) FWD BG 7/89-94							
F	Control arm - lower inner front	W51262	1	4	2		
F	Control arm - lower inner rear	W51263	1	2			
F	Sway bar - link	W21169	1	8			
R	Control arm	W61753	1	8	6		
R	Sway bar - link	W21169	1	8			
R	Trailing arm	W61764	1	4	2		
323 (ASTINA,FAMILIA) FWD BJ & Protégé 8/98-02							
F	Control arm - lower inner front	W52432	1	2			
F	Control arm - lower inner rear	W52433	1	2			
F	Sway bar - ball/ball link kit	W23180	1				Universal sway bar link must cut to 265mm
R	Sway bar - ball/ball link kit	W23180	1				Universal sway bar link must cut to 260mm
323 (FAMILIA) FWD BF,BW,BV 5/85-8/89							
F	Control arm - lower inner front	W51280	1	4	2		
F	Control arm - lower inner rear	W51141	1	2	2		
F	Sway bar - link	W21169	1	8			
F	Sway bar - mount	W21420	1	2			27mm - measure bar size
R	Control arm	W61757	1	2	2		
R	Sway bar - link	W21169	1	8			
323 (FAMILIA) FWD Wagon BF,BW,BV 1/86-1/88							
F	Control arm - lower inner front	W51280	1	4	2		
F	Control arm - lower inner rear	W51141	1	2	2		
F	Sway bar - link	W21169	1	8			
F	Sway bar - mount	W21420	1	2			27mm - measure bar size
R	Control arm	W61757	1	2	2		
R	Sway bar - link	W21169	1	8			
323 FWD BD1031,BD1051 80-85							
F	Control arm - lower inner front	W51095	1	4	2		
F	Control arm - lower inner rear	W51141	1	2	2		
F	Sway bar - link	W21169	1	8			
F	Sway bar - mount	W21420	1	2			27mm - measure bar size
R	Control arm	W61305	1	6	2		
R	Sway bar - link	W21169	1	8			
323 RWD Hatch FA4,FA5 77-80							
F	Control arm - lower inner	W51275	1	4	2		1.3 from FA4TS777445
F	Control arm - lower inner	W51227	1	4	2		1.3 to FA4TS777444
F	Steering - idler	W11010	1	2			
F	Sway bar - control arm	W21082	1	4			
F	Sway bar - mount	W21326	1	2			20mm - measure bar size
F	Sway bar - mount	W21327	1	2			21mm - measure bar size
F	Sway bar - mount	W21147	1	2			23mm - measure bar size
R	Shock absorber - lower	W31062	1	2			
R	Spring - front eye	W71533	1	4			
R	Spring - rear eye & shackle	W71534	2	4			
323 RWD wagon FA4,FA5 78-85							
F	Control arm - lower inner	W51275	1	4	2		
F	Steering - idler	W11010	1	2			
F	Sway bar - control arm	W21082	2	4			
MAZDA 323 RWD wagon FA4,FA5 78-85 continues on next page...							

F or R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
F	Sway bar - mount	20mm	W21326	1	2		20mm - measure bar size
F	Sway bar - mount	21mm	W21327	1	2		21mm - measure bar size
F	Sway bar - mount	23mm	W21147	1	2		23mm - measure bar size
R	Shock absorber		W31207	1	8		
R	Spring - front eye		W71533	1	4		
R	Spring - rear eye & shackle		W71534	2	4		

626 [CAPELLA] CB2 78-83

F	Control arm - lower inner	W51275	1	4	2		
F	Steering - idler	W11010	1	2			
F	Sway bar - link	W21169	1	8			
R	Shock absorber - lower	W31062	1	2			
R	Shock absorber - upper	W21172	1	4			
R	Sway bar - link	W21169	1	8			
R	Trailing arm - lower	W61550	1	8	4		
R	Trailing arm - upper	W61550	1	8	4		

626 [CAPELLA] GC 9/82-2/87

F	Control arm - lower inner	W51276	1	4	4		to 12/84-30mm O.D.
F	Control arm - lower inner	W51140	1	4	4		12/84 on-34mm O.D.
F	Sway bar - link	W21169	1	8			
F	Sway bar - mount	20mm	W21160	1	2		20mm
R	Sway bar - link	W21169	1	8			
R	Sway bar - mount	16mm	W22166	1	2		16mm - measure bar size

626 [CAPELLA] GD 6/87-10/91

F	Control arm - lower inner	W51284	1	4	4		
F	Sway bar - link	W21169	1	8			
F	Sway bar - mount	20mm	W21160	1	2		20mm - To 12/89
R	Control arm	W61759	1	4	4		
R	Sway bar - link	W21169	1	8			
R	Sway bar - mount	16mm	W22166	1	2		16mm - measure bar size
R	Trailing arm	W61767	1	4	2		

626 [CAPELLA] Wagon GD 10/89-94

F	Control arm - lower inner	W51284	1	4	4		2WS/
F	Sway bar - link	W21169	1	8			
F	Sway bar - mount	20mm	W21160	1	2		20mm - To 12/89
R	Control arm	W61759	1	4	4		
R	Sway bar - link	W21169	1	8			
R	Sway bar - mount	16mm	W22166	1	2		16mm - measure bar size
R	Trailing arm	W61767	1	4	2		

626 [CAPELLA,CRONOS] GE 9/91-6/97

F	Control arm - lower inner front	W51307	1	4	2	x	
F	Control arm - lower inner rear	W51308	1	2	2		
F	Sway bar - ball/ball link kit	W23180	1				Universal sway bar link must cut to 105mm

626 [CAPELLA,CRONOS] GF 10/97-99

F	Control arm - lower inner rear	W51308	1	2	2		
F	Control arm - lower inner front	W51307	1	4	2	x	

808 75-78

F	Control arm - lower inner	W51227	1	4	2		
F	Steering - idler	W11531	1	2			11.5mm long - no flange
F	Steering - idler	W11010	2	2			21mm long - flanged
F	Sway bar - control arm	W21082	1	4			

MAZDA 808 75-78 continues on next page...

F or R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
F	Sway bar - mount	24mm	W22543	1	2		24mm - measure bar size
F	Sway bar - mount	20mm	W21326	1	2		20mm - measure bar size
F	Sway bar - mount	21mm	W21327	1	2		21mm - measure bar size
F	Sway bar - mount	23mm	W21147	1	2		23mm - measure bar size
R	Spring - front eye		W71533	1	4		
R	Spring - rear eye		W71534	1	4		
R	Spring - rear eye		W71541	1	4		
R	Spring - shackle		W71534	1	4		
R	Spring - shackle		W71542	1	4		

929 [LUCE] HB Sedan & Wagon 12/81-2/87

F	Sway bar - link		W21135	1	8		
F	Steering - idler		W11010	1	2		
F	Control arm - lower inner		W51546	1	4	2	Suits 18mm bolt
R	Shock absorber		W31207	1	8		
R	Spring - shackle		W71549	1	4		Wagon only

929 [LUCE] HC Sedan & Wagon 2/87-91

F	Radius rod - caster kit		W82481	1	2	2	x	70mm wide adjustable
F	Radius rod		W82876	1	2	2		47mm OD -
F	Radius rod		W81707	1	2	2		64mm OD -
F	Sway bar - link		W21135	1	8			
R	Sway bar - link		W22120	1	4			

929 [LUCE, SENTIA] 7/91-8/99

F	Radius rod - caster kit		W82481	1	2	2	x	70mm wide adjustable
F	Radius rod		W82876	1	2	2		47mm OD -
F								

F or R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
--------	-------------	-----	---------------	------	-----	----------	----------------

MIATA 10/89-12/97

F	Control arm - upper inner	W52208	1	4	4		
F	Sway bar - link	W22515	1	4	4		
R	Control arm - lower inner	W62206	1	8	4		
R	Control arm - upper	W62205	1	6	6		

MPV 10/93-8/99

F	Sway bar - link	W21135	1	8			
R	Sway bar - link	W21169	1	8			

MX5 10/89-12/97

F	Control arm - upper inner	W52208	1	4	4		
F	Sway bar - link	W22515	1	4	4		
R	Control arm - lower inner	W62206	1	8	4		
R	Control arm - upper	W62205	1	6	6		

MX6 GD 2/89-10/91

F	Control arm - lower inner	W51284	1	4	4	2WS	
F	Sway bar - link	W22120	1	4		4WS	
F	Sway bar - link	W21169	1	8		2WS	
F	Sway bar - mount	W21160	1	2			
R	Sway bar - link	W21169	1	8		2WS	

MX6 GE 11/91-97

F	Control arm - lower inner front	W51307	1	4	2	x	
F	Control arm - lower inner rear	W51308	1	2	2		
F	Sway bar - ball/ball link kit	W23180	1			Universal sway bar link must cut to 105mm	

R100 2D Coupe 69-71

F	Radius rod	W81061	1	4	2		
F	Sway bar - link	W21135	1	8			
R	Spring - front eye	W71533	1	4			
R	Spring - rear eye & shackle	W71534	2	4			

RX2 7/70-77

F	Control arm - lower inner	W51546	1	4	2		
F	Control arm - lower inner [offset]	W52783	1	4	2	Offset for caster	
F	Steering - idler	W11010	2	2		21mm long - flanged	
F	Steering - idler	W11531	1	2		No flange-11.5mm long	
F	Steering - idler	W11531	1	2		11.5mm long - no flange	
F	Sway bar - control arm	W21082	1	4			
F	Sway bar - mount	W21326	1	2		20mm - measure bar size	
F	Sway bar - mount	W21327	1	2		21mm - measure bar size	
F	Sway bar - mount	W21147	1	2		23mm - measure bar size	
F	Sway bar - mount	W22543	1	2		24mm - measure bar size	
R	Panhard rod	W81551	1	2	1		
R	Shock absorber	W31207	1	8			
R	Trailing arm - lower	W61550	1	8	4		
R	Trailing arm - upper	W61550	1	8	4		

RX3 3/72-77

F	Control arm - lower inner	W51227	1	4	2		
F	Steering - idler	W11531	1	2		No flange-11.5mm long	
F	Steering - idler	W11010	1	2		Flanged-21mm long	
F	Sway bar - control arm	W21082	1	4			
F	Sway bar - mount	W22543	1	2		24mm - measure bar size	
F	Sway bar - mount	W21326	1	2		20mm - measure bar size	

MAZDA RX3 3/72-77 continues on next page...

F or R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
F	Sway bar - mount	21mm	W21327	1	2		21mm - measure bar size
F	Sway bar - mount	23mm	W21147	1	2		23mm - measure bar size
R	Spring - front eye		W71533	1	4		40mm OD
R	Spring - rear eye		W71541	1	4		
R	Spring - shackle		W71542	1	4		

RX4 4/73-79

F	Control arm - lower inner	W51227	1	4	2	Single blade/incl.cr. tubes
F	Steering - idler	W11531	1	2		No flange-11.5mm long
F	Steering - idler	W11010	1	2		Flanged-21mm long
F	Sway bar - control arm	W21082	1	4		
F	Sway bar - mount	24mm	W22543	1	2	24mm - measure bar size
F	Sway bar - mount	20mm	W21326	1	2	20mm - measure bar size
F	Sway bar - mount	21mm	W21327	1	2	21mm - measure bar size
F	Sway bar - mount	23mm	W21147	1	2	23mm - measure bar size
R	Spring - rear eye		W71534	1	4	13B Engine
R	Spring - shackle		W71556	1	4	

RX5 76-79

F	Steering - idler	W11531	1	2		No flange-11.5mm long
F	Steering - idler	W11010	1	2		Flanged-21mm long
F	Sway bar - link	W21135	1	8		
F	Sway bar - mount	24mm	W22543	1	2	24mm - measure bar size
F	Sway bar - mount	20mm	W21326	1	2	20mm - measure bar size
F	Sway bar - mount	21mm	W21327	1	2	21mm - measure bar size
F	Sway bar - mount	23mm	W21147	1	2	23mm - measure bar size
R	Shock absorber - lower		W31062	1	2	
R	Shock absorber - upper		W21173	1	4	to 5/92
R	Trailing arm - upper		W61550	1	8	4

RX7 Series 1,2,3 2/79-8/85

F	Control arm - lower inner	W52647	4	2		Angled for caster</td

F or R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
RX7 Series 6,7 4/92-98							
R	Control arm - lower inner	W63105	1	2	2		
R	Control arm - upper inner	W63106	1	2	2		
R	Control arm - upper outer	W63108	1	2	2	Replaces damper bush	
R	Diff. - mount insert	W92834	1	2	2		
R	Link arm	W63103	1	2	x	Mounts to lower control arm	
R	Toe arm - inner	W63109	1	2	2		

MAZDA COMMERCIAL**B1600,B1800,B2000,B2200 71-85**

F	Shock absorber - upper	W21173	1	4			
F	Steering - idler	W11531	1	2		B1600 & B1800 to 12/80	
F	Sway bar - link	W31207	1	8			
R	Shock absorber	W31207	1	8			
R	Spring - front eye, rear eye & shackle	W71424	1	12	6		

B2000,B2200 85-94

F	Radius rod	W81157	1	4	2		
F	Shock absorber - upper	W21173	1	4			
F	Steering - idler	W11421	1	2			
F	Sway bar - link	W31207	1	8			
F	Sway bar - mount 22mm	W21047	1	2		22mm-B2200 Cab Plus	
F	Sway bar - mount 24mm	W21058	1	2		24mm-All other vehicles	
R	Shock absorber	W31062	2	2			
R	Spring - front eye	W72065	1	4	2		
R	Spring - rear eye	W71136	1	4			
R	Spring - shackle	W71215	1	4			

B2500 / 2600 Bravo 2WD 11/98-on

F	Control arm - upper inner	W53179	1	4	2		
---	---------------------------	--------	---	---	---	--	--

B2500 / 2600 Bravo 4WD 11/98-on

F	Control arm - upper inner	W53179	1	4	2		
---	---------------------------	--------	---	---	---	--	--

B2500 BRAVO 2WD/4WD 4/96-98

F	Shock absorber - upper	W21173	1	4		2WD	
F	Shock absorber - upper	W21172	1	4			
F	Steering - idler	W11421	1	2			
F	Sway bar - link	W31207	1	8			
F	Sway bar - mount 24mm	W21058	1	2		24mm - measure bar size	
R	Shock absorber	W31062	2	2			
R	Spring - front eye	W72065	1	4	2		
R	Spring - rear eye	W71136	1	4			
R	Spring - shackle	W71215	1	4			

B2600 2WD & 4WD 87-98

F	Shock absorber - upper	W21172	1	4			
F	Steering - idler	W11421	1	2			
F	Sway bar - link	W31207	1	8			
F	Sway bar - mount 22mm	W21047	1	2		22mm-B2200 Cab Plus	
F	Sway bar - mount 24mm	W21058	1	2		24mm - measure bar size	
R	Spring - front eye	W72065	1	4	2		
R	Spring - rear eye	W71136	1	4			
R	Spring - shackle	W71215	1	4			

F or R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
E1300,E1400,E1600 78-80							
F	Control arm - upper	W51180	1	2	2		
F	Shock absorber	W21172	1	4			
F	Sway bar - link	W21014	1	8			
F	Sway bar - link	W22120	1	4			
R	Shock absorber	W31062	2	2			
R	Spring - front eye, rear eye & shackle	W71424	1	12	6		

F	Control arm - upper	W51180	1	2	2		
F	Shock absorber - upper	W21173	1	4			
F	Steering - idler	W11561	1	2			
F	Sway bar - link	W21014	1	8			
F	Sway bar - link	W22120	1	4			
R	Shock absorber	W31062	2	2			
R	Spring - front eye, rear eye & shackle	W71187	3	4			

F	Control arm - lower inner	W52125	1	2	2	x	
F	Control arm - upper	W51180	1	2	2		
F	Radius rod	W82134	1	4	2	x	2WD
F	Shock absorber - upper	W21173	1	4			
F	Sway bar - link	W21169	1	8			
F	Sway bar - mount 17mm	W21260	1	2		17mm-Dual rear wheel	
F	Sway bar - mount 21mm	W21105	1	2		21mm-Single rear wheel	
R	Shock absorber	W31062	2	2			
R	Spring - front eye	W71506	1	4	2	4x4 Van,4x2 Van SRW	
R	Spring - front eye	W72065	1	4	2	Pick up,Dual Cab	
R	Spring - rear eye	W71187	1	4			
R	Spring - shackle	W71187	1	4			

F	Control arm - lower inner	W52125	1	2	2	x	
F	Control arm - upper	W51180	1	2	2		
F	Radius rod	W82134	1	4	2	x	2WD
F	Shock absorber - upper	W21173	1	4			
F	Sway bar - link	W21169	1	8			
F	Sway bar - mount 21mm	W21105	1	2		21mm-Wagon & van	
R	Shock absorber	W31062	2	2			
R	Spring - front eye	W71506	1	4</td			

F or R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
T2000,T2600,T3000,T3500,T4100 80-89							
F	Shock absorber - lower	W31062	1	2			
F	Shock absorber - upper	W21172	1	4			
F	Spring - front eye	W71562	1	4	2		
F	Spring - rear eye	W71439	1	4	2		
F	Spring - shackle	W71439	1	4	2		
R	Shock absorber	W31062	2	2			
R	Spring - front eye	W71562	1	4	2		
R	Spring - rear eye	W71439	1	4	2		
R	Spring - shackle	W71439	1	4	2		
T3500,T4000,T4600 6/89 on							
F	Shock absorber - lower	W31062	1	2			
F	Shock absorber - upper	W21172	1	4			
F	Spring - front eye	W71562	1	4	2		
F	Spring - rear eye	W71439	1	4	2		
R	Shock absorber	W31062	2	2			
R	Spring - front eye	W71562	1	4	2		
R	Spring - rear eye	W71439	1	4	2		
MINI (BMW)							
MINI & COOPER S (R50) 01 on							
F	Control arm - lower inner rear	W52614	1	2			Caster adjustable
F	Control arm - lower inner rear	W52613	1	2			
F	Engine mount	W92879	1	2	2		Engine steady
F	Engine mount - insert lower front	W92631	1	2			Engine steady
F	Engine mount - insert upper rear	W92630	1	2			Up to 12/03
F	Sway bar - mount 22mm	W22629	1	2			22mm - measure bar size
F	Sway bar - mount 24mm	W22886	1	2			24mm - measure bar size
R	Control arm - lower inner	W62632	1	4	4		
R	Control arm - lower outer	W62633	1	4	4		
R	Control arm - upper inner	W62632	1	4	4		
R	Control arm - upper outer	W62633	1	4	4		
R	Trailing arm - front	W62636	1	2	2	x	
MITSUBISHI							
3000 GTO 92-98							
F	Sway bar - ball/ball link kit	W23180	1				Universal sway bar link must cut to 60mm
R	Sway bar - link	W21173	1	4			
COLT RB,RC,RD,RE 82-90							
F	Control arm - lower inner	W51776	1	4	2		
F	Radius rod	W81198	1	2			
CORDIA AA,AB,AC 83-89							
F	Radius rod	W81075	1	4	2		Non turbo/
F	Sway bar - link	W21173	1	4			Turbo
F	Sway bar - link	W21135	1	8			Non turbo
FTO 2.0L V6 Mivec 95-99							
F	Control arm - lower inner front	W51988	1	4	2		
F	Sway bar - link	W21135	1	8			SOHC
GALANT HG,HH 87-93							
F	Control arm - lower inner front	W52148	1	2	2		
F	Control arm - lower inner rear	W52149	1	2			
MITSUBISHI GALANT HG,HH 87-93 continues on next page...							

F or R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
Steering - idler							
F	Steering - idler	W11010	1				
F	Sway bar - ball/ball link kit	W23180	1				Universal sway bar link must cut to 60mm (Suits DOHC)
F	Sway bar - link	W21135	1		8		SOHC
R	Panhard rod	W81583	1	4	2		Excluding turbo
GALANT VR4 HG,HH 90-93							
F	Control arm - lower inner rear	W52419	1	2			2xcaster offset,1xSTD
F	Control arm - lower inner rear	W52149	1	2			
F	Control arm - lower inner front	W52148	1	2	2		
F	Sway bar - ball/ball link kit	W23180	1				Universal sway bar link must cut to 60mm
R	Control arm - lower inner	W62147	1	4	2		
R	Control arm - upper	W62169	1	2	2		
R	Moustache brace	W92170	1	4			Re-use original shell
R	Stub axle - chassis	W62168	1	2	2		
R	Subframe - mount	W92146	1	2	2		
LANCER LA,LB,LC 74-81							
F	Control arm - lower inner	W51584	1		4		
F	Radius rod	W81152	1		2		
F	Steering - idler	W11010	1		2		Flanged - 21mm long
F	Steering - idler	W11068	1	2	1		
F	Sway bar - link	W21014	1		8		
R	Spring - rear eye	W71586	1		4		
R	Spring - shackle	W71587	1		4		
LANCER CA,CB 8/88-9/92							
F	Control arm - lower inner front	W51988	1	4	2		
F	Sway bar - ball/ball link kit	W23180	1				Universal sway bar link must cut to 77mm (Suits EFI models)
F	Sway bar - link	W21173	1		4		
R	Panhard rod	W81583	1	4	2		
R	Sway bar - link	W21014	1		8		
R	Trailing arm - front	W61588	1	4	2		
LANCER CC 10/92-7/96							
F	Control arm - lower inner rear	W52662	1	2	2		
F	Control arm - lower inner rear	W52422	1	2	2	x	2xcaster offset,1xSTD
F	Control arm - lower inner front	W51988	1	4	2		
F	Sway bar - ball/ball link kit	W23180	1				Universal sway bar link must cut to 77mm
F	Sway bar - link	W21135	1		8		
R	Panhard rod	W81583	1	4	2		
R	Sway bar - ball/ball link kit	W23180	1				Universal sway bar link must cut to 77mm
R	Sway bar - link	W21014	1		8		
R	Trailing arm - front	W61588	1	4	2		
LANCER CE 96-02							
F	Control arm - lower inner front	W51988	1	4	2		
F	Control arm - lower inner rear	W51775	1	1			
F	Sway bar - link	W21014	1		8		
LANCER CG 03 on							
F	Control arm - lower inner rear	W51775	1		1		
F	Control arm - lower inner front	W51988	1	4	2		
LANCER CH 07 on							
F	Control arm - lower inner rear	W53066	1	2	2		Offset for caster

F or R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
--------	-------------	-----	---------------	------	-----	----------	----------------

LANCER GSR EVOLUTION I,II & III 10/92-7/96

F	Control arm - lower inner rear	W52662	1	2	2		
F	Control arm - lower inner rear	W52422	1	2	2	x	2xcaster offset,1xSTD
F	Control arm - lower inner front	W51988	1	4	2		
F	Sway bar - link	W21135	1	8			
R	Sway bar - link	W21014	1	8			

LANCER GSR EVOLUTION IV,V,VI 96-98

F	Control arm - lower inner rear	W52662	1	2	2		
F	Control arm - lower inner rear	W52422	1	2	2	x	2xcaster offset,1xSTD
F	Control arm - lower inner front	W51988	1	4	2		
F	Sway bar - link	W21014	1	8			
R	Sway bar - link	W21014	1	8			

LANCER EVOLUTION VIII 04 on

F	Control arm - lower inner front	W52974	1	4	2	Incl. crush tube	
F	Control arm - lower inner rear	W52953	1	4	2	x	Replaces Bearing style bush
F	Sway bar - mount 24mm	W22960	1	2		24mm - measure bar size	
R	Control arm - lower inner	W62951	1	2	2	Incl. crush tube	
R	Control arm - lower outer	W62950	1	2	2	Incl. crush tube	
R	Control arm - lower shock bush	W32958	1	2	2	Incl. crush tube	
R	Control arm - upper inner rear	W62949	1	2	2	Replaces bush with pin	
R	Diff - mount rear	W92956	1	2	2	Incl. crush tube	
R	Diff - mount side	W92955	1	2	2	Incl. crush tube	
R	Sway bar - mount 22mm	W22959	1	2		22mm - measure bar size	
R	Toe arm	W62952	1	2	2	x	Replaces bush end only
R	Trailing Arm	W62957	1	2	2		Replaces bush end only

MAGNA & VERADA TM,TN 85-2/88

F	Control arm - lower inner front	W51149	1	2	2		
F	Control arm - lower inner rear	W51158	1	2			
F	Steering - rack mount	W11983	1	1		Power steering	
F	Sway bar - link	W21135	1	8			
R	Trailing arm - lower front	W61052	1	4	2	Wagon/Non shelled/	
R	Trailing arm - lower front	W61251	1	2	2	Wagon/Shelled/Incl.cr. tubes	
R	Trailing arm - lower rear	W61268	1	4	2	Wagon/	
R	Trailing arm - upper	W61777	2	2	2	Wagon/	

MAGNA (VERADA,SIGMA{NZ}) TN,TP 3/88-91

F	Control arm - lower inner front	W51149	1	2	2		
F	Control arm - lower inner rear	W51592	1	2		4cyl	
F	Steering - rack mount	W11983	1	1		Power steering	
F	Sway bar - link	W21135	1	8			
R	Trailing arm - lower front	W61052	1	4	2	Wagon/Non shelled/	
R	Trailing arm - lower front	W61251	1	2	2	Wagon/Shelled/Incl.cr. tubes	
R	Trailing arm - lower rear	W61268	1	4	2	Wagon/	
R	Trailing arm - upper	W61777	2	2	2	Wagon/	

MAGNA (VERADA,DIAMANTE,V3000) TR,TS,KR,KS V6 10/91-3/97

F	Control arm - lower inner front	W51940	1	2	2		
F	Control arm - lower inner rear	W51590	1	2	2	V6 only - Incl. damper bush	
F	Steering - rack mount	W11983	1	1		Power steering	
F	Sway bar - ball/ball link kit	W23180	1			Universal sway bar link must cut to 60mm	
F	Sway bar - link	W21173	1	4			
F	Sway bar - link	W21173	1	4			
R	Panhard rod	W81583	1	4	2	Sedan/	
R	Trailing arm - front	W61886	1	4	2	Sedan/	
R	Trailing arm - lower front	W61052	1	4	2	Wagon/Non shelled/	
R	Trailing arm - lower front	W61251	1	2	2	Wagon/Shelled/Incl.cr. tubes	
R	Trailing arm - lower rear	W61268	1	4	2	Wagon/	
R	Trailing arm - upper	W61777	2	2	2	Wagon/	

F or R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
--------	-------------	-----	---------------	------	-----	----------	----------------

MAGNA (VERADA,DIAMANTE,V3000) TR,TS,KR,KS 4 cyl 10/91-3/97

F	Control arm - lower inner front	W51940	1	2	2		
F	Control arm - lower inner rear	W51592	1	2			4cyl
F	Steering - rack mount	W11983	1	1			Power steering
F	Sway bar - ball/ball link kit	W23180	1				Universal sway bar link must cut to 60mm
R	Panhard rod	W81583	1	4	2		
R	Trailing arm - front	W61886	1	4	2		
R	Trailing arm - lower front	W61052	1	4	2		
R	Trailing arm - lower front	W61251	1	2	2		
R	Trailing arm - lower rear	W61268	1	4	2		
R	Trailing arm - upper	W61777	2	2	2		

MAGNA (VERADA,DIAMANTE,V3000) TE,TF, KE,KF 4CYL & V6 4/96-2/99

F	Control arm - lower inner rear	W52425	1	2			
F	Steering - rack mount	W12983	1	2	2		
F	Sway bar - ball/ball link kit	W23180	1				Universal sway bar link must cut to 60mm
R	Control arm - lower outer	W62844	1	2	2		
R	Control arm - upper outer	W62843	1	2	2		
R	Sway bar - ball/ball link kit	W23180	1				Universal sway bar link must cut to 60mm
R	Trailing arm - lower front	W61052	1	4	2		
R	Trailing arm - lower front	W61251	1	2	2		
R	Trailing arm - lower rear	W61268	1	4	2		
R	Trailing arm - lower rear	W62843	1	2	2		Sedan

MAGNA (VERADA,DIAMANTE,V3000) TH,TJ, TL, KH,KJ 4CYL & V6 (2WD/AWD) 3/99-03

F	Control arm - lower inner rear	W52425	1	2			

<tbl_r cells="8" ix="3

F or R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
STARION JA,JB,JD 82-87							
F	Control arm - lower inner	W51593	1	2	2		
F	Radius rod	W81191	1	4	2		
F	Steering - idler	W11594	1	2			
F	Sway bar - link	W21200	1	8			
F	Sway bar - mount 21mm	W22162	1	2		21mm - measure bar size	
F	Sway bar - mount 25mm	W22163	1	2		25mm - measure bar size	
R	Control arm - lower inner front	W51595	1	4	2		
R	Control arm - lower inner rear	W51596	1	4	2		
R	Control arm - outer	W51598	1	8	4	Incl crush tubes	
R	Sway bar - link	W21135	1	8			
R	Sway bar - mount 18mm	W22164	1	2		18mm - measure bar size	
R	Sway bar - mount 21mm	W22165	1	2		21mm - measure bar size	

MITSUBISHI COMMERCIAL**CANTER FC212,FE211,FE214,FD343C,FD444C,FE439C,FE449EW 79-91**

F	Shock absorber - lower	W31062	1	2			
F	Shock absorber - upper	W21172	1	4			
F	Spring - front eye, rear eye & shackle	W71150	3	4			
F	Sway bar - link	W21172	1	4			
R	Shock absorber	W31062	2	2			

CHALLENGER PA-4WD 3/98 on

F	Control arm - lower inner front	W51602	1	4	2		
F	Control arm - lower inner rear	W61610	1	2	2		
R	Panhard rod	W81609	1	4	2		
R	Spring - rear eye	W71056	1	4			

L200 2WD MB,MC,MD 82-86

F	Control arm - lower inner	W51146	1	4			
F	Radius rod	W81191	1	4	2		
F	Shock absorber - upper	W21173	1	4			
F	Steering - idler	W11010	1	2			
F	Sway bar - link	W21135	1	8			
F	Sway bar - mount 22mm	W21047	1	2		22mm - measure bar size	
F	Sway bar - mount 25mm	W22114	1	2		25mm - measure bar size	
R	Shock absorber	W31062	2	2			
R	Spring - front eye	W71600	1	4			
R	Spring - rear eye	W71056	1	4			
R	Spring - shackle	W71050	1	4			

L200 4WD MB,MC,MD 82-86

F	Control arm - lower inner front	W51602	1	4	2		
F	Control arm - lower inner rear	W51603	1	2			
F	Shock absorber - upper	W21172	1	4			
F	Steering - damper	W31062	1	2			
F	Sway bar - link	W21173	1	4			
F	Sway bar - link outer	W21173	1	4			
F	Sway bar - mount 23mm	W21175	1	2		23mm - measure bar size	
R	Shock absorber	W31062	2	2			
R	Spring - front eye	W71600	1	4			
R	Spring - rear eye	W71056	1	4			
R	Spring - shackle	W71050	1	4			

L300 (EXPRESS,DELICA,STARWAGON) 2WD SA,SB 80-10/83

F	Control arm - lower inner	W51604	1	4	2		
F	Radius rod	W81075	1	4	2		
F	Shock absorber - upper	W21172	1	4			
F	Steering - bell crank bush	W11167	1	1			

MITSUBISHI COMMERCIAL L300 (EXPRESS,DELICA,STARWAGON) 2WD SA,SB 80-10/83 continues on next page...

F or R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
STARION JA,JB,JD 82-87							
F	Steering - idler	W11010	1	2			
F	Sway bar - link	W21173	1	4			
F	Sway bar - mount	W21148	1	2			
F	Sway bar - mount	W21223	1	2			
R	Shock absorber	W31062	2	2			
R	Spring - front eye	W71056	1	4			
R	Spring - rear eye	W71056	1	4			
R	Spring - shackle	W71050	1	4			

L300 (EXPRESS,DELICA,STARWAGON) 2WD SC,SD,SE 83-86

F	Radius rod	W81075	1	4	2		
F	Shock absorber - upper	W21172	1	4			
F	Steering - bell crank bush	W11167	1	1			
F	Steering - idler	W11010	1	2		2WD	
F	Steering - idler	W11046	1	2		4WD	
F	Sway bar - link	W21173	1	4			
F	Sway bar - mount	W21148	1	2			
F	Sway bar - mount	W21223	1	2			
R	Shock absorber	W31062	1	2			
R	Spring - front eye	W71056	1	4			
R	Spring - rear eye	W71056	1	4			
R	Spring - shackle	W71050	1	4			

L300 (EXPRESS,DELICA,STARWAGON) 2WD SF,SG,SH, SJ 86-94

F	Control arm - lower inner	W51605	1	2	2	x	
F	Control arm - upper	W52279	1	2	2		
F	Radius rod	W81558	1	4	2		
F	Shock absorber - lower	W21172	1	4			
F	Sway bar - link	W21135	1	8			
R	Spring - front eye	W71056	1	4		Round bush	
R	Spring - front eye	W72143	1	4	2	Oval bush	
R	Spring - rear eye	W71056	1	4			
R	Spring - shackle	W71050	1	4			

L300 (EXPRESS,DELICA,STARWAGON) 4WD SC,SD,SE 83-86

F	Control arm - lower inner front	W528

F or R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
PAJERO (MONTERO) NA,NB,NC,ND,NE,NF,NG 83-91							
F	Control arm - lower inner front	W51602	1	4	2		
F	Control arm - lower inner rear	W51603	1	2			
F	Shock absorber - lower	W32051	1	2			
F	Shock absorber - upper	W21172	1	4			
F	Steering - damper	W31062	1	2			
F	Steering - idler	W11046	1	2			
F	Sway bar - link	W21173	1	4			
F	Sway bar - link outer	W21173	1	4			
F	Sway bar - mount 21mm	W21223	1	2		21mm - measure bar size	
F	Sway bar - mount 27mm	W22116	1	2		27mm - measure bar size	
R	Panhard rod	W81609	1	4	2	Coil sprung-NF,NG V6	
R	Shock absorber - upper	W31062	2	2			
R	Spring - front eye	W71600	1	4		Leaf sprung	
R	Spring - rear eye	W71056	1	4		Leaf sprung	
R	Spring - shackle	W71050	1	4		Leaf sprung	
R	Sway bar - link	W21135	1	8			
R	Trailing arm - front	W61607	1	4		Coil sprung-NF,NG V6	
R	Trailing arm - rear	W61608	1	4	4	Coil sprung-NF,NG V6	
PAJERO (MONTERO) NH,NJ, NK,NL 4cyl & V6 91-4/00							
F	Control arm - upper inner	W52969	1	4	4	x	
F	Control arm - lower inner rear	W61610	1	2	2		
F	Control arm - lower inner front	W51602	1	4	2		
F	Shock absorber - lower	W32051	1	2			
F	Shock absorber - upper	W31704	1	4			
F	Steering - damper	W31062	1	2			
F	Steering - idler	W12055	1	1			
F	Sway bar - link	W21173	1	4			
F	Sway bar - mount 21mm	W21223	1	2		21mm - measure bar size	
F	Sway bar - mount 27mm	W22116	1	2		27mm - measure bar size	
R	Panhard rod	W81609	1	4	2	Coil sprung	
R	Shock absorber - upper	W22110	1	4			
R	Spring - front eye	W71600	1	4		Leaf sprung	
R	Spring - rear eye	W71056	1	4		Leaf sprung	
R	Spring - shackle	W71050	1	4		Leaf sprung	
R	Sway bar - link	W21135	1	8			
R	Trailing arm - front	W61612	1	4		Coil sprung	
R	Trailing arm - rear	W61608	1	4	4	Coil sprung 91-6/93	
R	Trailing arm - rear	W62144	1	4	4	Coil sprung 7/93-5/97	
PAJERO (MONTERO) NM 4cyl & V6 5/00 on							
R	Panhard rod - adjustable	KPR201	1		x	Turnbuckle adjustable	
TRITON (STRADA) 2WD ME,MF,MG,MH,MJ 86-96							
F	Control arm - lower inner front	W51146	1	4			
F	Control arm - upper inner	W51177	1	4	4		
F	Radius rod	W81191	1	4	2		
F	Shock absorber - lower	W32051	1	2			
F	Shock absorber - upper	W21173	1	4			
F	Steering - damper	W31062	1	2			
F	Steering - idler	W11010	1	2			
F	Sway bar - link	W21135	1	8			
F	Sway bar - mount 25mm	W22114	1	2		25mm - measure bar size	
R	Spring - front eye	W72127	1	4	2		
R	Spring - rear eye	W71056	1	4			
R	Spring - shackle	W71050	1	4			
TRITON (STRADA) 4WD ME,MF,MG,MH,MJ 86-96							
F	Control arm - upper inner	W51177	1	4	4		

MITSUBISHI COMMERCIAL TRITON (STRADA) 2WD ME,MF,MG,MH,MJ 86-96 continues on next page...

F or R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
PAJERO (MONTERO) NA,NB,NC,ND,NE,NF,NG 83-91							
F	Control arm - lower inner rear	W51603	1	2			
F	Control arm - lower inner front	W51602	1	4	2		
F	Shock absorber - lower	W32051	1	2			
F	Shock absorber - upper	W21172	1	4			
F	Steering - idler	W11046	1	2			
F	Sway bar - link	W21173	1	4			
F	Sway bar - link outer	W21173	1	4			
F	Sway bar - mount 23mm	W21175	1	2			23mm - measure bar size
R	Shock absorber	W31469	1	4			
R	Spring - front eye	W72127	1	4	2		
R	Spring - rear eye	W71056	1	4			
R	Spring - shackle	W71050	1	4			
TRITON (STRADA) MK 10/96-02							
F	Control arm - upper inner	W51177	1	4	4		-2WD
F	Control arm - lower inner rear	W61610	1	2	2		2WD
F	Control arm - lower inner front	W51602	1	4	2		4WD
F	Steering - idler	W12055	1	1			
R	Spring - front eye	W72127	1	4	2		36mm OD
R	Spring - rear eye	W71056	1	4			
R	Spring - shackle	W71050	1	4			
NISSAN							
1200 B110,B120 70-74							
F	Control arm - lower inner	W51623	1	4	2		
F	Radius rod	W81194	1	4	2		
F	Shock absorber	W21064	1	8			
F	Steering - idler	W11010	1	2			
F	Sway bar - link	W21169	1	8			
F	Sway bar - mount 17mm	W22066	1	2		x	17mm - measure bar size
R	Shock absorber	W21064	1	8			Coupe
R	Shock absorber	W31062	2	2			Wagon
R	Spring - front eye	W71624	1	4			Incl.crush tubes
R	Spring - rear eye	W71625	1	4			
R	Spring - shackle	W71626	1	4			
120Y B210 3/74-79							
F	Control arm - lower inner	W51623	1	4	2		
F	Radius rod	W81061	1	4	2		
F	Steering - idler	W11010	1	2			
F	Sway bar - link	W21064	1	8			
F	Sway bar - mount 17mm	W22066	1	2		x	17mm - measure bar size
R	Shock absorber	W31469	2	4			Sedan,van & coupe
R	Spring - front eye	W71624	1	4			
R	Spring - rear eye	W71625	1	4			
R	Spring - shackle	W71626	1	4			
1600 68-72							
F	Control arm - lower inner	W51226	1	4	2		4/69 on/
F	Radius rod	W81075	1	4	2		Incl. crush tube - 19mm
F	Radius rod	W81061	1	4	2		Without crush tube
F	Steering - idler	W11010	2				Tapered
F	Sway bar - link	W21169	1	8			
F	Sway bar - mount 18mm	W21331	1	2			18mm - measure bar size
F	Sway bar - mount 22mm	W21332	1	2			22mm - measure bar size
R	Control arm	W61613	1	8	4		
R	Crossmember - mount	W91616	1	4	2		
R	Diff. - mount moustache brace	W91614	1	4	2		50mm OD/
R	Diff. - mount moustache brace	W92460	1	2			40

F or R APPLICATION

WL+ KITS BUSH C/T HARDWARE NOTES/COMMENTS

180B 9/72-77

F	Control arm - lower inner	W51226	1	4	2	
F	Radius rod	W81075	1	4	2	- 19mm
F	Radius rod	W81061	1	4	2	Without crush tube
F	Steering - idler	W11010	1	2		Tapered
F	Sway bar - link	W21064	1	8		
F	Sway bar - mount	W21328	1	2		19mm - measure bar size
R	Control arm	W61613	1	8	4	
R	Crossmember - mount	W91616	1	4	2	
R	Diff. - mount moustache brace	W91614	1	4	2	50mm O.D./
R	Diff. - mount moustache brace	W92460	1	2		40mm O.D./
R	Shock absorber - upper	W31207	1	8		

180SX [SILVIA S13] 84-97

F	Control arm - lower inner	W51627	1	2	2	OD - 36.3mm to 34.3mm [stepped]
F	Engine mount	W92539	1	2		Performance application
F	Radius rod	W81707	1	2	2	70mm wide/
F	Radius rod - caster kit	W82481	1	2	x	70mm wide adjustable
F	Sway bar - link	W21014	1	8		
R	Control arm - camber/toe kit	W62544	2	2	2	x Camber adjustable
R	Control arm - lower	W62012	1	4	4	31.6mm OD or 50mm long crush tube
R	Control arm - lower	W62925	1	4	4	33.2mm OD or 45mm long crush tube
R	Control arm - upper	W62546	1	8	4	
R	Diff. - support front	W93047	1	2	1	Includes crush tubes
R	Radius rod	W62546	1	8	4	
R	Subframe - mount	W92446	1	4	4	
R	Sway bar - link	W21169	1	8		

200B 77-81

F	Control arm - lower inner	W51619	1	4	2	
F	Radius rod	W81061	1	4	2	
F	Steering - idler	W11010	1	2		
F	Sway bar - link	W21064	1	8		
F	Sway bar - mount	W21168	1	2		Sedan without IRS
R	Control arm	W61613	1	8	4	IRS/
R	Crossmember - mount	W91616	1	4	2	IRS/
R	Diff. - mount moustache brace	W91614	1	4	2	50mm O.D./ - IRS
R	Diff. - mount moustache brace	W92460	1	2		40mm O.D./
R	Shock absorber - lower	W31469	1	4		Wagon - leaf sprung
R	Shock absorber - upper	W31207	1	8		IRS
R	Spring - front eye	W71287	1	4		Wagon - leaf sprung
R	Spring - rear eye	W71144	1	4		Wagon - leaf sprung
R	Spring - shackle	W71144	1	4		Wagon - leaf sprung

200SX [240SX, SILVIA] S15 11/00 on

F	Control arm - lower inner	W51627	1	2	2	OD - 36.3mm to 34.3mm [stepped]
F	Engine mount	W92539	1	2		Performance application
F	Radius rod	W81707	1	2	2	70mm wide/
F	Radius rod - caster kit	W82481	1	2	x	70mm wide adjustable
F	Sway bar - link	W21014	1	8		
R	Control arm - camber/toe kit	W62544	2	2	2	x Camber adjustable
R	Control arm - lower	W62012	1	4	4	31.6mm OD or 50mm long crush tube
R	Control arm - lower	W62925	1	4	4	33.2mm OD or 45mm long crush tube
R	Control arm - upper	W62546	1	8	4	
R	Diff. - support front	W93047	1	2	1	Includes crush tubes
R	Radius rod	W62546	1	8	4	
R	Subframe - mount	W92446	1	4	4	
R	Sway bar - link	W21169	1	8		

F or R APPLICATION

WL+ KITS BUSH C/T HARDWARE NOTES/COMMENTS

200SX [240SX,SILVIA] S14 10/96-00

F	Control arm - lower inner	W51627	1	2	2	OD - 36.3mm to 34.3mm [stepped]
F	Engine mount	W92539	1	2		Performance application
F	Radius rod	W81707	1	2	2	70mm wide/
F	Radius rod - caster kit	W82481	1	2	x	70mm wide adjustable
F	Sway bar - link	W21014	1	8		
R	Control arm - camber/toe kit	W62544	2	2	2	x Camber adjustable
R	Control arm - lower	W62012	1	4	4	31.6mm OD or 50mm long crush tube
R	Control arm - lower	W62925	1	4	4	33.2mm OD or 45mm long crush tube
R	Control arm - upper	W62546	1	8	4	
R	Diff. - support front	W93047	1	2	1	Includes crush tubes
R	Radius rod	W62546	1	8	4	
R	Subframe - mount	W92446	1	4	4	
R	Sway bar - link	W21169	1	8		

240C 71-73

F	Shock absorber	W21173	2	4	
R	Shock absorber	W31062	2	2	

240K 73-78

F	Steering - idler	W11010	1	2	
R	Control arm	W61613	1	8	4
R	Crossmember - mount	W91616	1	4	2
R	Diff. - mount moustache brace	W91614	1	4	2
R	Diff. - mount moustache brace	W92460	1	2	50mm O.D./
R	Shock absorber	W31469	1	4	40mm O.D./

240Z [FAIRLADY] 70-74

F	Control arm - lower inner	W51945	1	2	2	
F	Radius rod	W81147	1	4	2	12.8mm I.D.
F	Radius rod	W81075	1	4	2	16mm I.D.
F	Steering - coupling	W11044	1	1	4	x Fitting kit supplied
F	Steering - rack mount	W12075	1	1		
F	Sway bar - link	W21135	1	8		
F	Sway bar - mount	W21332	1	2		22mm - measure bar size
R	Diff.mount moustache brace	W91045	1	2		
R	Trailing arm - inner	W61946	1	2	2	
R	Trailing arm - inner[adjustable]	W62145	1	2	2	Toe/camber adjustable
R	Trailing arm - outer	W61948	1	4	4	

260C H330 75-78

F	Shock absorber - upper	W21172	1	4	
F	Steering - idler	W11297	1	2	1
R	Shock absorber	W31469	2	4	
R					

F or R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
280C [CEDRIC,GLORIA] P330 73-79							
F	Shock absorber - upper	W21172	1	4			
F	Steering - idler	W11297	1	2	1		
R	Shock absorber	W31469	2	4			
R	Spring - rear eye & shackle	W71377	2	4	2		

280C [CEDRIC,GLORIA] P430 79-84

F	Radius rod	W81507	1	4	2		
F	Shock absorber - upper	W21172	1	4			
F	Steering - idler	W11297	1	2	1		
F	Sway bar - link	W21014	1	8			
R	Shock absorber	W31062	2	2			
R	Spring - rear eye & shackle	W71377	2	4	2		
R	Sway bar - link	W21169	1	8			

280ZX [FAIRLADY] 80-83

F	Control arm - lower inner	W51619	1	4	2	Incl crush tubes	
F	Radius rod	W81061	1	4	2		
F	Sway bar - link	W21064	1	8			
F	Sway bar - mount	22mm	W21320	1	2	22mm - measure bar size	
R	Control arm	W61613	1	8	4		
R	Sway bar - link	W21169	1	8			

300C [CEDRIC,GLORIA] 84-87

F	Radius rod	W81507	1	4	2		
F	Sway bar - link	W21014	1	8			
R	Sway bar - link	W21169	1	8			

300ZX [FAIRLADY] Z31 84-89

F	Radius rod	W81061	1	4	2		
F	Sway bar - link	W21064	1	8		To 12/84	
F	Sway bar - link	W21014	1	8		1/85 on	
F	Sway bar - mount	22mm	W21320	1	2		To 1/87
R	Control arm	W51450	2	2	2		
R	Sway bar - link	W21169	1	8			

300ZX [FAIRLADY] Z32 89-96

F	Control arm - upper	W51219	1	6	2		
F	Engine mount	W92539	1	2		Performance application	
F	Radius rod	W81707	1	2	2	70mm wide/	
F	Radius rod - caster kit	W82481	1	2	2	x 70mm wide adjustable	
R	Control arm - camber/toe kit	W62544	2	2	2	x Camber adjustable	
R	Control arm - lower	W62012	1	4	4	31.6mm OD or 50mm long crush tube	
R	Control arm - lower	W62925	1	4	4	33.2mm OD or 45mm long crush tube	
R	Control arm - upper	W62546	1	8	4		
R	Diff. - support front	W93047	1	2	1	Includes crush tubes	
R	Radius rod	W62546	1	8	4		
R	Shock absorber - lower	W32985	1	2	2	x	
R	Subframe - mount	W92446	1	4	4		
R	Sway bar - link	W21169	1	8			

350Z G35 03 on

F	Control arm - lower inner	W52991	1	2	2		
F	Control arm - upper inner	W52988	1	4	4		
F	Shock absorber - control arm	W52992	1	2	2	Lower shock bush	
R	Control arm - lower inner	W62996	1	2	2		
R	Control arm - lower outer	W62535	1	2	2	Locates in hub.	
R	Control arm - upper inner	W62989	1	4	2		

MAZDA COMMERCIAL 350Z G35 03 on continues on next page...

F or R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
280C [CEDRIC,GLORIA] P330 73-79							
R	Shock absorber - hub	W62535	1	2	2		Lower shock bush
R	Subframe - mount front	W92994	1	2	2		Bonded inner crush tube
R	Trailing arm - lower front	W62997	1	2	2		Lateral arm
R	Trailing arm - lower rear	W62999	1	2	2		Lateral arm - locates in hub
R	Trailing arm - upper front	W62985	1	2	2		
R	Trailing arm - upper rear	W62998	1	2	2		Locates in hub.

BLUEBIRD 910 Series 1,2,3 81-86

F	Control arm - lower inner	W51627	1	2	2		
F	Radius rod	W81147	1	4	2		
F	Sway bar - link	W21064	1	8			
R	Shock absorber - lower	W31062	1	2			Wagon
R	Spring - front eye	W71287	1	4			Wagon - leaf sprung
R	Spring - rear eye & shackle	W71144	2	4			Wagon - leaf sprung
R	Trailing arm - lower	W61629	1	4	4		
R	Trailing arm - upper	W61628	1	8	4		Sedan to 5/83
R	Trailing arm - upper	W61630	1	8	4		Sedan 5/83 on

BLUEBIRD U11 83-89

F	Sway bar - link	W21014	1	8		
---	-----------------	--------	---	---	--	--

BLUEBIRD U12 86-92

F	Sway bar - link	W21014	1	8		
R	Control arm	W61452	1	16	8	
R	Sway bar - mount	18mm	W22112	1	2	KA24E engine excl. TRX

BLUEBIRD U13 93-97

F	Control arm - lower inner rear	W51451	1	2	2		

</tbl

F or R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
GAZELLE S12 84-88							
F	Control arm	W51627	1	2	2		
F	Radius rod	W81075	1	4	2		
F	Sway bar - link	W21014	1	8			
F	Sway bar - link	W21064	1	8			
F	Sway bar - mount 25mm	W22109	1	2		25mm - measure bar size	
R	Control arm	W51450	2	2	2	IRS/	
R	Trailing arm - lower	W61238	2	4	2	To 2/85 live axle	
R	Trailing arm - upper	W61631	2	4	2	To 2/85 live axle	
INFINITY 7/93-4/97							
F	Control arm - upper	W51219	1	6	2		
LAUREL C31 11/80-84							
F	Control arm - lower inner	W51627	1	2	2		
F	Radius rod	W81507	1	4	2		
F	Sway bar - link	W21064	1	8			
F	Sway bar - link	W21169	1	8			
R	Control arm	W61613	1	8	4		
R	Sway bar - mount 19mm	W21471	1	2		19mm - measure bar size	
LAUREL C32 10/84-10/88							
F	Radius rod	W81197	1	4	2		
F	Sway bar - link	W21014	1	8			
R	Control arm	W51450	2	2	2		
R	Trailing arm - lower	W61183	1	4	4		
LAUREL C33,C34 12/88-on							
F	Sway bar - link	W21169	1	8			
F	Sway bar - link	W21014	1	8			
LEOPARD F30 9/80-86							
F	Radius rod	W81075	1	4	2	Non turbo/	
F	Sway bar - link	W21064	1	8			
F	Sway bar - mount 20mm	W21319	1	2		20mm [1.8L]	
F	Sway bar - mount 22mm	W21320	1	2		22mm [2.0 & 3.0L]	
R	Control arm	W61613	1	8	4		
R	Sway bar - link	W21169	1	8			
MAXIMA J30 90-95							
F	Control arm - lower inner front	W51778	1	2	2		
F	Control arm - lower inner rear	W51451	1	2	2		
F	Sway bar - link	W21014	1	8			
R	Control arm	W61452	1	16	8		
R	Sway bar - link	W21014	1	8			
R	Sway bar - mount 18mm	W22112	1	2		18mm - measure bar size	
R	Trailing arm - lower	W61631	2	4	2		
R	Trailing arm - upper	W61631	2	4	2		
MAXIMA J30,A32 95-97							
F	Control arm - lower inner rear	W51451	1	2	2		
F	Sway bar - link	W21014	1	8			
R	Control arm	W61452	1	16	8		
R	Sway bar - link	W21014	1	8			
R	Sway bar - mount 18mm	W22112	1	2		18mm - measure bar size	

F or R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
MICRA K11 7/95-3/98							
R	Sway bar - link	W21014	1	8			
PINTARA R31 86-90							
F	Control arm - lower inner	W51627	1	2	2		
F	Radius rod	W81197	1	4	2		
F	Steering - coupling	W11217	1	1	4	x	Fitting kit supplied
F	Sway bar - link	W21014	1	8			
F	Sway bar - mount 22mm	W21320	1	2		22mm - measure bar size	
F	Sway bar - mount 25mm	W22109	1	2		25mm - measure bar size	
R	Panhard rod	W81632	1	2	1		
R	Panhard rod - adjustable	W82918	1			x	Heavy duty adjustable
R	Shock absorber - lower	W31469	1	4			
R	Sway bar - link	W21169	1	8			
R	Sway bar - mount 18mm	W22112	1	2		18mm - measure bar size	
R	Trailing arm - lower	W61183	1	4	4		
R	Trailing arm - upper	W61630	1	8	4		
PINTARA U12 89-92							
F	Control arm - lower inner front	W51778	1	2	2		
F	Control arm - lower inner rear	W51451	1	2	2		
F	Sway bar - link	W21014	1	8			
R	Control arm	W61452	2	16	8	IRS/	
R	Sway bar - link	W21014	1	8			
R	Sway bar - link upper	W22110	1	4			
R	Sway bar - mount 18mm	W22112	1	2		18mm - measure bar size	
R	Trailing arm	W61238	2	4	2	2/85 on live axle	
R	Trailing arm	W61631	2	4	2	To 2/85 live axle	
PINTARA U13 93-97							
F	Control arm - lower inner rear	W51451	1	2	2		
F	Sway bar - link	W21014	1	8			
R	Control arm - upper	W62546	1	8	4		
R	Radius rod	W62546	1	8	4		
R	Sway bar - link	W21014	1	8			
PRAIRIE M10 82-88							
F	Control arm - lower inner front	W51450	1	2	2		
F	Sway bar - link	W21169	1	8			
R	Shock absorber - lower	W31469	1	4			
PRAIRIE M11 88-95							
F	Sway bar - link	W21200	1	8			
PRESEA R10,R11 1/95-on							
F	Sway bar - link	W21014	1	8			
PRIMERA P10 90-95							
F	Control arm - lower inner rear	W52420	1	1		2xcaster offset,1xStd	
F	Control arm - lower inner rear	W51738	1	2			
F	Sway bar - link	W21014	1	8			
R	Sway bar - link	W21014	1	8			
PRIMERA P11 96-02							
F	Control arm - lower inner front	W51778	1	2	2		
F	Sway bar - link	W21014	1	8			
R	Sway bar - link	W21014	1	8			

F or R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
PULSAR [SENTRA,SUNNY,ANGLEY] N15,B14 10/95-2/01							
F	Control arm - lower inner rear	W52420	1	1			2xcaster offset, 1xStd
F	Control arm - lower inner rear	W51738	1	2			
F	Control arm - lower inner front	W51737	1	2	2		
F	Steering - rack mount	W11736	1	1			Import
F	Sway bar - link	W21014	1	8			
R	Control arm	W61452	1	16	8		
R	Sway bar - link	W21014	1	8			
PULSAR [SENTRA,SUNNY,ANGLEY] N10 80-83							
F	Sway bar - link	W21169	1	8			
R	Shock absorber - lower	W31469	1	4			Van
PULSAR [SENTRA,SUNNY,ANGLEY] N12 84-86							
F	Control arm - lower inner front	W51450	1	2	2		
F	Sway bar - link	W21169	1	8			
R	Control arm	W61449	1	4	4		
PULSAR [SENTRA,SUNNY,ANGLEY] N13,B12 87-91							
F	Control arm - lower inner front	W51450	1	2	2		
F	Control arm - lower inner rear	W51451	1	2	2		
F	Steering - rack mount	W11732	1	1			TRW Australia
F	Sway bar - link	W21014	1	8			
R	Control arm	W61452	1	16	8		
R	Sway bar - link to stub axle	W22117	1	2			
PULSAR [SENTRA,SUNNY,ANGLEY] N14,B13 91-95							
F	Control arm - lower inner front	W51737	1	2	2		
F	Control arm - lower inner rear	W52420	1	1			2xcaster offset, 1xStd
F	Control arm - lower inner rear	W51738	1	2			
F	Steering - rack mount	W11736	1	1			Import
F	Sway bar - link	W21014	1	8			
R	Control arm	W61452	1	16	8		
R	Sway bar - link	W21014	1	8			
R	Trailing arm - rear	W81221	1	4	2		
PULSAR [SENTRA,SUNNY,ANGLEY] N14,B13 GTiR 91-95							
F	Control arm - lower inner rear	W52420	1	1			2xcaster offset, 1xStd
F	Control arm - lower inner rear	W51451	1	2	2		
F	Control arm - lower inner front	W51450	1	2	2		
F	Steering - rack mount	W11736	1	1			Import
F	Sway bar - link	W21014	1	8			
SERENA C23 92-95							
F	Sway bar - link	W21014	1	8			5/94 on
F	Sway bar - link upper	W21200	1	8			Up to 5/94
R	Sway bar - link upper	W21200	1	8			
SILVIA 66-68							
F	Steering - idler	W11010	1	2			
SILVIA S13 [180SX] 84-97							
F	Control arm - lower inner	W51627	1	2	2		OD - 36.3mm to 34.3mm [stepped]
F	Engine mount	W92539	1	2			Performance application
F	Radius rod	W81707	1	2	2		70mm wide/
NISSAN SILVIA S13 [180SX] 84-97 continues on next page...							

F or R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
F Radius rod - caster kit							
F	Sway bar - link	W21014	1	8			
R	Control arm - camber/toe kit	W62544	2	2	2	x	Camber adjustable
R	Control arm - lower	W62012	1	4	4		31.6mm OD or 50mm long crush tube
R	Control arm - lower	W62925	1	4	4		33.2mm OD or 45mm long crush tube
R	Control arm - upper	W62546	1	8	4		
R	Diff. - support front	W93047	1	2	1		Includes crush tubes
R	Radius rod	W62546	1	8	4		
R	Subframe - mount	W92446	1	4	4		
R	Sway bar - link	W21169	1	8			
SILVIA S14 [200SX,240SX] 96-00							
F	Control arm - lower inner	W51627	1	2	2		OD - 36.3mm to 34.3mm [stepped]
F	Engine mount	W92539	1	2			Performance application
F	Radius rod	W81707	1	2	2		70mm wide/
F	Radius rod - caster kit	W82481	1	2	2	x	70mm wide adjustable
F	Sway bar - link	W21014	1	8			
R	Control arm - camber/toe kit	W62544	2	2	2	x	Camber adjustable
R	Control arm - lower	W62012	1	4	4		31.6mm OD or 50mm long crush tube
R	Control arm - lower	W62925	1	4	4		33.2mm OD or 45mm long crush tube
R	Control arm - upper	W62546	1	8	4		
R	Diff. - support front	W93047	1	2	1		Includes crush tubes
R	Radius rod	W62546	1	8	4		
R	Subframe - mount	W92446	1	4	4		
R	Sway bar - link	W21169	1	8			
SILVIA S15 [200SX,240SX] 11/00 on							
F	Control arm - lower inner	W51627	1	2	2		OD - 36.3mm to 34.3mm [stepped]
F	Engine mount	W92539	1	2			Performance application
F	Radius rod	W81707	1	2	2		70mm wide/
F	Radius rod - caster kit	W82481	1	2	2	x	70mm wide adjustable
F	Sway bar - link	W21014	1	8			
R	Control arm - camber/toe kit	W62544	2	2	2	x	Camber adjustable
R	Control arm - lower	W62012	1	4	4		31.6mm OD or 50mm long crush tube
R	Control arm - lower	W62925	1	4	4		33.2mm OD or 45mm long crush tube
R	Control arm - upper	W62546	1	8	4		
R	Diff. - support front	W93047	1	2	1		Includes crush tubes
R	Radius rod	W62546	1	8	4		
R	Subframe - mount	W92446	1	4	4		
R	Sway bar - link	W21169	1	8			
SKYLINE C210 78-81							
F	Sway bar - link	W21169	1	8			
F	Steering - idler	W11010	1	2			
F	Radius rod	W81197	1	4	2		
SKYLINE R30 81-86							
F	Control arm - lower inner	W51627	1	2	2		
F	Radius rod	W81197	1	4	2		
F	Steering - coupling	W11217	1	1	4	x	Fitting kit supplied
F	Steering - idler	W11046	1	2			
F	Sway bar - link	W21014	1	8			
R	Control arm	W61613	1	8	4		
R	Subframe - mount	W92526	1	2	2		
R	Subframe - mount	W92962	1	2	2		DR30 Import Only
R	Sway bar - link	W21169	1	8			

F or R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
SKYLINE R31 87-90							
F	Control arm - lower inner	W51627	1	2	2		
F	Radius rod	W81197	1	4	2		
F	Steering - coupling	W11217	1	1	4	x	Fitting kit supplied
F	Sway bar - link	W21014	1	8			
F	Sway bar - mount 22mm	W21320	1	2			22mm - measure bar size
F	Sway bar - mount 25mm	W22109	1	2			25mm - measure bar size
R	Control arm - inner	W62556	1	8	4		Camber/toe adjustable (IRS only)
R	Panhard rod	W81632	1	2	1		
R	Panhard rod - adjustable	W82918	1			x	Heavy duty adjustable
R	Shock absorber - lower	W31469	1	4			
R	Sway bar - link	W21169	1	8			
R	Sway bar - mount 18mm	W22112	1	2			18mm - measure bar size
R	Trailing arm - lower	W61183	1	4	4		
R	Trailing arm - upper	W61630	1	8	4		

SKYLINE GTS/GTR R32 5/89-93

F	Control arm - upper	W51219	1	6	2		
F	Radius rod	W81956	1	2	2		82.5mm wide/ - GTR
F	Radius rod	W81707	1	2	2		70mm wide/ - GTS
F	Radius rod - caster kit	W82481	1	2	2	x	70mm wide adjustable - GTS
F	Radius rod - caster kit	W82557	1	2	2		82.5mm wide adjustable - GTR
F	Shock absorber - upper	W32840	1	2			
R	Control arm - camber/toe kit	W62544	2	2	2	x	Camber adjustable
R	Control arm - lower	W62012	1	4	4		31.6mm OD or 50mm long crush tube
R	Control arm - lower	W62925	1	4	4		33.2mm OD or 45mm long crush tube
R	Control arm - upper	W62546	1	8	4		
R	Diff. - support front	W93047	1	2	1		Includes crush tubes
R	Radius rod	W62546	1	8	4		
R	Shock absorber - lower	W32985	1	2	2	x	
R	Shock absorber - upper	W32840	1	2			
R	Subframe - mount	W92446	1	4	4		Suits GTST models (2WD)
R	Subframe - mount	W92447	1	4	4		Suits GTR models (4WD)
R	Sway bar - link	W21169	1	8			

SKYLINE GTS/GTR R33 94-97

F	Control arm - upper outer	W52555	1	4	2	x	Camber adjustable
F	Radius rod	W81956	1	2	2		82.5mm wide/ - GTR
F	Radius rod	W81707	1	2	2		70mm wide/ - GTS
F	Radius rod - caster kit	W82481	1	2	2	x	70mm wide adjustable - GTS
F	Radius rod - caster kit	W82557	1	2	2		82.5mm wide adjustable - GTR
F	Shock absorber - upper	W32840	1	2			
F	Sway bar - ball/ball link kit	W23180	1				Universal sway bar link must cut to 75mm
F	Sway bar - link	W21169	1	8			
F	Sway bar - mount 20mm	W21319	1	2			20mm - measure bar size
R	Control arm - camber/toe kit	W62544	2	2	2	x	Camber adjustable
R	Control arm - lower	W62012	1	4	4		31.6mm OD or 50mm long crush tube
R	Control arm - lower	W62925	1	4	4		33.2mm OD or 45mm long crush tube
R	Control arm - upper	W62546	1	8	4		
R	Diff. - support front	W93047	1	2	1		Includes crush tubes
R	Shock absorber - upper	W32840	1	2			
R	Subframe - mount	W92446	1	4	4		Suits GTST models (2WD)
R	Subframe - mount	W92447	1	4	4		Suits GTR models (4WD)

SKYLINE GTS/GTR R34 98 on

F	Control arm - upper outer	W52555	1	4	2	x	Camber adjustable
F	Control arm - lower inner front	W52967	1	2	2		GTR only
F	Control arm - lower inner front	W52966	1	2	2		Caster adjustable - GTR only
F	Sway bar - ball/ball link kit	W23180	1				Universal sway bar link must cut to 75mm
R	Control arm - camber/toe kit	W62544	2	2	2	x	Camber adjustable
R	Control arm - lower	W62012	1	4	4		31.6mm OD or 50mm long crush tube

NISSAN SKYLINE GTS/GTR R34 98 on continues on next page...

F or R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
SKYLINE R31 87-90							
R	Control arm - lower	W62925	1	4	4		33.2mm OD or 45mm long crush tube
R	Control arm - upper	W62546	1	8	4		
R	Diff. - support front	W93047	1	2	1		Includes crush tubes
R	Radius rod	W62546	1	8	4		
R	Subframe - mount	W92446	1	4	4		Suits GTST models (2WD)
R	Subframe - mount	W92447	1	4	4		Suits GTR models (4WD)
R	Sway bar - link	W21169	1	8			

STANZA A10 78-83

F	Control arm - lower inner	W51623	1	4	2		
F	Radius rod	W81194	1	4	2		
F	Steering - idler	W11057	1	2			
F	Sway bar - link	W21169	1	8			
R	Trailing arm - lower	W61238	2	4	2		
R	Trailing arm - upper	W61631	2	4	2		

SUNNY B310 78-85

F	Control arm - lower inner	W51623	1	4	2		
F	Radius rod	W81194	1	4	2		
F	Steering - idler	W11010	1	2			
F	Sway bar - link	W21169	1	8			
R	Shock absorber	W31469	2	4			
R	Spring - front eye	W71624	1	4			Van/
R	Spring - rear eye & shackle	W71626	2	4			Van
R	Trailing arm - lower	W61238	2	4	2		Sedan/
R	Trailing arm - upper	W61631	2	4	2		Sedan/

NISSAN [COMMERCIAL]**1200 B110,B120 Ute,Van & Wagon 70-85**

F	Control arm - lower inner	W51623	1	4	2		
F	Radius rod	W81194	1	4			

F or R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
F	Steering - idler	W11010	1	2			Up to 5/82
F	Steering - idler	W11057	1	2			5/82 on
F	Sway bar - link	W21064	1	8			
F	Sway bar - mount	W21139	1	2			23mm - measure bar size
R	Shock absorber - lower	W21172	1	4			
R	Shock absorber - upper	W31062	1	2			
R	Spring - front eye	W71055	1	4			
R	Spring - rear eye & shackle	W71043	2	4			

C20 VANETTE 80-6/82

F	Shock absorber - lower	W31062	1	2			
R	Shock absorber	W31062	2	2			
R	Spring - front eye	W71287	1	4			

CABALL (BISON) C240,C340 67-81

F	Shock absorber - upper	W21172	1	4			
F	Shock absorber - lower	W31469	1	4		Dual rear wheel	
F	Shock absorber - lower	W31062	1	2		Single rear wheel	
F	Spring - front & rear eye	W71637	1	4		2/78 on/	
F	Spring - rear eye & shackle	W71043	2	4		Single rear wheel to 1/78	
F	Sway bar - link	W31207	1	8			
R	Shock absorber	W31469	2	4		Single rear wheel to 1/78	
R	Shock absorber - lower	W21172	1	4		Dual rear wheel 2/78 on	
R	Spring - front & rear eye	W71637	1	4			
R	Spring - shackle	W71640	1	4			

CABSTAR (HOMER,ATLAS,CONDOR) F20 74-82

R	Spring - rear eye & shackle	W71043	1	4			
R	Spring - front eye	W71055	1	4			

CABSTAR (HOMER,ATLAS,CONDOR) F22 82-89

F	Control arm - lower inner	W51639	1	2	2		
F	Control arm - upper inner	W51177	1	4	4		
F	Radius rod	W81507	1	4	2		
F	Shock absorber - upper	W21172	1	4			

CABSTAR (HOMER,ATLAS,CONDOR) F23 1/92 on

F	Radius rod	W81507	1	4	2		
F	Shock absorber - lower	W21172	1	4			
F	Sway bar - link	W21014	1	8			
R	Shock absorber	W31469	2	4			

CABSTAR (HOMER,ATLAS,CONDOR) H40 82-94

F	Shock absorber - upper	W21172	1	4			
F	Spring - front & rear eye	W71637	1	4			
F	Spring - shackle	W71640	1	4			
F	Sway bar - link	W31207	1	8			
R	Shock absorber - lower	W21172	1	4			
R	Spring - front & rear eye	W71637	1	4			
R	Spring - shackle	W71640	1	4			

CABSTAR (HOMER,ATLAS,CONDOR) H41,S41 91-on

F	Sway bar - link	W31207	1	8			
---	-----------------	--------	---	---	--	--	--

CIVILIAN BUS W40 82 on

F	Shock absorber - upper	W21172	1	4			
F	Spring - front & rear eye	W71637	1	4			

NISSAN COMMERCIAL CIVILIAN BUS W40 82 on continues on next page...

F or R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
F	Spring - shackle	W71640	1	4			
F	Sway bar - link	W31207	1	8			
R	Shock absorber - lower	W21172	1	4			
R	Spring - rear eye & shackle	W71637	1	4			

LARGO W30 5/93-on

F	Sway bar - link	W21200	1	8			
---	-----------------	--------	---	---	--	--	--

NAVARA 2WD & 4WD D21 1/86-3/97

F	Control arm - lower inner	W71645	1	4	2		
F	Control arm - upper inner	W51177	1	4	4		
F	Radius rod	W81075	1	4	2		Crush tube 45mm
F	Radius rod	W81507	1	4	2		Crush tube 62mm
F	Shock absorber - upper	W21172	1	4			
F	Steering - damper	W31062	1	2			
F	Steering - idler	W11057	1	2			
F	Sway bar - link	W21014	1	8			
F	Sway bar - mount 22mm	W21320	1	2			All 2WD
R	Shock absorber	W31062	2	2			
R	Spring - front eye	W71055	1	4			2WD/
R	Spring - front eye	W71646	1	4	2		4WD/
R	Spring - rear eye	W71647	1	4	2		4WD GL 85-92
R	Spring - rear eye	W71647	1	4	2		2WD V6 3/92 on
R	Spring - rear eye & shackle	W71060	1	8			All other
R	Spring - shackle	W71190	1	4			4WD & 2WD V6

NAVARA 2WD & 4WD D22 2/97 on

F	Control arm - lower inner	W71645	1	4	2		
F	Sway bar - link	W21014	1	8			
F	Sway bar - mount 22mm	W21320	1	2			All 2WD
R	Shock absorber	W31062	2	2			
R	Spring - front eye	W71055	1</				

F or R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
F	Steering - idler	W11057	1	2			
F	Sway bar - link	W21014	1	8			
F	Sway bar - mount 23mm	W21139	1	2			23mm - measure bar size
R	Shock absorber	W31062	2	2			
R	Sway bar - link	W21014	1	8			
R	Trailing arm - upper & lower	W61705	2	4	4		Shelled - Incl. crush tubea

PATROL MK 3/83-88 SQUARE HEADLAMP

F	Shock absorber	W31207	1	8			
F	Spring - front eye	W71055	1	4			
F	Spring - rear eye	W71101	1	4	2		
F	Spring - shackle	W71055	1	4			
F	Steering - damper	W31062	1	2			
F	Sway bar - link	W21064	1	8			
F	Sway bar - mount 23mm	W21139	1	2			23mm - measure bar size
R	Shock absorber - lower	W21172	1	4			
R	Shock absorber - upper	W31469	1	4			
R	Spring - front eye	W71101	1	4	2		
R	Spring - rear eye	W71085	1	4			
R	Spring - shackle	W71098	1	4			

PATROL MQ 80-3/83 ROUND HEADLAMP

F	Shock absorber	W31207	1	8			
F	Spring - front eye	W71085	1	4			
F	Spring - rear eye	W71101	1	4	2		
F	Spring - shackle	W71294	1	4			
F	Steering - damper	W31062	1	2			
F	Steering - idler	W12105	1	2			
F	Sway bar - link	W21064	1	8			
F	Sway bar - mount 23mm	W21139	1	2			23mm - measure bar size
R	Shock absorber - lower	W21172	1	4			
R	Shock absorber - upper	W31469	1	4			
R	Spring - front eye	W71101	1	4	2		
R	Spring - rear eye	W71085	1	4			
R	Spring - shackle	W71098	1	4			

PATROL G60 61-79

F	Shock absorber	W31207	1	8		1/77 on	
F	Shock absorber	W21064	1	8		To 1/77	
F	Spring - front eye	W71294	1	4			
F	Spring - rear eye	W71101	1	4	2		
F	Steering - damper	W31062	1	2			
F	Sway bar - link	W21064	1	8			
R	Shock absorber	W31207	1	8			
R	Spring - front eye	W71101	1	4	2		
R	Spring - rear eye	W71294	1	4			
R	Sway bar - link	W21064	1	8			

PATROL GQ & GU (Y60) LWB & SWB (Coil Sprung) 87-97

F	Panhard rod	W81430	1	1	1		
F	Panhard rod - adjustable	KPR035	1		x	Left Hand Drive - Turnbuckle adjustable	
F	Panhard rod - adjustable	KPR004	1		x	Turnbuckle adjustable	
F	Radius rod - chassis	W81429	1	4			
F	Radius rod - diff.	W81428	1	4	4		
F	Radius rod - diff.	W81730	1	4	4	Caster adjustable	
F	Shock absorber	W21793	2	4		Coil sprung	
F	Steering - damper	W31469	1	4			
F	Sway bar - link	W21014	1	8			
R	Panhard rod	W81430	1	1	1		
R	Panhard rod	W81438	1	1	1		89 on/
R	Panhard rod	W81438	1	1	1		To 89/
R	Panhard rod - adjustable	KPR005	1		x	G.Q. & G.U Series 1 only	

NISSAN COMMERCIAL PATROL GQ & GU (Y60) LWB & SWB (Coil Sprung) 87-97 continues on next page...

F or R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
R	Shock absorber - lower	W31902	1	2			
R	Shock absorber - upper	W31435	1	4	2		Coil sprung
R	Sway bar - link	W21014	1	8			
R	Sway bar - mount 17mm	W21228	1	2			17mm - measure bar size
R	Trailing arm - lower	W61705	1	4	4		
R	Trailing arm - lower assembly	KTA203	1			x	Heavy Duty
R	Trailing arm - upper	KTA106	1			x	Turnbuckle adjustable
R	Trailing arm - upper	W61705	1	4	4		

PATROL GQ & GU (Y60) Ute & Cab chassis (Leaf Sprung) 88-94

F	Shock absorber - lower	W21172	1	4		Leaf sprung
F	Spring - front eye, rear eye & shackle	W71708	1	8		Leaf sprung only
F	Steering - damper	W31469	1	4		
F	Sway bar - link	W21014	1	8		
R	Shock absorber - lower	W21172	1	4		Leaf sprung
R	Shock absorber - upper	W21793	1	4		Leaf sprung
R	Spring - front eye, rear eye & shackle	W71042	1	12		Leaf sprung only
R	Sway bar - link	W21014	1	8		
R	Sway bar - mount	W21228	1	2		

PATROL GU (Y61) 12/97 on

F	Panhard rod	W81430	1	1	1		
F	Panhard rod - adjustable	KPR028	1			x	Turnbuckle adjustable
F	Radius rod - chassis	W81429	1	4			
F	Radius rod - diff.	W81428	1	4	4		
F	Radius rod - diff.	W81730	1	4	4		Caster adjustable
F	Shock absorber	W21793	2	4			Coil sprung
F	Steering - damper	W31469	1	4			
F	Sway bar - link	W21014	1	8			
R	Panhard rod	W81430	1	1	1		
R	Panhard rod - adjustable	KPR029	1			x	G.U. Series. 2 only - Replaces panhard with bushes diff end only
R	Shock absorber	W31435	1	4	2		Coil sprung
R	Sway bar - link	W21014	1	8			
R	Sway bar - mount	W21228	1	2			
R	Trailing arm - lower	W61705	1	4	4		
R	Trailing arm - lower assembly	KTA203	1			x	Heavy Duty
R	Trailing arm - upper	KTA106	1			x	Turnbuckle adjustable
R	Trailing arm - upper</						

F or R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
TERRANO II- (MISTRAL) R20 3/97-6/00							
F	Control arm - upper inner	W51177	1	4	4		
F	Radius rod	W81075	1	4	2		
R	Sway bar - link	W21014	1	8			
R	Trailing arm - lower	W61705	1	4	4	Shelled -	
R	Trailing arm - upper	W61705	1	4	4	Shelled -	
URVAN E20 73-82							
F	Shock absorber - lower	W31408	1	4			
F	Shock absorber - upper	W21172	1	4			
R	Shock absorber - upper	W31469	1	4			
R	Spring - front eye	W71055	1	4			
R	Spring - rear eye & shackle	W71043	1	4		To 80	
R	Spring - rear eye & shackle	W71060	1	8		80 on	
URVAN E23 81-86							
F	Control arm - lower inner	W51639	1	2	2		
F	Control arm - upper inner	W51177	1	4	4		
F	Radius rod	W81507	2	4	2		
F	Shock absorber - upper	W21172	1	4			
F	Steering - idler	W12104	1	2	1	Left hand	
F	Steering - idler	W12105	1	2		Right hand	
F	Sway bar - link	W21135	1	8			
R	Shock absorber - lower	W21172	1	4			
R	Shock absorber - upper	W31469	1	4			
R	Spring - front eye	W71055	1	4			
R	Spring - rear eye & shackle	W71085	2	4			
URVAN E24 11/86-91							
F	Control arm - lower inner	W71645	1	4	2		
F	Control arm - upper inner	W51177	1	4	4		
F	Radius rod	W81507	1	4	2		
F	Shock absorber - upper	W21172	1	4			
F	Sway bar - link	W21064	1	8			
R	Shock absorber	W31062	2	2			
R	Spring - front eye	W72173	1	2	2		
R	Spring - rear eye & shackle	W71085	2	4			
VANETTE (SERENA,NOMAD) C20/22/120 78-86							
F	Shock absorber - lower	W31062	1	2			
F	Steering - idler	W11057	1	2			
R	Shock absorber	W31062	2	2			
R	Spring - front eye	W71055	1	4			
VANETTE (SERENA,NOMAD) C23 91-96							
F	Radius rod	W81061	1	4	2		
F	Sway bar - link	W21014	1	8			
XFN Ute 89-93							
F	Control arm - lower inner	W51016L	1	2	2	x	Use 9/16"cr. tubes 5/81 on
F	Control arm - lower inner	W51016	1	2	4	x	1/2"and 9/16"ID crush tubes
F	Control arm - upper inner	W51017	1	4	4	x	
F	Radius rod	W81011	1	4	2		
F	Shock absorber - lower	W31409	1	8			
F	Shock absorber - upper	W31408	1	4			
F	Spring - pad	W71476	1	2		10mm	
F	Spring - pad	W71477	1	2		6mm	

NISSAN COMMERCIAL XFN Ute 89-93 continues on next page...

F or R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
TERRANO II- (MISTRAL) R20 3/97-6/00							
F	Spring - pad	W71478	1	2			8mm
F	Spring - saddle	W71407	2	2		x	Regreasable
F	Steering - coupling	W11415	1	1	1	x	Fitting kit supplied
F	Steering - idler	W11019	1	1	1		Draglink
F	Steering - idler	W11020	1	1	1		Chassis
F	Steering - idler arm	W11414	1	1	1		
F	Sway bar - link	W21013	1	8			
F	Sway bar - link assembly	W21807S	1	8		x	Incl. Rods & bushes
F	Sway bar - mount	21mm	W21206	1	2		21mm - measure bar size
F	Sway bar - mount	22mm	W21022	1	2		22mm - measure bar size
F	Sway bar - mount	24mm	W21214	1	2		24mm - measure bar size
F	Sway bar - mount	25mm	W21106	1	2		25mm - measure bar size
F	Sway bar - mount	26mm	W21143	1	2		26mm - measure bar size
F	Sway bar - mount	27mm	W21285	1	2		27mm - measure bar size
R	Shock absorber	W31408	2	4			
R	Spring - front eye	W71103	1	4	2		
R	Spring - rear eye & shackle	W71078	1	8			
R	Spring - shackle	W71103	1	4	2		1tonne 8/93on/Incl.cr. tubes
R	Sway bar - link	W21013	1	8			
R	Sway bar - mount	21mm	W21206	1	2		21mm - measure bar size
R	Sway bar - mount	22mm	W21022	1	2		22mm - measure bar size
R	Sway bar - mount	24mm	W21214	1	2		24mm - measure bar size
R	Sway bar - mount	25mm	W21106	1	2		25mm - measure bar size
R	Sway bar - mount	26mm	W21143	1	2		26mm - measure bar size
R	Sway bar - mount	27mm	W21285	1	2		27mm - measure bar size
OPEL							
CORSA 94-01							
F	Control arm - lower inner	W52243	1	4	2		
F	Radius rod	W82244	1	2			
F	Steering - rack mount	W12593	1	1			
MANTA B, MK1 CAVALIER,CHEVETTE & KADETT							
F	Sway bar - link	W21014	1	8			
R	Panhard rod	W81006	1	4	1		2 piece type/Incl. crush tube
R	Trailing arm - lower front	W61490	1	4	2		
R	Trailing arm - lower rear	W61489	1	4	2		
PEUGEOT							
504 72-85							
F	Radius rod - control arm	W52570	1	4	2		
F	Radius rod - chassis	W82568	1	2	2	x	
505 79-86							
F	Control arm - lower inner	W52627	1	2	2		
F	Radius rod - chassis	W82568	1	2	2	x	
F	Radius rod - control arm	W52570	1	4	2		
PONTIAC							
G8 2008 on							
F	Control arm - caster lock washers	W53152	1			x	Positively corrects & locks vehicles caster via offset lock washers
F	Control arm - lower inner rear	W53151	1	2	2		Shell bush design
F	Control arm - lower inner rear	W53150	1	4	2		Urethane only design
F	Radius rod - chassis	W83160	1	2	2		Std replacement
F	Radius rod - chassis	W83172	1	2	2		Adjustable for caster
F	Spring - pad	W72905	1	2			10mm
F	Spring - pad	W72905	1	2			10mm
F	Spring pad - lower	W72905	1	2			10mm

PONTIAC G8 2008 on continues on next page...

F or R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
F	Spring pad - lower	W72905	1	2			10mm
F	Steering - rack & pinion mount	W13149	1	1			
F	Strut - mount offset	W42565	1	2	x		Offset for camber
F	Strut - mount offset	W42565S	1	2	x		Offset for camber (suits coilovers only)
F	Strut - mount standard	W41771	1	2	x		Re-use original bearings
F	Strut - mount standard	W41772	1	2	x		Contains new bearings
F	Sway bar - link assembly	W23162	1				Heavy duty vehicle specific ball/ball style sway bar link
F	Sway bar - mount 23mm	W23153	1	2			
R	Control arm - lower inner	W63154	1	2	2		
R	Control arm - lower outer	W63155	1	4	2		
R	Control arm - upper inner rear	W63156	1	2	2		
R	Crossmember - front mount	W93164	1	4			
R	Crossmember - mount insert	W93166	1	8			Contains inserts that install into original front & rear bushes - reduces axle tramp
R	Crossmember - rear mount	W93165	1	2			
R	Diff - mount	W93167	1	6			
R	Shock absorber - lower	W33168	1	4	2		
R	Sway bar - link assembly	W23169	1				Vehicle specific ball/ball style sway bar link
R	Sway bar - mount 14mm	W21419	1	2			
R	Sway bar - mount 16mm	W21484	1	2			
R	Sway bar - mount 18mm	W23171	1	2			
R	Toe arm - inner	W63157	1	4	2		
R	Trailing arm - front	W63159	1	4	2		
R	Trailing arm - rear	W63161	1	4	2		

GTO 2003 on

F	Control arm - lower	WA130A	1				Complete replacement arm - Threaded ball joint
F	Control arm - lower inner	W51233	1	2	2		
F	Control arm - lower inner	W53175	1	2	2		Poly only replacement
F	Control arm - lower inner [offset]	W52566	1	2	2		Must be used with W82047
F	Engine mount	W92930	1	2			V8 models only (Gen III LS1)
F	Radius rod - caster kit	W82047	1	2	2	x	Shim adjustable caster kit
F	Radius rod - rear	W52906	1	4	2		Heavy Duty
F	Radius rod - rear	W81099	1	2			
F	Strut - mount	W41771	1	2	x		Without bearing
F	Strut - mount	W41772	1	2	x		With bearing
F	Strut - mount offset	W42565	1	2	x		Camber adjustment - with spring platform
F	Strut - mount offset	W42565S	1	2	x		Camber adjustment - Coil overs only
F	Sway bar - ball link kit	W22772	1	4	x		
F	Sway bar - link	W22921	1	4			
F	Sway bar - mount 22mm	W21337	1	2			22mm - measure bar size
F	Sway bar - mount 24mm	W21334	1	2			24mm - measure bar size
F	Sway bar - mount 26mm	W21151	1	2			26mm - measure bar size
F	Sway bar - mount 27mm	W21335	1	2			27mm - measure bar size
F	Sway bar - mount 28mm	W22327	2				28mm - measure bar size
F	Sway bar - mount 30mm	W21336	1	2			30mm - measure bar size
R	Control arm	W61483	2	4	2		
R	Control arm - camber/toe kit	W61309	1	4	2	x	Std height vehicles
R	Control arm - camber/toe kit	W61309	2	4	2	x	FE2&Lowered vehicles
R	Control arm - camber/toe kit	W61309S	1	4	2	x	Includes removal tool
R	Control arm - camber/toe kit	W62927	1	4	2	x	Super low kit - outer bushes only
R	Control arm - camber/toe kit	W62946	1	2	2	x	Super low kit with removal tool
R	Crossmember - outer mount	W92350	1	2			To minimise axle tramp use with W92616
R	Diff. - mount insert	W92616	1	1			Rear of differential
R	Shock absorber - upper	W31467	1	2			
R	Spring - pad	W72042	1	2			6mm
R	Spring - pad	W72043	1	2			8mm
R	Spring - pad	W72044	1	2			10mm
R	Spring - pad	W72045	1	2			12mm
R	Sway bar - link	W23034	2	2			
R	Sway bar - mount 14mm	W21419	1	2			14mm - measure bar size
R	Sway bar - mount 16mm	W21484	1	2			16mm - measure bar size

F or R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
--------	-------------	-----	---------------	------	-----	----------	----------------

POSCHE**928 All models**

R	Lower control arm - front	W62541	1	4	2	
R	Control arm - lower inner rear	W62540	1	2	2	

PROTON**M21 97-11/00**

F	Sway bar - link	W21135	1	8		
F	Control arm - lower inner rear	W51775	1	1		
F	Control arm - lower inner front	W51988	1	4	2	

PERSONA PLIC97(1.5Litre)PLIC98(1.6Litre) '96 on

F	Control arm - lower inner rear	W51775	1	1		
F	Control arm - lower inner front	W51988	1	4	2	

SATRIA PLIC97(1.5Litre)PLIC98(1.6Litre) '96-8/02

F	Control arm - lower inner rear	W51775	1	1		
F	Control arm - lower inner front	W51988	1	4	2	

WAJA 12/01 on

F	Control arm - lower inner rear	W51775	1	1		
F	Control arm - lower inner front	W51988	1	4	2	

WAJA C97,C98 5/93-11/96

F	Control arm - lower inner rear	W51775	1	1		
F	Control arm - lower inner front	W51988	1	4	2	

WIRA 1.3/1.5/1.6L 93-96

F	Control arm - lower inner rear	W51775	1	1		
F	Control arm - lower inner front	W51988	1	4	2	

WIRA PLIC97(1.5Litre)PLIC98(1.6Litre) 5/95-11/96

F	Control arm - lower inner rear	W51775	1	1		
F	Control arm - lower inner front	W51988	1	4	2	

ROVER**200 88-91**

F

F or R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
DISCOVERY Ser. 2, TD5 & V8 WAGON 3/99-02							
F	Panhard rod - adjustable	KPR006	1		x	Heavy Duty	
F	Radius rod - diff.	W83077	1	4	4		
F	Radius rod - diff.	W83076	1	4	4	Offset for caster	
DISCOVERY Ser.1 3-5 DOOR WAGON 91-99							
F	Panhard rod	W81292	1	4	2		
F	Radius rod - chassis	W81651	1	4			
F	Radius rod - diff.	W83075	1	4	4	Offset for caster	
F	Shock absorber - lower	W31088	1	4			
F	Shock absorber - upper	W31649	1	8			
R	Shock absorber - lower	W31088	1	4			
R	Shock absorber - upper	W31649	1	8			
R	Sway bar - link	W31649	1	8			
R	Trailing arm - lower to chassis	W81654	1	2	2	x 16mm ID	
R	Trailing arm - lower to chassis	W81655	1	2	2	20mm ID	
R	Trailing arm - lower to diff.	W81653	1	4	2		
R	Trailing arm - upper	W81652	1	4	2		
LANDROVER 110 COUNTY 4WD 83-86							
F	Panhard rod	W81292	1	4	2		
F	Radius rod - chassis	W81651	1	4			
F	Radius rod - diff.	W81650	1	8	4		
F	Shock absorber - lower	W31088	1	4			
F	Shock absorber - upper	W31649	1	8			
F	Sway bar - link	W31088	1	4			
R	Shock absorber - lower	W31088	1	4			
R	Shock absorber - upper	W31649	1	8			
R	Sway bar - link	W31649	1	8			
R	Trailing arm - lower to chassis	W81654	1	2	2	x 16mm ID	
R	Trailing arm - lower to chassis	W81655	1	2	2	20mm ID	
R	Trailing arm - lower to diff.	W81653	1	4	2		
R	Trailing arm - upper	W81652	1	4	2		
LANDROVER 110 COUNTY SEDAN & WAGON 87-91							
F	Radius rod - chassis	W81651	1	4			
F	Radius rod - diff.	W81650	1	8	4		
F	Shock absorber - lower	W31088	1	4			
F	Shock absorber - upper	W31649	1	8			
F	Sway bar - link	W31088	1	4			
R	Shock absorber - lower	W31088	1	4			
R	Shock absorber - upper	W31649	1	8			
R	Sway bar - link	W31649	1	8			
R	Trailing arm - lower to chassis	W81655	1	2	2	20mm ID	
R	Trailing arm - lower to diff.	W81653	1	4	2		
R	Trailing arm - upper	W81652	1	4	2		
LANDROVER 130 4WD 92-99							
F	Panhard rod	W81292	1	4	2		
F	Radius rod - chassis	W81651	1	4			
F	Shock absorber - lower	W31088	1	4			
F	Shock absorber - upper	W31649	1	8			
F	Sway bar - link	W31088	1	4			
R	Shock absorber - lower	W31088	1	4			
R	Sway bar - lower link	W32137	1	2			
R	Trailing arm - lower to chassis	W81655	1	2	2	20mm ID	
R	Trailing arm - lower to diff.	W81653	1	4	2		
R	Trailing arm - upper	W81652	1	4	2		

F or R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
LANDROVER Series 1 & 2 48-58							
F	Shock absorber	W31088	2		4		
F	Spring - front eye, rear eye & shackle	W71656	3	4	2		30mm OD/
R	Shock absorber	W31088	2		4		
R	Spring - front eye, rear eye & shackle	W71656	3	4	2		30mm OD/
LANDROVER Series 2A 59-84							
F	Shock absorber	W31088	2		4		
F	Spring - front eye	W71094	1		4		
F	Spring - rear eye	W71094	1		4		
F	Spring - shackle	W71656	1	4	2		30mm OD/
F	Spring - shackle	W71657	1	4	2		38mm OD/
R	Shock absorber - lower	W31102	1		4		
R	Shock absorber - upper	W31088	2		4		
R	Spring - front eye, rear eye & shackle	W71094	3		4		
LANDROVER Series 3 59-84							
F	Shock absorber	W31088	2		4		
F	Spring - front eye	W71094	1		4		
F	Spring - rear eye	W71094	1		4		
F	Spring - shackle	W71656	1	4	2		30mm OD/
F	Spring - shackle	W71657	1	4	2		38mm OD/
R	Shock absorber - lower	W31102	1		4		
R	Shock absorber - upper	W31088	2		4		
R	Spring - front eye, rear eye & shackle	W71094	3		4		
RANGE ROVER 72-86							
F	Panhard rod	W81237	1		4	2	
F	Radius rod - chassis	W81658	1		4		
F	Radius rod - diff.	W81650	1	8	4		
F	Shock absorber	W31649	2		8		
F	Steering - damper	W31704	1		4		
R	Shock absorber - lower	W31102	1		4		De Carbon
R	Shock absorber - upper	W31088	1		4		Orig. & De Carbon
R	Trailing arm - chassis	W81654	1	2	2	x	16mm ID/
R	Trailing arm - chassis	W81655	1	2	2		20mm ID/
R	Trailing arm - differential	W81653	1	4	2		
R	Trailing arm - upper	W81652	1	4	2		
RANGE ROVER, DEFENDER 86-99							
F	Panhard rod	W81292	2		4	2	
F	Radius rod - chassis	W81651	1		4		
F	Shock absorber - upper & lower	W31102	1		4		
F	Steering - damper	W31704	1		4		
R	Shock absorber - lower	W31102	1		4		De Carbon
R	Shock absorber - upper	W31088	1		4		Orig. & De Carbon
R	Sway bar - link	W31649	1		8		
R	Trailing arm - chassis	W81654	1	2	2	x	16mm ID/
R	Trailing arm - chassis	W81655	2	2			20mm ID/
R	Trailing arm - differential	W81653	1	4	2		
R	Trailing arm - upper	W81652	1	4	2		
RANGE ROVER, DEFENDER 2002 on							
F	Panhard rod - adjustable	KPR204	1			x	Heavy duty adjustable
F	Panhard rod - adjustable	KPR208	1			x	Left Hand Drive - Heavy duty adjustable

F or R APPLICATION

WL+ KITS REQ'D BUSH C/T HARDWARE NOTES/COMMENTS

SUBARU**BRUMBY UTE JF 4WD 1/84-94**

F	Sway bar -radius rod	W22947	1	2	x	
F	Sway bar - mount	W22948	1	2		
F	Steering - rack mount	W12249	1	1		

FORESTER SF 8/97-6/02

F	Control arm - lower inner front	W51709	1	2	2	
F	Control arm - lower inner rear	W51710	1	2	x	
F	Steering - rack mount	W12247	1	1		Suits 30mm drivers side bracket
F	Steering - rack mount	W13051	1	1		Suits 25mm drivers side bracket
F	Sway bar - link	W22259	1	4	2	x
F	Sway bar - mount 19mm	W0405-19	1	2		19mm - measure bar size
R	Control arm	W61382	1	8	8	
R	Diff. - support outrigger	W91379	1	2	2	
R	Diff.mounts in cradle	W91380	1	2	2	Incl.crush tubes
R	Sway bar - link	W22260	1	8	4	
R	Sway bar - mount 18mm	W0404-18	1	2		18mm - measure bar size
R	Sway bar - mount 20mm	W0404-20	1	2		20mm - measure bar size
R	Sway bar - mount 22mm	W0404-22	1	2		22mm - measure bar size
R	Sway bar - mount 24mm	W0404-24	1	2		24mm - measure bar size
R	Trailing arm - front	W61383	1	2	2	
R	Trailing arm - rear	W61381	1	2	2	To upright/

FORESTER SG 7/02-06

F	Control arm - lower inner front	W51709	1	2	2	
F	Control arm - lower inner rear	W51710	1	2	x	
F	Steering - rack mount	W12247	1	1		Suits 30mm drivers side bracket
F	Steering - rack mount	W13051	1	1		Suits 25mm drivers side bracket
F	Sway bar - mount 19mm	W0405-19	1	2		19mm - measure bar size
R	Control arm	W61382	1	8	8	
R	Diff. - support outrigger	W91379	1	2	2	
R	Diff.mounts in cradle	W91380	1	2	2	Incl.crush tubes
R	Sway bar - mount 16mm	W222828	1	2		16mm - measure bar size
R	Sway bar - mount 19mm	W23046	1	2		19mm - measure bar size
R	Trailing arm - front	W61383	1	2	2	
R	Trailing arm - rear	W61381	1	2	2	To upright/

IMPREZA GC-GF MY94-00 4/93-9/00

F	Control arm - lower inner front	W51709	1	2	2	
F	Control arm - lower inner rear	W51710	1	2	x	
F	Engine steady - insert	W92832	1	1	1	Plastic steady
F	Steering - rack mount	W12247	1	1		Suits 30mm drivers side bracket
F	Steering - rack mount	W13051	1	1		Suits 25mm drivers side bracket
F	Sway bar - link	W22259	1	4	2	x
F	Sway bar - mount 18mm	W0404-18	1	2		18mm - measure bar size
F	Sway bar - mount 20mm	W0404-20	1	2		20mm - measure bar size
F	Sway bar - mount 22mm	W0404-22	1	2		22mm - measure bar size
F	Sway bar - mount 24mm	W0404-24	1	2		24mm - measure bar size
R	Control arm	W61382	1	8	8	
R	Diff. - support outrigger	W91379	1	2	2	
R	Diff.mounts in cradle	W91380	1	2	2	Incl.crush tubes
R	Sway bar - link	W22260	1	8	4	
R	Sway bar - mount 18mm	W0404-18	1	2		18mm - measure bar size
R	Sway bar - mount 20mm	W0404-20	1	2		20mm - measure bar size
R	Sway bar - mount 22mm	W0404-22	1	2		22mm - measure bar size
R	Sway bar - mount 24mm	W0404-24	1	2		24mm - measure bar size
R	Trailing arm - front	W61383	1	2	2	
R	Trailing arm - rear	W61381	1	2	2	To upright/

F or R APPLICATION

WL+ KITS REQ'D BUSH C/T HARDWARE NOTES/COMMENTS

Catalogue International Edition 1.1

IMPREZA GD-GG MY01-03 10/00-02

F	Control arm - lower inner rear	W51710	1	2	x	
F	Control arm - lower inner front	W52837	1	2	2	04 on
F	Control arm - lower inner front	W51709	1	2	2	
F	Engine steady - insert	W92832	1	1	1	Plastic steady
F	Gearbox - crossmember pad	W92829	1	4	4	04 on
F	Gearbox - selector steady	W92830	1	2	1	04 on
F	Steering - rack mount	W12247	1	1		Suits 30mm drivers side bracket
F	Steering - rack mount	W13051	1	1		Suits 25mm drivers side bracket
F	Sway bar - link	W22259	1	4	2	x
F	Sway bar - mount 19mm	W0405-19	1	2		19mm [04 on]
R	Control arm	W61382	1	8	8	
R	Diff. - support outrigger	W91379	1	2	2	
R	Diff.mounts in cradle	W91380	1	2	2	Incl.crush tubes
R	Diff.mounts in cradle	W92835	1	2	2	04 on
R	Sway bar - link	W22260	1	8	4	
R	Sway bar - link	W22833	1	2		04 on
R	Sway bar - mount 16mm	W22828	1	2		16mm [04 on]
R	Sway bar - mount 18mm	W0404-18	1	2		18mm - measure bar size
R	Sway bar - mount 19mm	W23046	1	2		19mm [04 on]
R	Sway bar - mount 20mm	W0404-20	1	2		20mm - measure bar size
R	Sway bar - mount 22mm	W0404-22	1	2		22mm - measure bar size
R	Sway bar - mount 24mm	W0404-24	1	2		24mm - measure bar size
R	Trailing arm - front	W61383	1	2	2	
R	Trailing arm - rear	W61381	1	2	2	To upright/

IMPREZA GD-GG MY04-06 10/02-06

F	Control arm - lower inner front	W52837	1	2	2	
F	Control arm - lower inner rear	W51710	1	2	x	
F	Engine steady - insert	W92832	1	1	1	Plastic steady
F	Gearbox - crossmember pad	W92829	1	4	4	
F	Gearbox - selector steady	W92830	1	2	1	
F	Steering - rack mount	W12247	1	1		Suits 30mm drivers side bracket
F	Steering - rack mount	W13051	1	1		Suits 25mm drivers side bracket
F	Sway bar - link	W22259	1	4	2	x
F	Sway bar - mount 19mm	W0405-19	1	2		19mm [04 on]
R	Control arm	W61382	1	8	8	
R	Diff. - support outrigger	W91379	1	2	2	
R	Diff.mounts in cradle	W92835	1	2	2	
R	Sway bar - link	W22260	1	8	4	
R	Sway bar - link	W22833	1	2		
R	Sway bar - mount 16mm	W22828	1	2		16mm - measure bar size
R	Sway bar - mount 19mm	W23046	1	2		19mm - measure bar size
R	Trailing arm - front	W61383	1	2	2	
R	Trailing arm - rear	W61381	1	2	2	To upright/

LEONE, L SERIES 2WD/4WD 10/79-6/94

F	Radius rod	W8
---	------------	----

F or R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
R	Trailing arm - front	W61383	1	2	2		
R	Trailing arm - rear	W61381	1	2	2	To upright/	
LIBERTY/LEGACY BD-BG 6/94-7/98							
F	Control arm - lower inner front	W51709	1	2	2		
F	Control arm - lower inner rear	W51710	1	2	x		
F	Steering - rack mount	W12247	1	1		Suits 30mm drivers side bracket	
F	Sway bar - link	W22259	1	4	2	x	
F	Sway bar - mount 19mm	W0405-19	1	2		19mm - measure bar size	
R	Control arm	W61382	1	8	8		
R	Diff. - support outrigger	W91379	1	2	2		
R	Diff.mounts in cradle	W91380	1	2	2	Incl.crush tubes	
R	Sway bar - link	W22260	1	8	4		
R	Sway bar - mount 18mm	W0404-18	1	2		18mm - measure bar size	
R	Sway bar - mount 20mm	W0404-20	1	2		20mm - measure bar size	
R	Sway bar - mount 22mm	W0404-22	1	2		22mm - measure bar size	
R	Sway bar - mount 24mm	W0404-24	1	2		24mm - measure bar size	
R	Trailing arm - front	W61383	1	2	2		
R	Trailing arm - rear	W61381	1	2	2	To upright/	
LIBERTY/LEGACY BE-BH 12/98-02							
F	Control arm - lower inner front	W52837	1	2	2	61mm long	
F	Control arm - lower inner front	W51709	1	2	2	55mm long	
F	Control arm - lower inner rear	W51710	1	2	x		
F	Steering - rack mount	W12247	1	1		Suits 30mm drivers side bracket	
F	Sway bar - link	W22259	1	4	2	x	
F	Sway bar - mount 19mm	W0405-19	1	2		19mm - measure bar size	
R	Control arm	W61382	1	8	8		
R	Diff. - support outrigger	W91379	1	2	2		
R	Sway bar - link	W22260	1	8	4		
R	Sway bar - mount 16mm	W22282	1	2		16mm - [04 on]	
R	Sway bar - mount 18mm	W0404-18	1	2		18mm - measure bar size	
R	Sway bar - mount 19mm	W23046	1	2		19mm - [04 on]	
R	Sway bar - mount 20mm	W0404-20	1	2		20mm - measure bar size	
R	Sway bar - mount 22mm	W0404-22	1	2		22mm - measure bar size	
R	Sway bar - mount 24mm	W0404-24	1	2		24mm - measure bar size	
R	Trailing arm - front	W61383	1	2	2		
R	Trailing arm - rear	W61381	1	2	2	To upright/	
OUTBACK WAGON BD-BG 7/96-98							
F	Control arm - lower inner rear	W51710	1	2	x		
F	Control arm - lower inner front	W52837	1	2	2	61mm long	
F	Control arm - lower inner front	W51709	1	2	2	55mm long	
F	Steering - rack mount	W12247	1	1		Suits 30mm drivers side bracket	
F	Sway bar - link	W22259	1	4	2	x	
F	Sway bar - mount 19mm	W0405-19	1	2		19mm - measure bar size	
R	Control arm	W61382	1	8	8		
R	Diff. - support outrigger	W91379	1	2	2		
R	Diff.mounts in cradle	W91380	1	2	2	Incl.crush tubes	
R	Sway bar - link	W22260	1	8	4		
R	Sway bar - mount 16mm	W22282	1	2		16mm - measure bar size	
R	Sway bar - mount 18mm	W0404-18	1	2		18mm - measure bar size	
R	Sway bar - mount 20mm	W0404-20	1	2		20mm - measure bar size	
R	Sway bar - mount 22mm	W0404-22	1	2		22mm - measure bar size	
R	Sway bar - mount 24mm	W0404-24	1	2		24mm - measure bar size	
R	Trailing arm - front	W61383	1	2	2		
R	Trailing arm - rear	W61381	1	2	2	To upright/	
VORTEX 9/85-9/89							
F	Control arm - lower inner front	W51458	1	4	2		

F or R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
SUZUKI							
ALTO CA71 85-89							
F	Control arm - inner	W51661	1	4	2		
F	Sway bar - control arm	W51662	1	4			
R	Panhard rod	W31469	1	4			
R	Spring - front eye	W71455	1	4	2		
R	Spring - rear eye & shackle	W71456	1	8			
ALTO SH410 2/96-4/99							
R	Panhard rod	W31469	1	4			
BALENO SY416,418 95-00							
F	Control arm - lower inner rear	W51459	1	2			
F	Control arm - lower inner rear [offset]	W52591	1	2			Offset for caster
F	Sway bar - link lower	W21200	1	8			
HATCH SS40,SS80 84 on							
F	Control arm - inner	W51661	1	4	2		
F	Sway bar - control arm	W51662	1	4			
R	Spring - front eye	W71455	1	4	2		
R	Spring - rear eye & shackle	W71456	1	8			
LIANA RH416 2WD 10/01 on							
F	Sway bar - link upper	W21200	1	8			
SWIFT (CULTUS) SA310,SA310-3,SA413-3 Hatchback 83-88							
F	Sway bar - control arm	W21454	1	4			
R	Spring - front eye	W71455	1	4	2		
R	Spring - rear eye & shackle	W71216	1	8			
R	Sway bar - link	W21014	1	8			
SWIFT (CULTUS) SA413 GTi 86-88							
F	Control arm - lower inner	W51453	1	4	2		
F	Sway bar - control arm	W21454	1	4			
F	Sway bar - link	W22120	1	4			
R	Panhard rod	W81457	1	4	2		
R	Sway bar - link	W22120	1	4			
R	Trailing arm - front	W61456	1	2	2		
SWIFT (CULTUS) SF310(1 Litre),SF413(1.3 Litre),SF413 GTi 88-5/00							
F	Control arm - lower inner front	W51458	1	4	2		
F	Control arm - lower inner rear	W51459	1	2			
F	Control arm - lower inner rear [offset]	W52591	1	2			Offset for caster
F	Sway bar - link	W22120	1	4			
R	Control arm - inner & outer rear	W61463	1	2			
R	Control arm - lower inner front	W61460	1	2	2		
R	Control arm - outer front	W61461	1	2			
R	Sway bar - link	W22120	1	4			
SWIFT (CULTUS) SF416 2WD & 4WD(1.6 litre) 88-5/00							
F	Control arm - lower inner front	W51458	1	4	2		
F	Control arm - lower inner rear	W51459	1	2			
F	Control arm - lower inner rear [offset]	W52591	1	2			Offset for caster
F	Sway bar - link	W22120	1	4			
R	Control arm - inner & outer rear	W61463	1	2			

SUZUKI SWIFT (CULTUS) SF416 2WD & 4WD(1.6 litre) 88-5/00 continues on next page...

F or R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
R	Control arm - lower inner front	W61460	1	2	2		
R	Control arm - outer front	W61461	1	2			
R	Sway bar - link	W22120	1	4			

SUZUKI (COMMERCIAL)**4WD 540,LJ10,LJ20,LJ50,LJ50V 74-78**

F	Shock absorber - lower	W31062	1	2			
F	Spring - front eye & shackle	W71456	1	8			
F	Spring - rear eye	W71455	1	4	2		
R	Shock absorber	W31062	2	2			
R	Spring - front eye	W71455	1	4	2		
R	Spring - rear eye & shackle	W71456	1	8			

4WD LJ50,LJ50VLJ80,LJ80V,LJ81 74-81

F	Shock absorber - lower	W31062	1	2			
F	Shock absorber - upper	W21172	1	4			
F	Spring - front eye & shackle	W71456	1	8			
F	Spring - rear eye	W71455	1	4	2		
R	Spring - front eye	W71455	1	4	2		
R	Spring - rear eye & shackle	W71456	1	8			

CARRY/SUPER CARRY SK410 Van & Pickup 85-90

F	Control arm - lower inner	W51661	1	4	2		
F	Sway bar - link	W21169	1	8			
R	Spring - rear eye & shackle	W71456	1	8			

GRAND VITARA 4/98-10/01

F	Sway bar - link upper	W21200	1	8			
---	-----------------------	--------	---	---	--	--	--

MIGHTY BOY SS40T 85-88

F	Control arm - lower inner	W51661	1	4	2		
F	Sway bar - control arm	W51662	1	4			
R	Spring - front eye	W71455	1	4	2		
R	Spring - rear eye & shackle	W71456	1	8			

SIERRA (JIMNY) 4WD MG410 Ute 90-94

F	Shock absorber - lower	W31062	1	2			
F	Shock absorber - upper	W21172	1	4			
F	Spring - front eye & shackle	W71456	1	8			
F	Spring - rear eye	W71455	1	4	2		
F	Sway bar - link	W22120	1	4			
R	Shock absorber	W31062	2	2			
R	Spring - front eye	W71455	1	4	2		
R	Spring - rear eye & shackle	W71456	1	8			
R	Sway bar - link	W31062	1	2			

SIERRA (JIMNY) 4WD SJ410 81-87

F	Shock absorber - lower	W31062	1	2			
F	Shock absorber - upper	W21172	1	4			
F	Spring - front eye & shackle	W71456	1	8			
F	Spring - rear eye	W71455	1	4	2		
F	Sway bar - link	W22120	1	4			
R	Shock absorber	W31062	2	2			
R	Spring - front eye	W71455	1	4	2		
R	Spring - rear eye & shackle	W71456	1	8			
R	Sway bar - link	W31062	1	2			

F or R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
	SIERRA (JIMNY) 4WD SJ413 87-96						

F	Shock absorber - lower	W31062	1	2			
F	Shock absorber - upper	W21172	1	4			
F	Spring - front eye & shackle	W71456	1	8			
F	Spring - rear eye	W71455	1	4	2		
F	Sway bar - link	W22120	1	4			
R	Shock absorber	W31062	2	2			
R	Spring - front eye	W71455	1	4	2		
R	Spring - rear eye & shackle	W71456	1	8			
R	Sway bar - link	W31062	1	2			

	SIERRA (JIMNY) SJ413 G13BA 96 on						
F	Shock absorber - upper	W21200	1	8			
F	Sway bar - link	W21200	1	8			

	SIERRA SJ80V 4/96-12/98						
F	Radius rod	W61876	1	2	2		
R	Radius rod	W61876	1	2	2		

	ST80 Van 78-79						
R	Spring - front eye	W71455	1	4	2		
R	Spring - rear eye & shackle	W71456	1	8			

F	Control arm - lower inner	W51661	1	4	2		
F	Radius rod	W82134	1	4	2	x	
R	Spring - front eye	W71455	1	4	2		
R	Spring - rear eye & shackle	W71456	1	8			

	SWIFT Van SA310V,SA413V 83-86						
<tbl_info cols

For R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
CAMRY [VISTA] SV20,SV21,SV22,VZV20,VZV21 87-93							
F	Control arm - lower	WA606A	1				VZV20,VZV21 - Complete replacement arm
F	Control arm - lower	WA605A	1				SV20,21,22 - Complete replacement arm
F	Control arm - lower inner	W51178	1	4	2		
F	Sway bar - control arm	W21211	1	4	2	x	& washers
F	Sway bar - mount 24mm	W22106	1	2			24mm - measure bar size
F	Sway bar - mount 24mm	W22416	1	2			2xcaster offset,1xSTD
F	Sway bar - mount 27mm	W22298	1	2			27mm - measure bar size
R	Control arm	W61442	1	2	2		
R	Sway bar - ball/ball link kit	W23180	1				Universal sway bar link must cut to 108mm
R	Sway bar - mount 14mm	W21419	1	2			14mm - measure bar size
R	Sway bar - mount 16mm	W21484	1	2			16mm - measure bar size
R	Trailing arm	W61446	1	8	4		
CAMRY [VIENTA,VISTA,SCEPTER] SDV10,VDV10 93-97							
F	Control arm - lower	WA606A	1				Complete replacement arm
F	Control arm - lower inner front	W51720	1	4		x	
F	Control arm - lower inner rear	W51721	1	2	2		
F	Engine steady	W92493	1	1	1		
F	Steering - rack mount	W11722	1	1			Suits round bush pinion end
F	Sway bar - ball/ball link kit	W23180	1				Universal sway bar link must cut to 63mm
F	Sway bar - mount 16mm	W23177	1	2			
R	Shock absorber	W31408	1	4			
R	Sway bar - ball/ball link kit	W23180	1				Universal sway bar link must cut to 195mm
R	Trailing arm	W61446	1	8	4		
CAMRY [SCEPTER,VISTA] SXV10,VCV10 95-98							
F	Control arm - lower inner front	W51720	1	4		x	
F	Control arm - lower inner rear	W51721	1	2	2		
F	Engine steady	W92493	1	1	1		
F	Steering - rack mount	W11722	1	1			Suits round bush pinion end
F	Sway bar - ball/ball link kit	W23180	1				Universal sway bar link must cut to 285mm
F	Sway bar - mount 16mm	W23177	1	2			
R	Sway bar - ball/ball link kit	W23180	1				Universal sway bar link must cut to 195mm
R	Sway bar - mount 14mm	W21419	1	2			14mm - measure bar size
R	Trailing arm	W61446	1	8	4		
CAMRY [VIENTA,SCEPTER,VISTA] SXV20R,MCV Series 5/98-02							
F	Control arm - lower	WA606A	1				Complete replacement arm
F	Control arm - lower inner front	W51720	1	4		x	
F	Control arm - lower inner rear	W51721	1	2	2		
F	Engine steady	W92493	1	1	1		
F	Steering - rack mount	W11722	1	1			Suits round bush pinion end
F	Sway bar - ball/ball link kit	W23180	1				Universal sway bar link must cut to 285mm
F	Sway bar - mount 17mm	W23178	1	2			
R	Sway bar - ball/ball link kit	W23180	1				Universal sway bar link must cut to 195mm
R	Sway bar - mount 17mm	W23178	1	2			
R	Trailing arm	W61446	1	8	4		
AVALON MCX10 4/00-02							
F	Control arm - lower inner front	W51720	1	4		x	
F	Control arm - lower inner rear	W51721	1	2	2		
F	Engine steady	W92493	1	1	1		
F	Steering - rack mount	W11722	1	1			Suits round bush pinion end
F	Sway bar - ball/ball link kit	W23180	1				Universal sway bar link must cut to 285mm
R	Control arm	W61446	1	8	4		
R	Sway bar - ball/ball link kit	W23180	1				Universal sway bar link must cut to 195mm
R	Trailing arm	W61446	1	8	4		

For R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
CAMRY [SCEPTER,VISTA] ACV36, MCV36 8/02-5/06							
F	Sway bar - ball/ball link kit	W23180	1				Universal sway bar link must cut to 285mm
R	Sway bar - ball/ball link kit	W23180	1				Universal sway bar link must cut to 195mm
R	Sway bar - mount 17mm	W23178	1	2			
CELICA RA20 70-77							
F	Control arm - lower inner	W51665	1	2	2		
F	Radius rod	W81193	1	4	2		
F	Sway bar - link	W22121	1	8			
R	Panhard rod	W81192	1	4	1		
R	Shock absorber - lower	W31062	1	2			
R	Shock absorber - upper	W21172	1	4			
R	Trailing arm - lower	W61182	1	8	4		
R	Trailing arm - upper	W61182	1	8	4		
CELICA RA23,RA28 70-77							
F	Control arm - lower inner	W51665	1	2	2		
F	Radius rod	W81664	1	4	2		
F	Steering - idler	W11081	1	2	1		
F	Sway bar - link	W21014	1	8			
F	Sway bar - mount 21mm	W22118	1	2			21mm - measure bar size
R	Panhard rod	W81192	1	4	1		
R	Shock absorber - lower	W31469	1	4			
R	Shock absorber - upper	W21172	1	4			
R	Trailing arm - lower	W61182	1	8	4		
R	Trailing arm - upper	W61182	1	8	4		
CELICA TA22,TA23 70-77							
F	Control arm - lower inner	W51665	1	2	2		
F	Radius rod	W81664	1	4	2		
F	Steering - idler	W11081	1	2	1		
F	Sway bar - link	W21014	1	8			
F	Sway bar - mount 21mm	W22118	1	2			21mm - measure bar size
R	Panhard rod	W81192	1	4	1		
R	Shock absorber - lower	W31469	1	4			
R	Shock absorber - upper	W21172	1	4			
R	Trailing arm - lower	W61182	1	8	4		
R	Trailing arm - upper	W61182	1	8	4		
CELICA RA40 77-81							
F	Control arm - lower inner	W51665	1	2	2		
F	Radius rod	W81193	1	4	2		
F	Steering - idler	W11208	1	2			
F	Sway bar - link	W22121	1	8			
F	Sway bar - mount 21mm	W22118	1	2			21mm - measure bar size
F	Sway bar - mount 23mm	W22119	1	2			23mm - measure bar size
R	Panhard rod	W81192	1	4	1		
R	Shock absorber - lower	W31062	1	2			
R	Sway bar - link	W21014	1	8			To 6/81
R	Sway bar - link	W22120	1	4			7/81 on
R	Sway bar - link outer	W22107	1	4	2		
R	Trailing arm - lower	W61182	1	8	4		
R	Trailing arm - upper	W61182	1	8	4		
CELICA RA60,RA65,MA61,SA63 81-85							
F	Control arm - lower inner	W51665	1	2	2		
F	Radius rod	W81664	1	4	2		
F	Sway bar - link	W21014	1	8			MA61
F	Sway bar - link	W22121	1	8			RA60,RA65,SA63

TOYOTA CELICA RA60,RA65,MA61,SA63 81-85 continues on next page...

F or R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
F	Sway bar - mount 24mm	W21058	1	2			24mm - measure bar size
F	Sway bar - mount 25mm	W21212	1	2			25mm - measure bar size
R	Control arm - inner	W61666	1	2	2		IRS/
R	Control arm - outer	W61667	1	2	2		IRS/
R	Panhard rod	W81192	1	4	1		Live axle/
R	Shock absorber - lower	W31062	1	2			
R	Shock absorber - upper	W21172	1	4			
R	Sway bar - link outer	W22107	1	4	2		
R	Sway bar - link upper	W22120	1	4			
R	Trailing arm - lower	W61182	1	8	4		Live axle/
R	Trailing arm - upper	W61182	1	8	4		Live axle/

CELICA ST162 85-89

R	Control arm	W61446	1	8	4		
F	Sway bar - mount 24mm	W21058	1	2			24mm - measure bar size
F	Sway bar - ball/ball link kit	W23180	1				Universal sway bar link must cut to 70mm
R	Sway bar - ball/ball link kit	W23180	1				Universal sway bar link must cut to 108mm
R	Sway bar - mount 14mm	W21419	1	2			14mm - Suits SX Models
R	Trailing arm	W61928	1	8	4		

CELICA ST184,ST185, GT4 89-12/92

F	Control arm - lower inner front	W52973	1	4	2	x	Non shelled - bush type 1
F	Control arm - lower inner front	W51976	1	2	2		Shelled - Bush type 16
F	Control arm - lower inner rear	W51975	1	4	2		
F	Sway bar - ball/ball link kit	W23180	1				Universal sway bar link must cut to 70mm
F	Sway bar - mount 25mm	W21212	1	2			25mm - measure bar size
R	Control arm to upright	W62535	1	2	2		
R	Sway bar - ball/ball link kit	W23180	1				Universal sway bar link must cut to 108mm
R	Trailing arm	W61928	1	8	4		

CELICA ZZT 231 99-02

F	Control arm - lower inner front	W51724	1	4	2		
F	Sway bar - ball/ball link kit	W23180	1				Universal sway bar link must cut to 60mm
R	Sway bar - ball/ball link kit	W23180	1				Universal sway bar link must cut to 108mm

COROLLA (LEVIN,TRUENO) KE10,KE11,KE16,KE18 66-70

F	Shock absorber - upper	W21135	1	8			
R	Shock absorber - lower	W31062	2	2			
R	Spring - front eye	W71669	1	4			
R	Spring - rear eye & shackle	W71670	2	8			

COROLLA (LEVIN,TRUENO) KE20,KE25,KE26,TE25 70-78

F	Control arm - lower inner	W51665	1	2	2		Suits models 8/74 on
F	Radius rod	W81193	1	4	2		Suits models 8/74 on
F	Sway bar - link	W21169	1	8			Suits models 8/74 on
F	Sway bar - mount	W21671	1	2			
R	Shock absorber - upper	W21172	1	4			Sedan
R	Shock absorber - upper	W22120	1	4			Van,Wagon
R	Spring - front eye	W71669	1	4			
R	Spring - front eye	W71672	1	4			8/72 on sedan
R	Spring - rear eye & shackle	W71670	2	8			

COROLLA (LEVIN,TRUENO) KE30,KE35,KE36,KE38,KE50,KE55 75-81

F	Control arm - lower inner	W51665	1	2	2		
F	Radius rod	W81193	1	4	2		
F	Steering - idler	W11208	1	2			
F	Sway bar - link	W21169	1	8			
R	Spring - front eye	W61673	1	4			To 8/78/

TOYOTA COROLLA (LEVIN,TRUENO) KE30,KE35,KE36,KE38,KE50,KE55 75-81 continues on next page...

F or R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
R	Spring - front eye	W71674	1	4			3/78 on
R	Spring - rear eye & shackle	W71186	2	4			Excl. KE35
COROLLA T18,TE72 79-82							
F	Control arm - lower inner	W51665	1	2	2		
F	Radius rod	W81164	1	4	2		
F	Steering - idler	W11208	1	2			
F	Sway bar - link	W21169	1	8			
F	Sway bar - mount 21mm	W22118	1	2			21mm - measure bar size
F	Sway bar - mount 22mm	W21047	1	2			22mm - measure bar size
F	Sway bar - mount 23mm	W22119	1	2			23mm - measure bar size
R	Panhard rod	W81192	1	4	1		
R	Shock absorber - lower	W21172	1	4			
R	Shock absorber - upper	W31469	1	4			
R	Trailing arm - lower	W61675	1	8	4		
R	Trailing arm - upper	W61675	1	8	4		

COROLLA (LEVIN,TRUENO) KE70,KE71,AE70,AE71 81-85

F	Control arm - lower inner	W51665	1	2	2		
F	Radius rod	W81193	1	4	2		Excl. wagon & panel van models
F	Steering - idler	W11208	1	2			
F	Sway bar - link	W22121	1	8			
F	Sway bar - mount 21mm	W22118	1	2			21mm - measure bar size
F	Sway bar - mount 22mm	W21047	1	2			22mm - measure bar size
F	Sway bar - mount 23mm	W22119	1	2			23mm - measure bar size
R	Panhard rod	W81192	1	4	1		Sedan/
R	Shock absorber - lower	W21172	1	4			
R	Shock absorber - upper	W31469	1	4			
R	Spring - shackle	W71676	1	4			Van & wagon
R	Sway bar - link upper	W22107	1	4	2		Incl.crush tubes
R	Sway bar - lower link	W22120	1	4			
R	Trailing arm - lower	W61182	1	8	4		Sedan/
R	Trailing arm - upper	W61182	1	8	4		Sedan/

F or R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
COROLLA [CERES,LEVIN,SPRINTER, TRUENO] AE90,AE91 89-92							
F	Control arm - lower inner front	W51724	1	4	2		
F	Control arm - lower inner rear	W51499	1	4			
F	Sway bar - ball/ball link kit	W23180	1			Universal sway bar link must cut to 70mm	
R	Sway bar - ball/ball link kit	W23180	1			Universal sway bar link must cut to 108mm	
R	Sway bar - mount 14mm	W21419	1	2		14mm - measure bar size	

COROLLA [CERES,LEVIN,SPRINTER,TRUENO] AE92,AE93 89-94							
F	Control arm - lower inner front	W51724	1	4	2		
F	Control arm - lower inner rear	W51499	1	4			
R	Control arm - lower inner front	W62913	1	4	2		
R	Control arm - lower inner rear	W62914	1	4	2		
R	Sway bar - mount 14mm	W21419	1	2		14mm - measure bar size	
R	Sway bar - mount 16mm	W21484	1	2		16mm - Suits SX & liftback models	
R	Trailing arm	W61446	1	8	4		

COROLLA [CARIB,SPRINTER,TERCEL] AE95 4WD Wagon 93-7/95							
F	Control arm - lower inner front	W51724	1	4	2		
F	Control arm - lower inner rear	W51499	1	4			
F	Sway bar - link	W21014	1	8			
R	Panhard rod	W81192	1	4	1		
R	Shock absorber - lower	W31469	1	4			
R	Shock absorber - upper	W21172	1	4			
R	Sway bar - link	W22120	1	4			
R	Sway bar - link outer	W22107	1	4	2		
R	Trailing arm - lower	W61675	1	8	4		
R	Trailing arm - upper	W61675	1	8	4		

COROLLA [CERES,LEVIN,SPRINTER,TRUENO] AE100,AE101,AE102 9/94-11/99							
F	Control arm - lower inner front	W51724	1	4	2		
F	Control arm - lower inner rear	W51499	1	4		- non shelled	
F	Sway bar - ball/ball link kit	W23180	1			Universal sway bar link must cut to 63mm	
R	Sway bar - ball/ball link kit	W23180	1			Universal sway bar link must cut to 108mm	
R	Sway bar - link	W21014	1	8			
R	Sway bar - mount 14mm	W21419	1	2		14mm - measure bar size	
R	Sway bar - mount 16mm	W21484	1	2		16mm - Suits SX & liftback models	
R	Trailing arm	W61446	1	8	4		

COROLLA [LEVIN,TRUENO] AE112 98-12/01							
R	Trailing arm	W61446	1	8	4		

COROLLA [LEVIN,TRUENO] ZZE122,123 12/01 on							
F	Sway bar - ball/ball link kit	W23180	1			Universal sway bar link must cut to 63mm	
R	Sway bar - ball/ball link kit	W23180	1			Universal sway bar link must cut to 108mm	

CORONA Mk11 MX10,MX13,MX22,MX23 72-77							
F	Radius rod	W81157	1	4	2		
F	Sway bar - link	W21014	1	8			
R	Shock absorber - lower	W31062	1	2			
R	Shock absorber - upper	W21172	1	4			
R	Trailing arm - lower	W61679	1	4	4		
R	Trailing arm - upper	W61679	1	4	4		

CORONA RT104,RT108 74-79							
F	Shock absorber - upper	W21173	1	4			
F	Steering - idler	W11208	1	2		8/77 on	
F	Steering - idler	W11081	1	2	1	To 7/77	

TOYOTA CORONA RT104,RT108 74-79 continues on next page...

F or R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
R Shock absorber - lower							
R	Spring - front eye	W71674	1	4			
R	Spring - rear eye	W71581	1	4			Sedan to 8/74
R	Spring - rear eye	W71676	1	4			Wagon
R	Spring - shackle	W71581	1	4			Sedan
R	Spring - shackle	W71676	1	4			Wagon
R	Sway bar - link	W21014	1	8			Sedan

CORONA RT132,RT133,XT130,XT131 79-83							
F	Control arm - lower inner	W51665	1	2	2		
F	Radius rod	W81193	1	4	2		
F	Sway bar - link	W22121	1	8			
F	Sway bar - mount 21mm	W22118	1	2		21mm - measure bar size	
R	Panhard rod	W81192	1	4	1		
R	Shock absorber - lower	W31062	1	2			
R	Spring - front eye	W71674	1	4		wagon/	
R	Spring - rear eye	W71676	2	4		Wagon	
R	Spring - shackle	W71676	1	4			Wagon
R	Sway bar - link	W21014	1	8			Sedan
R	Sway bar - link outer	W22107	1	4	2		
R	Trailing arm - lower	W61182	1	8	4		Sedan/
R	Trailing arm - upper	W61182	1	8	4		Sedan/

CORONA RT142,ST141,ST142 82-87							

</

F or R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
F	Sway bar - link	W21169	1	8			
F	Sway bar - mount 22mm	W21047	1	2			22mm - measure bar size
R	Shock absorber - lower	W31062	1	2			
R	Shock absorber - upper	W21172	1	4			
R	Trailing arm - upper	W61182	1	8	4		

CRESSIDA [CHASER] MX62 9/80-7/84

F	Control arm - lower inner	W51665	1	2	2		
F	Steering - idler	W11208	1	2			24mm OD
F	Sway bar - link	W21014	1	8			
F	Sway bar - mount 23mm	W22119	1	2			23mm - measure bar size
R	Shock absorber - lower	W31062	1	2			
R	Shock absorber - upper	W21172	1	4			
R	Sway bar - link	W21014	1	8			
R	Sway bar - link outer	W22107	1	4	2		
R	Trailing arm - upper	W61182	1	8	4		

CRESSIDA [CHASER] MX73 84-88

F	Control arm - lower inner	W51665	1	2	2		
F	Radius rod	W81780	1	2	2		Incl.crush tubes
F	Sway bar - link	W21014	1	8			
F	Sway bar - mount 27mm	W21269	1	2			27mm - measure bar size
R	Control arm - outer	W61667	1	2	2		
R	Shock absorber - lower	W31062	1	2			
R	Shock absorber - upper	W21172	1	4			
R	Sway bar - link	W22120	1	4			
R	Trailing arm - lower	W61182	1	8	4		
R	Trailing arm - upper	W61182	1	8	4		

CRESSIDA [CHASER] MX83 88-92

F	Engine mount	W92930	1	2		Performance application	
F	Sway bar - mount 23mm	W21175	1	2			23mm - measure bar size

CROWN MS111,MS112 79-83

F	Control arm - upper inner front	W51683	2	2	2		
F	Radius rod	W81157	1	4	2		
F	Shock absorber - upper	W21172	1	4			
F	Sway bar - link	W21014	1	8			
R	Shock absorber - lower	W31062	1	2			
R	Shock absorber - upper	W21172	1	4			
R	Sway bar - link	W21169	1	8			
R	Trailing arm - lower	W61679	1	4	4		
R	Trailing arm - upper	W61679	1	4	4		

CROWN MS123,MS123R 83-88

F	Steering - idler	W11208	1	2			
F	Sway bar - link	W21014	1	8			
F	Sway bar - mount 25mm	W21212	1	2			25mm - measure bar size
R	Shock absorber - lower	W31062	1	2			
R	Sway bar - link	W21169	1	8			

CROWN MS65,MS70,MS75 71-75

F	Control arm - upper inner front	W51683	1	2	2		
F	Control arm - upper inner rear	W51684	1	2	2		
F	Radius rod	W81157	1	4	2		
F	Shock absorber - upper	W21172	1	4			
F	Sway bar - link	W21014	1	8			
R	Shock absorber - lower	W31062	1	2			
R	Shock absorber - upper	W21172	1	4			

TOYOTA CROWN MS65,MS70,MS75 71-75 continues on next page...

F or R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
R	Sway bar - link	W21169	1	8			
R	Trailing arm - lower	W61679	1	4	4		
R	Trailing arm - upper	W61679	1	4	4		

CROWN MS83,MS85 75-80

F	Control arm - upper inner	W51683	2	2	2		
F	Radius rod	W81157	1	4	2		
F	Shock absorber - upper	W21172	1	4			
F	Sway bar - link	W21014	1	8			
R	Shock absorber - lower	W31062	1	2			
R	Shock absorber - upper	W21172	1	4			
R	Sway bar - link	W21169	1	8			
R	Trailing arm - lower	W61679	1	4	4		
R	Trailing arm - upper	W61679	1	4	4		

MR2 AW11 87-90

F	Control arm - lower inner	W51781	1	4	2		
F	Radius rod	W81682	1	4	2		
R	Control arm - inner	W61256	1	4	2		
R	Trailing arm - control arm	W61258	1	4	2		

MR2 SW20 93-3/94

F	Sway bar - link	W21014	1	8			
---	-----------------	--------	---	---	--	--	--

STARLET EP80/EP81 4/90-12/95

F	Control arm - lower inner	W71101	1	4	2		
---	---------------------------	--------	---	---	---	--	--

SUPRA JZA80 (Twin turbo) 94-96

F	Control arm - lower inner front	W51231	1	2	2</td
---	---------------------------------	--------	---	---	-------

For R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
R	Sway bar - link outer	W22107	1	4	2		
R	Trailing arm - lower	W61182	1	8	4	To 8/85/	
R	Trailing arm - upper	W61182	1	8	4		

TARAGO (ESTIMA,PREVIA,LUCIDA) TCR10,TCR11,TCR20,TCR21 9/90-6/00

F	Transfer shaft	W92498	1	12	12	14mm spigot x 33mm
F	Transfer shaft	W91240	1	12	12	14mm spigot x 35mm
F	Transfer shaft	W91239	1	12	12	12mm spigot x 33mm
R	Shock absorber	W31207	1	8		TCR11,TCR21
R	Shock absorber - lower	W21172	1	4		
R	Shock absorber - upper	W31062	1	2		

TARAGO (ESTIMA,PREVIA,LUCIDA) YR20,21,22,YR31 4x4 8/88-90

F	Control arm - upper inner rear	W51684	1	2	2	
F	Control arm - upper inner front	W51683	1	2	2	
F	Control arm - lower inner	W51702	1	2	2	x
F	Radius rod	W81157	1	4	2	
F	Shock absorber - upper	W21172	1	4		
F	Sway bar - link	W21135	1	8		YR21,YR22
F	Sway bar - link	W21173	1	4		YR31
F	Sway bar - mount 25mm	W21212	1	2		25mm - measure bar size
R	Panhard rod	W81192	1	4	1	
R	Shock absorber - lower	W31062	1	2		
R	Shock absorber - upper	W21172	1	4		
R	Sway bar - link	W22120	1	4		
R	Sway bar - link outer	W22107	1	4	2	
R	Trailing arm - lower	W61182	1	8	4	
R	Trailing arm - upper	W61182	1	8	4	

TERCEL AL25 83-88

R	Panhard rod	W81192	1	4	1	
R	Shock absorber - lower	W31062	1	2		
R	Shock absorber - upper	W21172	1	4		
R	Sway bar - link	W22120	1	4		
R	Sway bar - link outer	W22107	1	4	2	
R	Trailing arm - lower	W61182	1	8	4	
R	Trailing arm - upper	W61182	1	8	4	

TOYOTA COMMERCIAL**BLIZZARD LD10 82-84**

F	Shock absorber	W31062	2	2		
F	Spring - front eye	W72128	1	4		
F	Spring - rear eye	W72129	1	4	2	
F	Spring - shackle	W72128	1	4		
R	Shock absorber	W31062	2	2		
R	Spring - front eye	W72129	1	4	2	
R	Spring - rear eye	W72128	1	4		
R	Spring - shackle	W72128	1	4		

BUNDERRA (PRADO) RJ70-73,LJ70-73 84-91

F	Radius rod - chassis	W81429	1	4		
F	Shock absorber	W31088	2	4		
F	Sway bar - mount 23mm	W22119	1	2		23mm (8/87-1/90 models)
F	Sway bar - mount 25mm	W21212	1	2		25mm - measure bar size
R	Radius rod - chassis	W81429	1	4		
R	Shock absorber	W31088	2	4		
R	Shock absorber - upper	W21172	1	4		

For R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
-------	-------------	-----	---------------	------	-----	----------	----------------

COASTER BB20,BB21,HB30,RB20 82-93

F	Shock absorber	W21793	2	4		
R	Spring - front eye	W71687	1	4	2	
R	Spring - rear eye	W71687	1	4	2	

DYNA 100 YH81,LH80 85-95

F	Control arm - lower inner	W51689	1	2	2	x
F	Radius rod	W81507	1	4	2	
F	Shock absorber - upper	W21172	1	4		
F	Steering - idler	W11208	1	2		
R	Shock absorber - lower	W32051	1	2		
R	Shock absorber - upper	W31062	1	2		
R	Spring - front eye, rear eye & shackle	W71041	3	4		
R	Sway bar - link	W21135	1	8		
R	Sway bar - mount 25mm	W21212	1	2		25mm - measure bar size

DYNA BU,HU,RU Series 72-84

F	Shock absorber - lower	W31062	1	2		
F	Shock absorber - upper	W21172	1	4		
F	Spring - front eye	W71687	1	4	2	
F	Spring - rear eye	W71687	1	4	2	
F	Spring - shackle	W71687	1	4	2	
R	Shock absorber	W31062	2	2		
R	Spring - front eye	W71687	1	4	2	
R	Spring - rear eye	W71687	1	4	2	

DYNA BU100,142,BU212 95-02

F	Shock absorber - upper	W21172	1	4		
R	Spring - rear eye & shackle	W71687	1	4	2	

DYNA BU60,70,80 Series/WU90/YU60,70,80 Series 84-88

F	Shock absorber - lower	W31062	1	2		
F	Shock absorber - upper	W21172	1	4		
F	Spring - front eye	W71687	1	4	2	
F	Spring - rear eye	W71687	1	4	2	
F	Spring - shackle	W71687	1	4	2	
R	Shock absorber	W31062	2	2		
R</td						

F or R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
R	Shock absorber	W31062	2	2			
R	Spring - front eye	W71041	1	4			
R	Spring - front eye	W71506	1	4	2		
R	Spring - rear eye	W71041	1	4			RH11 only
R	Spring - rear eye	W71506	1	4	2		
R	Spring - shackle	W71041	1	4			

HI-ACE LH50,60,70 Series/YH 50,60,70 Series 82-89

F	Control arm - lower inner	W51689	1	2	2	x	
F	Control arm - upper inner front	W51690	1	2	2		
F	Control arm - upper inner rear	W51691	1	2	2		
F	Radius rod	W81507	1	4	2		
F	Shock absorber - upper	W21172	1	4			
F	Sway bar - link	W21135	1	8			
F	Sway bar - mount	W21212	1	2		25mm - measure bar size	
R	Shock absorber	W31062	2	2		To 1/84	
R	Shock absorber - lower	W31088	1	4		1/84 on/2 piece bush	
R	Shock absorber - upper	W31062	1	2		1/84 on	
R	Spring - front eye	W71506	1	4	2		
R	Spring - rear eye	W71506	1	4	2		
R	Spring - shackle	W71041	1	4			

HI-ACE LH103,LH113,LH125,RZH103,RZH113,RZH125 89-02

F	Control arm - lower inner	W51689	1	2	2	x	
F	Control arm - upper inner	W51690	1	2	2		
F	Control arm - upper inner rear	W51691	1	2	2		
F	Radius rod	W81507	1	4	2		
F	Shock absorber - lower	W31088	1	4		2 piece bush	
F	Shock absorber - upper	W21172	1	4			
F	Sway bar - link	W21135	1	8			
R	Shock absorber - lower	W31088	1	4		2 piece bush	
R	Shock absorber - upper	W31062	1	2			
R	Spring - front eye	W71506	1	4	2		
R	Spring - rear eye	W71506	1	4	2		
R	Spring - shackle	W71041	1	4			

HI-ACE SBV,RCH12,18,22,28 8/95-02

F	Control arm - upper inner	W51690	1	2	2		
F	Control arm - upper inner rear	W51691	1	2	2		
F	Shock absorber - upper	W21172	1	4			
R	Trailing arm - upper	W62191	1	1	1	Differential to chassis	

HILUX 2WD RN10,RN13,RN15,RN16 68-72

F	Radius rod	W81157	1	4	2		
F	Shock absorber - upper	W21173	1	4			
F	Sway bar - link	W21014	1	8			
R	Shock absorber	W31062	2	2			
R	Spring - front eye, rear eye & shackle	W71041	3	4			

HILUX 2WD RN20,RN25,RN27 72-78

F	Radius rod	W81157	1	4	2		
F	Shock absorber - upper	W21173	1	4			
R	Shock absorber	W31062	2	2			
R	Spring - front eye, rear eye & shackle	W71041	3	4			

HILUX 2WD RN30,RN31,RN40,RN41,LN30,LN40 78-84

F	Control arm - upper inner	W51683	2	2	2		
F	Radius rod	W81157	1	4	2		
F	Shock absorber - upper	W21173	1	4			

TOYOTA COMMERCIAL HILUX 2WD RN30,RN31,RN40,RN41,LN30,LN40 78-84 continues on next page...

F or R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
F	Steering - idler	W11068	1	2	1		28.8mm OD
F	Steering - idler	W11208	1	2			24mm OD
F	Sway bar - link	W21014	1	8			
F	Sway bar - mount	W22118	1	2			21mm - measure bar size
R	Shock absorber	W31062	2	2			
R	Spring - front eye, rear eye & shackle	W71041	3	4			

HILUX 4WD RN36,RN46,LN36,LN46 79-83

F	Shock absorber - upper	W31062	1	2			
F	Spring - front eye	W71041	1	4			
F	Spring - rear eye	W71041	1	4			
F	Spring - shackle	W71093	1	4			
F	Steering - idler	W11693	1	2			
R	Shock absorber	W31062	2	2			
R	Spring - front eye, rear eye & shackle	W71041	3	4			

HILUX 4-RUNNER LN60,YN60 84-85

F	Shock absorber - upper	W21172	1	4			
F	Spring - front eye	W71041	1	4			
F	Spring - rear eye	W71041	1	4			
F	Spring - shackle	W71093	1	4			
R	Spring - front eye, rear eye & shackle	W71041	3	4			

HILUX 4-RUNNER LN61,YN63 85-89

F	Control arm - lower inner	W51689	1	2	2	x	
F	Steering - idler	W11208	1	2			
F	Sway bar - link	W21135	1	8			
R	Spring - front eye, rear eye & shackle	W71041	3	4			

HILUX 4WD LN65,LN67,YN65,YN67 83-89

F or R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
F	Sway bar - mount 24mm	W21058	1	2			24mm - measure bar size
F	Sway bar - mount 25mm	W21212	1	2			25mm - measure bar size
R	Panhard rod - adjustable	KPR202	1		x		Heavy duty adjustable
R	Shock absorber - lower	W31088	1	4			
R	Shock absorber - upper	W21172	1	4			
R	Sway bar - link	W21014	1	8			
R	Sway bar - mount 21mm	W21105	1	2			21mm - measure bar size

HILUX 2WD LN85,LN86,RN85,RN90,YN85 Grinner 88 - 97

F	Radius rod	W81157	1	4	2		
F	Shock absorber - upper	W21173	1	4			
F	Steering - idler	W11693	1	2			
F	Sway bar - link	W21014	1	8			
F	Sway bar - mount 23mm	W22119	1	2			23mm - measure bar size
F	Sway bar - mount 25mm	W21212	1	2			25mm - measure bar size
R	Shock absorber	W31062	2	2			
R	Spring - front eye	W71041	1	4			Excl.RN90/
R	Spring - front eye	W71506	1	4	2		RN90/
R	Spring - rear eye	W71041	1	4			
R	Spring - shackle	W71694	1	4			

HILUX (Surf) 4WD RN106,RN110 SR5 88-97

F	Control arm - lower inner	W51695	1	4	4		
F	Control arm - upper inner	W51690	1	2	2		
F	Control arm - upper inner rear	W51691	1	2	2		
F	Shock absorber - upper	W21172	1	4			
F	Steering - idler	W11208	1	2			8/91 on - ID 18mm
F	Steering - idler	W11693	1	2			To 8/91 - ID 16mm
F	Steering - idler	W12580	1	2			ID 20mm
F	Sway bar - link	W21135	1	8			
F	Sway bar - mount 24mm	W21058	1	2			24mm - measure bar size
F	Sway bar - mount 25mm	W21212	1	2			25mm - measure bar size
R	Shock absorber	W31088	2	4			
R	Spring - front eye	W71506	1	4	2		
R	Spring - rear eye	W71041	1	4			
R	Spring - shackle	W71694	1	4			

HILUX 4WD LN/RN105, LN/YN106,107,111,166 88 - 97

F	Shock absorber - upper	W21172	1	4			
F	Spring - front eye	W71041	1	4			
F	Spring - rear eye	W71041	1	4			
F	Spring - shackle	W71093	1	4			
F	Steering - idler	W11208	1	2			8/91 on - ID 18mm
F	Steering - idler	W11693	1	2			To 8/91 - ID 16mm
F	Steering - idler	W12580	1	2			ID 20mm
F	Sway bar - link	W21135	1	8			
F	Sway bar - mount 25mm	W21212	1	2			25mm - measure bar size
R	Shock absorber	W31088	2	4			
R	Spring - front eye, rear eye & shackle	W71041	3	4			

HILUX (Surf) 4WD LN147,167,172 97-12/00

F	Control arm - upper inner	W51690	1	2	2		
F	Control arm - upper inner rear	W51691	1	2	2		
F	Shock absorber - upper	W21173	1	4			
F	Sway bar - link	W21014	1	8			
F	Sway bar - mount 25mm	W21212	1	2			25mm - measure bar size
R	Shock absorber	W31062	2	2			LN147 model only
R	Spring - front eye	W71041	1	4			LN147 model only
R	Spring - front eye	W71506	1	4	2		LN167,172 models only
R	Spring - rear eye	W71041	1	4			LN147 & LN167 model only
R	Spring - shackle	W71694	1	4			

F or R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
	HILUX (Surf) KNZ165 99-10/01						

F	Control arm - upper inner	W51690	1	2	2		
F	Control arm - upper inner rear	W51691	1	2	2		
F	Shock absorber - upper	W21173	1	4			
F	Sway bar - mount 25mm	W21212	1	2			25mm - measure bar size
R	Spring - front eye	W71506	1	4	2		
R	Spring - rear eye & shackle	W71694	1	4			
R	Sway bar - link	W31704	1	4			

HILUX (Surf) RZN147,149,154,169,174 97-4/05

F	Control arm - upper inner	W51690	1	2	2		
F	Control arm - upper inner rear	W51691	1	2	2		
F	Shock absorber - upper	W21173	1	4			
F	Sway bar - link	W21014	1	8			
F	Sway bar - mount 25mm	W21212	1	2			25mm - measure bar size
R	Shock absorber	W31062	2	2			RZN147,149 & 154 models only
R	Spring - front eye	W71041	1	4			RZN147 & 149 models only
R	Spring - front eye	W71506	1	4	2		RZN169 & 174 models only
R	Spring - rear eye	W71041	1	4			RZN147 & 149 models only
R	Spring - shackle	W71694	1	4			

LANDCRUISER BJ40,BJ42,FJ40,FJ42 59-80

F	Shock absorber	W31062	2	2			
F	Spring - front eye, rear eye & shackle	W71059	1	12			
R	Shock absorber	W31062	2	2			
R	Spring - front eye, rear eye & shackle	W71059	1	12			
R	Sway bar - link outer	W22107	1	4	2		

LANDCRUISER BJ40,BJ42,FJ40,FJ42,HJ47 80-10/84

F	Shock absorber	W31062	2	2			

<tbl_r cells="8" ix="2" max

F or R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
R	Sway bar - link	W22107	1	4	2		
R	Sway bar - link outer	W22107	1	4	2		
R	Sway bar - mount	W21696	1	2		1/79 on	

LANDCRUISER FJ55 69-80

F	Shock absorber - lower	W31062	1	2			
F	Shock absorber - upper	W21173	1	4			
F	Spring - front eye, rear eye & shackle	W71074	1	12			
R	Shock absorber	W31062	2	2			
R	Spring - front eye, rear eye & shackle	W71074	1	12			
R	Sway bar - link outer	W22107	1	4	2		
R	Sway bar - mount	W21696	1	2		1/79 on	

LANDCRUISER FJ60,FJ62,HJ60,HJ61 8/80-90

F	Shock absorber - lower	W31088	1	4		7/87 on	
F	Shock absorber - lower	W31062	1	2		To 7/87	
F	Shock absorber - upper	W21172	1	4			
F	Spring - front eye, rear eye & shackle	W71042	1	12			
F	Sway bar - link	W21014	1	8			
R	Shock absorber	W31062	2	2		To 7/87	
R	Shock absorber	W31088	2	4		7/87 on	
R	Spring - front eye, rear eye & shackle	W71042	1	12			
R	Sway bar - link	W22107	1	4	2		
R	Sway bar - link outer	W22107	1	4	2		
R	Sway bar - mount 21mm	W22118	1	2		21mm To 7/87	
R	Sway bar - mount 23mm	W22119	1	2		23mm 7/87 on	

LANDCRUISER FJ70,FJ73,FJ75,FZJ70,FZJ75,HZJ70,HZJ73,HZJ75,PZJ70,PZJ73 90-11/99

F	Shock absorber - lower	W31088	1	4			
F	Shock absorber - upper	W21172	1	4			
F	Spring - front eye, rear eye & shackle	W71042	1	12			
F	Sway bar - link	W31207	1	8			
F	Sway bar - mount 23mm	W21175	1	2		23mm - measure bar size	
F	Sway bar - mount 25mm	W21212	1	2		25mm - measure bar size	
R	Shock absorber	W31088	2	4			
R	Spring - front eye, rear eye & shackle	W71042	1	12			
R	Spring - front eye, rear eye & shackle	W71084	1	12		FJ75,FZJ75,HZJ75	

LANDCRUISER FJ80,FZJ80,HDJ80,HZJ80 5/90-8/97

F	Diff. to radius arm	W81730	1	4	4	Caster adjustable	
F	Diff. to radius arm	W81428	1	4	4	Std./	
F	Panhard rod	W81698	1	2	2		
F	Panhard rod - adjustable	KPR007	1		x	Turnbuckle adjustable - Right Hand Drive Vehicles	
F	Panhard rod - adjustable	KPR034	1		x	Turnbuckle adjustable - Left Hand Drive Vehicles	
F	Radius rod - chassis	W81697	1	4	2		
F	Shock absorber	W21793	2	4			
F	Spring - pad	W72820	1			150mm[OD] x 110mm[ID] x 25mm[Thick]	
F	Spring - pad	W72821	1			150mm[OD] x 110mm[ID] x 20mm[Thick]	
F	Sway bar - link upper	W31704	1	4			
F	Sway bar - lower link	W22107	1	4	2		
F	Sway bar - mount 23mm	W21175	1	2		23mm - measure bar size	
F	Sway bar - mount 25mm	W21212	1	2		25mm - measure bar size	
R	Panhard rod	W81701	1	2	2		
R	Panhard rod - adjustable	KPR008	1		x	Turnbuckle adjustable	
R	Shock absorber - lower	W31088	1	4		2 piece bush	
R	Shock absorber - lower	W32137	1	2		1 piece bush	
R	Shock absorber - upper	W21793	1	4			
R	Spring - pad	W72820	1			150mm[OD] x 110mm[ID] x 25mm[Thick]	
R	Spring - pad	W72821	1			150mm[OD] x 110mm[ID] x 20mm[Thick]	

TOYOTA COMMERCIAL LANDCRUISER FJ80,FZJ80,HDJ80,HZJ80 5/90-8/97 continues on next page...

F or R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
R	Sway bar - link upper	W31704	1	4			
R	Sway bar - lower link	W22107	1	4	2		
R	Sway bar - mount 25mm	W21212	1	2			25mm - measure bar size
R	Trailing arm - lower	W61700	1	4	4		
R	Trailing arm - lower assembly	KTA202	1			x	Heavy Duty
R	Trailing arm - upper	KTA201	1			x	Adjustable
R	Trailing arm - upper	W61699	1	4	4		

LANDCRUISER HZJ79 Cab chassis 10/99-10/01

F	Diff. to radius arm	W81730	1	4	4	Caster adjustable	
F	Diff. to radius arm	W81428	1	4	4	Std./	
F	Panhard rod	W81698	1	2	2		
F	Panhard rod - adjustable	KPR007	1		x	Adjustable	
F	Radius rod - chassis	W81697	1	4	2		
F	Shock absorber	W21793	2	4			
F	Sway bar - link	W21014	1	8			
F	Sway bar - link outer	W22107	1	4	2		
F	Sway bar - mount 23mm	W21175	1	2		23mm - measure bar size	
F	Sway bar - mount 25mm	W21212	1	2		25mm - measure bar size	
R	Spring - front eye	W72335	1	4	4	Shelled-Incl crush tubes - 79 series only	
R	Spring - front eye	W72336	1	4	2	Non shelled-Incl crush tubes - 79 series only	
R	Spring - rear eye	W72335	1	4	4	Shelled-Incl crush tubes - 79 series only	
R	Spring - rear eye	W72336	1	4	2	Non shelled-Incl crush tubes - 79 series only	
R	Spring - shackle	W72337	1	4		Non shelled-Incl crush tubes - 79 series only	

LANDCRUISER IFS HDJ100,UZJ100 3/98- on

R	Trailing arm - upper	KTA201	1		x	Adjustable	
R	Trailing arm - lower assembly	KTA202	1		x	Heavy Duty	

LANDCRUISER IFS HDJ100,UZJ100 3/98- on * *(Products under Development)

F	Sway bar - link	W21014	1	8			
F	Sway bar - link upper						

F or R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
R	Trailing arm - upper	KTA201	1		x		Adjustable
R	Trailing arm - upper	W61699	1	4	4		

LANDCRUISER VDJ79R Cab chassis 2007

F	Spring - front & rear eye	W73083	1	4	4		
R	Spring - shackle	W72337	1	4			

LITE ACE CM20,KM20,YM21 79-85

F	Radius rod	W81157	1	4	2		
F	Shock absorber - upper	W21172	1	4			
F	Sway bar - link	W21135	1	8			
R	Shock absorber	W31062	2	2			
R	Spring - front eye	W71506	1	4	2		
R	Spring - front eye, rear eye & shackle	W71041	3	4		Pickup to 10/82	
R	Spring - rear eye	W71506	1	4	2		
R	Spring - shackle	W71676	1	4			
R	Sway bar - link	W21173	1	4		KM20 Wagon	
R	Sway bar - link outer	W22107	1	4	2		

LITE ACE CM35,KM36,YM30,YM35 85-88

F	Control arm - lower inner	W51702	1	2	2	x	
F	Control arm - upper inner	W51683	1	2	2		
F	Control arm - upper inner rear	W51684	1	2	2		
F	Radius rod	W81157	1	4	2		
F	Shock absorber - upper	W21172	1	4			
F	Sway bar - link	W21135	1	8			
F	Sway bar - mount 22mm	W21047	1	2		22mm - measure bar size	
F	Sway bar - mount 23mm	W21175	1	2		23mm - measure bar size	
F	Sway bar - mount 25mm	W21212	1	2		25mm - measure bar size	
R	Shock absorber	W31062	2	2		KM,CM	
R	Shock absorber - lower	W21172	1	4		YM only	
R	Shock absorber - upper	W31062	1	2		YM only	
R	Spring - front eye	W71506	1	4	2		
R	Spring - rear eye	W71506	1	4	2		
R	Spring - shackle	W71676	1	4			

LITE ACE CM36,KM36,YM30,YM35 ,YM40,YM41 8/88-92

F	Control arm - upper inner rear	W51684	1	2	2		
F	Control arm - upper inner front	W51683	1	2	2		
F	Control arm - lower inner	W51702	1	2	2	x	
F	Radius rod	W81157	1	4	2		
F	Shock absorber - upper	W21172	1	4			
F	Sway bar - link	W21135	1	8			
F	Sway bar - mount 23mm	W21175	1	2		23mm	
R	Shock absorber	W31062	2	2			
R	Shock absorber - lower	W21172	1	4		YM30	
R	Shock absorber - upper	W31062	1	2		YM30	
R	Spring - front eye	W71506	1	4	2		
R	Spring - rear eye	W71506	1	4	2		
R	Spring - shackle	W71676	1	4			

LITE ACE KM10,KM11 71-79

F	Shock absorber - upper	W21172	1	4			
R	Shock absorber	W31062	2	2			
R	Spring - front eye	W71506	1	4	2		
R	Spring - rear eye	W71506	1	4	2		
R	Spring - shackle	W71676	1	4			

F or R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
PRADO 70 SERIES 88-95							

F	Diff. to radius arm	W81428	1	4	4		Std./
R	Diff. to radius arm	W81428	1	4	4		Std./

PRADO RZ95,VZ95,KZ95 7/96-02							
-------------------------------------	--	--	--	--	--	--	--

F	Sway bar - mount 26mm	W22598	1	2			26mm- measure bar size
F	Sway bar - link	W21172	1	4			
F	Steering - rack mount	W12978	1	2	2	x	
R	Shock absorber - upper	W21172	1	4			
R	Sway bar - link	W21014	1	8			

RAV 4 4WD ACA20R,21R 7/00-on							
-------------------------------------	--	--	--	--	--	--	--

R	Shock absorber - upper	W31062	1	2			
R	Shock absorber - lower	W21172	1	4			

RAV 4 4WD SXA10,SXA11 94-00							
------------------------------------	--	--	--	--	--	--	--

R	Shock absorber - upper	W31062	1	2			
R	Shock absorber - lower	W21172	1	4			

SPACIA SR40 10/97 on							
-----------------------------	--	--	--	--	--	--	--

F	Control arm - lower inner	W51702	1	2	2	x	</

F or R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
R	Spring - front eye	W71687	1	4	2	2.0 tonne/	
R	Spring - front eye, rear eye & shackle	W71074	1	12		1.25 & 1.5 tonne	
R	Spring - rear eye	W71687	1	4	2	2.0 tonne/	
R	Spring - shackle	W71687	1	4	2		

TOYO ACE RY16 71-79

F	Spring - front eye, rear eye & shackle	W71074	1	12			
F	Shock absorber - upper	W21173	1	4			
F	Shock absorber - lower	W31062	1	2			
F	Sway bar - link	W21135	1	8			
R	Shock absorber	W31062	2	2			
R	Spring - front eye, rear eye & shackle	W71074	1	12			

VAUXHALL**ASTRA TR**

F	Sway bar - link	W21014	1	8			
---	-----------------	--------	---	---	--	--	--

CALIBRA YE 91-96

R	Control arm - camber/toe kit	W61309S	1	4	2	x	Includes removal tool
R	Control arm - camber/toe kit	W61309	2	4	2	x	
R	Control arm	W61483	2	4	2		
R	Spring - pad	W72042	1	2		6mm	
R	Spring - pad	W72043	1	2		8mm	
R	Spring - pad	W72044	1	2		10mm	
R	Spring - pad	W72045	1	2		12mm	
R	Sway bar - link	W31704	1	4			
R	Sway bar - mount	W21419	1	2			

CORSA SB & COMBO 4/94-4/01

F	Steering - rack mount	W12593	1	1			
F	Radius rod	W82244	1	2			
F	Control arm - lower inner	W52243	1	4	2		

VECTRA 97-98

F	Control arm - lower inner rear	W52242	1	2	2	2xcaster offset, 1xSTD	
F	Control arm - lower inner rear	W52241	1	2	2		
F	Control arm - lower inner front	W52240	1	4	2		

VECTRA 98-11/02

F	Control arm - lower inner rear	W52242	1	2	2	2xcaster offset, 1xSTD	
F	Control arm - lower inner rear	W52241	1	2	2		
F	Control arm - lower inner front	W52240	1	4	2		

VOLVO**240,260 Series 3/75-9/93**

F	Control arm - lower inner rear	W51114	1	2	2	x	
F	Control arm - lower inner front	W51127	1	2	2		
F	Alternator/Aircon/Psteer mount	W91124	1	2	2		
F	Control arm - lower inner rear	W52434	1	2	3	2xcaster offset, 1xSTD	
F	Steering - rack support	W11113	1	1		Internal	
F	Sway bar - link	W21120	1	4			
F	Sway bar - mount 19mm	W21121	1	2		19mm - measure bar size	
F	Sway bar - mount 21mm	W21122	1	2		21mm - measure bar size	
F	Sway bar - mount 23mm	W21123	1	2		23mm - measure bar size	
R	Panhard rod	W81119	1	2	1		
R	Trailing arm - lower front	W61115	1	2	2		
R	Trailing arm - lower rear	W61116	1	2	2	Differential/	
R	Trailing arm - upper	W61117	1	8	4	To 81/	

VOLVO 240,260 Series 3/75-9/93 continues on next page...

F or R	APPLICATION	WL+	KITS REQ'D	BUSH	C/T	HARDWARE	NOTES/COMMENTS
R	Trailing arm - upper	W61118	1	4	4		81 on/
740,740 TURBO & 760 83-92							
F	Radius rod - chassis	W81132	1	2	2		
F	Control arm - lower	W52502	1	4	4		
F	Alternator/Aircon/Psteer mount	W91124	1	2	2		
F	Radius rod - control arm	W81133	1	4			
F	Sway bar - link	W21014	1	8			
850 92-97							
F	Alternator/Aircon/Psteer mount	W91124	1	2	2		

VW**BEETLE MK 4 99-02**

F	Control arm - lower inner rear	W52090	1	2	2		
F	Control arm - lower inner front	W52091	1	4	2		
GOLF SERIES 4 98 on							
F	Control arm - lower inner rear	W52090	1	2	2		
F	Control arm - lower inner front	W52091	1	4	2		

WHITELINE PLUS

**CHASSIS CONTROL**

WHITELINE

PLUS

Redranger Pty Ltd

4 Warringah Close, Somersby

NSW 2250 Australia

Ph: 61-2-43409500

Fx: 61-2-43402466

Sales enquiry: sales@whiteline.com.au

Administration: admin@whiteline.com.au

ABN 99124177297

Whiteline - USA

Global Parts Source

Ph. 616 399 9025

Fx. 616 399 9174

E. glennglobalperformanceparts.com

Whiteline - Europe

Automotive Services - ASSEA

Ph. +44 1383 738 077

Fx. +44 1383 741157

E. jgevers@btconnect.com