

Tuotenumero	Malli		Vm.	Huomautukset + Triple C	Madallus mm	Iskunv.	Jousi	OVH	EAN	Paino kg
Audi										
35525-1	A3	Typ 8L, 2WD, der Stabilisator muß getauscht werden/ The stabilizer has to be exchanged.	08/96>03	12,13,17, 26,32,65	VA: 40-70 HA: 30-60	35-F36-1024-1/1 35-D46-1010-1/1	35-RF180-060 3525 HA1	905,00€	4048419066718	21,10
36525-1		härteverstellbar/damping force adjustable						1 240,00€	4048419005076	21,20
35431-1	A3 Quattro	Typ 8L, 4WD, Stabhalter am Federbein/stabilizer-holder at the shock-absorber, (siehe Bild Seite/see picture page 100)	12/96>	12,17,32,65	VA: 40-70 HA: 30-60	35-F36-1047-1/1 35-D46-1024-1/1	35-RF180-060 35431 HA1	948,00€	4048419066411	18,50
36431-1		härteverstellbar/damping force adjustable						1 283,00€	4048419005014	21,00
35258-1	A3 incl. Sportback+ Cabrio/Convertible	Typ 8P, 8PA, 2WD, nur für VA-Federbeinaufnahme ø 55mm/ only for FA strut clamp ø 55mm, (siehe Bild Seite/ see picture page 100)	05/03>	12,17,32,65	VA: 40-70 HA: 30-60	35-4816452-1/1 35-4866500-1/1	35258 VA1 35258 HA1	948,00€	4048419066268	22,50
36258-1		härteverstellbar/damping force adjustable						1 283,00€	4048419004987	21,60
35258-2	A3 incl. Sportback+ Cabrio/Convertible	Typ 8P, 8PA, 2WD, nur für VA-Federbeinaufnahme ø 50mm/ only for FA strut clamp ø 50mm, (siehe Bild Seite/ see picture page 100)	05/03>	12,17,32,65	VA: 40-70 HA: 30-60	35-4816452-2/1 35-4866500-1/1	35258 VA1 35258 HA1	948,00€	4048419110404	21,00
36258-2		härteverstellbar/damping force adjustable						1 283,00€	4048419110466	21,00
35990-1	A4 Lim./Sedan+ Avant/SW	Typ B5, 2WD, bis/up to 980 kg VA-Last/FA load	>01/99	12,17,32,65	VA: 40-70 HA: 30-60	35-1309452-1/1 35-1359452-1/1	35990 VA1 35990 HA1	833,00€	4048419067012	28,00
35990-2	A4 Lim./Sedan+ Avant/SW	Typ B5, 2WD, ab/from 981 kg VA-Last/FA load	>01/99	12,17,32,65	VA: 40-70 HA: 30-60	35-1309452-1/1 35-1359452-1/1	35990 VA2 35990 HA1	833,00€	4048419067029	28,60
35358-1	A4 Lim./Sedan+ Avant/SW	Typ 8E, 2WD	11/00>	12,17,32,65	VA: 40-70 HA: 30-60	35-1312452-1/1 35-1362500-1/1	35358 VA1 35358 HA1	1 026,00€	4048419005496	25,80
35516-2	A6 Lim./Sedan+ Avant/SW	Typ 4B, 2WD	06/97>	12,17,32,65	VA: 40-70 HA: 30-60	35-F46-1000-1/1 35-D46-1015-1/1	35516 VA1 35516 HA2	959,00€	4048419066657	25,00
35431-1	S3	Typ 8L, 4WD, Stabhalter am Federbein/stabilizer-holder at the shock-absorber, (siehe Bild Seite/see picture page 100)	12/96>	12,17,32,65	VA: 30-60 HA: 20-50	35-F36-1047-1/1 35-D46-1024-1/1	35-RF180-060 35431 HA1	948,00€	4048419066411	18,50
36431-1		härteverstellbar/damping force adjustable						1 283,00€	4048419005014	21,00
35431-1	TT Coupé+TT Roadster Quattro	Typ 8N, 4WD	99>	12,17,32,65	VA: 40-70 HA: 30-60	35-F36-1047-1/1 35-D46-1024-1/1	35-RF180-060 35431 HA1	948,00€	4048419066411	18,50
36431-1		härteverstellbar/damping force adjustable						1 283,00€	4048419005014	21,00
35431-2	TT Coupé+TT Roadster	Typ 8N, 2WD	11/98>	12,17,32,65	VA: 40-70 HA: 30-60	35-F36-1047-1/1 35-D46-1010-1/1	35-RF180-060 35431 HA2	905,00€	4048419066428	21,00
36431-2		härteverstellbar/damping force adjustable						1 283,00€	4048419005021	21,00

BMW

- €										
35925-1	3er (E36) Lim./Sedan+ Coupé	Typ 3B,3C,3/B,3/C, 316i,316g,318i,318is,318tds,320i, 323i,325i, 328i,325d,324td,325td,325tds	22.06.92>98	12,13, 17,32,65	VA: 40-70 HA: 20-50	35-1607452-L1/1 35-1607452-R1/1 35-1667607-1/1	35-HRF200-60-070 35-HRF200-60-070 35925 HA1	833,00€	4048419066954	22,70
36925-1		härteverstellbar/damping force adjustable						1 187,00€	4048419005106	21,00
35925-2	3er (E36) Cabrio/ Convertible+ Touring/SW	Typ 3B,3C,3/B,3/C, 316i,316g,318i,318is,318tds,320i, 323i,325i,328i,325d,324td,325td,325tds	22.06.92>98	12,13, 17,32,65	VA: 40-70 HA: 20-50	35-1607452-L1/1 35-1607452-R1/1 35-1667607-1/1	35-HRF200-60-070 35-HRF200-60-070 35925 HA2	833,00€	4048419066961	22,80
36925-2		härteverstellbar/damping force adjustable						1 187,00€	4048419005113	21,00
35480-1	3er (E46) Lim./Sedan+ Coupé +Compact+ Cabrio/Convertible+ Touring/SW	Typ 346L,C,R, 2WD, 316(C), 318(C), 318d, 320d	03/98>	12,13, 17,32,65	VA: 40-70 HA: 20-50	35-F36-1038-L1/1 35-F36-1039-R1/1 35-D46-1020-1/1	35-HRF190-60-060 35-HRF190-60-060 35480 HA1	1 002,00€	4048419066473	23,00
36480-1		härteverstellbar/damping force adjustable						1 283,00€	4048419005038	21,00
35480-2	3er (E46) Lim./Sedan+ Coupe +Compact+ Cabrio/Convertible+ Touring/SW	Typ 346L,C,R, 2WD, 323(C), 325(C), 328(C), 330(C), 330(C)d	03/98>	12,13, 17,32,65	VA: 40-70 HA: 20-50	35-F36-1038-L1/1 35-F36-1039-R1/1 35-D46-1020-1/1	35-HRF200-60-060 35-HRF200-60-060 35480 HA1	1 002,00€	4048419066480	23,00
36480-2		härteverstellbar/damping force adjustable						1 283,00€	4048419005045	21,00
35328-1	5er (E39) Lim./Sedan	Typ 5/D, 4+6-Zyl., ohne Niveaureg./without self-levelling	12/95>	12,17,32,65	VA: 40-70 HA: 20-50	35-1621452-1/1 35-1671452-1/1	35-HRF180-60-070 35328 HA1	989,00€	4048419004963	23,60

H&R ist Technik-Partner von BMW Motorsport./H&R is technical-partner of BMW Motorsport.

Ford

- €										
35292-1	Fiesta +ST+Sport	Typ JH1+JD3	04/02>	12,17,32,65	VA: 35-50 VA: 35-50 HA: 35-50	35-2212452-L1/1 35-2212452-R1/1 35-2262500-1/1	35292 VA1 35292 VA1 35292 HA1	808,00€	4048419026033	21,00
35458-1	Focus I Lim./Sedan	alle/all incl. ST170	09/98>	12,17,32,65	VA: 40-70 VA: 40-70 HA: 30-60	35-2210452-L1/1 35-2210452-R1/1 35-2260500-1/1	35-RF200-050 35-RF200-050 35458 HA1	865,00€	4048419066459	20,30

Mazda

- €										
35292-1		2 Typ DY	10/02>	12,17,32,65	VA: 35-50 VA: 35-50	35-2212452-L1/1 35-2212452-R1/1	35292 VA1 35292 VA1	808,00€	4048419026033	21,00

Mini

- €

35338-1	Mini	Typ R50, Mini, Mini-N, R56 incl. Typ UKL-C, UKL-L, UKL-K incl. Clubman, ohne/without John Cooper Works GP, Einbau der H&R Pendelstütze PS29480VAA02 wird empfohlen, nicht im Lieferumfang enthalten/ The use of the H&R sway bar link PS29480VAA02 is recommended, not included in the delivery.	03/02>	12,17,32,65	VA: 30-50 HA: 30-50	35-1620452-L1/1+R1/1 35-1670452-1/1	35338 VA1 35338 HA1	833,00€	4048419027689	20,40
35338-1	Mini Cabrio/ Convertible	Typ R50, Mini, Mini-N, R56 incl. Typ UKL-C, UKL-L, UKL-K ohne/without John Cooper Works GP Einbau der H&R Pendelstütze PS29480VAA02 wird empfohlen, nicht im Lieferumfang enthalten/ The use of the H&R sway bar link PS29480VAA02 is recommended, not included in the delivery.	03/02>	12,17,32,65	VA: 30-50 HA: 30-50	35-1620452-L1/1+R1/1 35-1670452-1/1	35338 VA1 35338 HA1	833,00€	4048419027689	20,40

Opel/Vauxhall

35421-1	Astra G incl. Coupe+ Cabrio/Convertible + OPC Modelle	Typ T98/NB+T98C	98>	12,17,32,65	VA: 40-70	35-3518452-L1/1 35-3518452-R1/1	35-HRF190-60-060 35-HRF190-60-060	905,00€	4048419066398	20,50
35841-1	Corsa A+B	Typ A/CC,B,S93	08/83>09/00	12,17, 32,65,V	VA: 40-70 HA: 20-50	35-3568500-1/1 35-3506502-1/1	35421 HA1 35-RF200-050 35841 HA1	624,00€	4048419066923	18,60

Peugeot

35457-1	206+RC+206+ incl. Lim./Sedan, Kombi/ SW +S16 Sport	Typ 2***** 2HFZ, 2HFZ, 2HFY, 2KFU, 2KFX, 2NFZ, 2WJZ, 2RFR, 2RHY 2KFW, 2NFU, 2RFN, 2WJY, 28HX, 28HZ, 29HZ	09/98>	6,12,17, 32,35,65	VA: 40-70 VA: 40-70 HA: 20-50	35-F36-1043-L1/1 35-F36-1044-L1/1 35-D46-1022-1/1	35-RF150-070 35-RF150-070	676,00€	4048419027658	21,00
35457-1	206 Cabrio/ Convertible	Typ 2***** 2HFZ, 2HFZ, 2HFY, 2KFU, 2KFX, 2NFZ, 2WJZ, 2RFR, 2RHY 2KFW, 2NFU, 2RFN, 2WJY, 28HX, 28HZ, 29HZ	09/98>	6,12,17, 32,35,65	VA: 40-70 VA: 40-70 HA: 20-50	35-F36-1043-L1/1 35-F36-1044-L1/1 35-D46-1022-1/1	35-RF150-070 35-RF150-070	676,00€	4048419027658	21,00
35979-1	306 Lim.+Cabrio+ Kombi/Sedan+ Convertible+SW	Typ 7.7A,ZD,7-RHY, 7-WJY,7-A9A,7-DHY,7-DJY, 7-KFX, 7-LFY, 7-LFZ, 7-NFZ, 7-RFV, 7-RFS, 7-DHV, 7-WJZ, 7-KFW,7-NFT	93>01	6,12,17, 32,35,65	VA: 40-70 VA: 40-70 HA: 20-50	35-F36-1043-L1/1 35-F36-1044-L1/1 35-3860500-1/1	35-RF150-070	676,00€	4048419027672	21,00

Seat

35258-1	Altea	Typ 5P, 5PN, 2WD, nur für VA-Federbeinaufnahme ø 55mm/ only for FA strut clamp ø 55mm, (siehe Bild Seite/ see picture page 102)	05/03>	12,17,32,65	VA: 40-70 HA: 30-60	35-4816452-1/1 35-4866500-1/1	35258 VA1 35258 HA1	948,00€	4048419066268	22,50
36258-1		härteverstellbar/damping force adjustable						1 283,00€	4048419004987	21,60
35258-2	Altea	Typ 5P, 5PN, 2WD, nur für VA-Federbeinaufnahme ø 50mm/ only for FA strut clamp ø 50mm, (siehe Bild Seite/ see picture page 102)	05/03>	12,17,32,65	VA: 40-70 HA: 30-60	35-4816452-2/1 35-4866500-1/1	35258 VA1 35258 HA1	948,00€	4048419110404	21,00
36258-2		härteverstellbar/damping force adjustable						1 283,00€	4048419110466	21,00
35985-1	Cordoba	Typ 6K, 6K/C	93>09/99	12,13,17, 32,65,V	VA: 40-70 HA: 30-60	35-4810452-1/1 35-4860452-1/1	35-RF200-050 35-RF200-040	697,00€	4048419066992	21,80
35985-2	Cordoba	Typ 6K, 6K/C	10/99>	12,13,17, 32,65,V	VA: 40-70 HA: 30-60	35-4810452-1/1 35-4860452-1/1	35-RF200-050 35-RF200-040	697,00€	4048419067005	21,80
35379-1	Cordoba	Typ 6L	01/00>	12,17,32,65	VA: 40-70 HA: 30-60	35-4813452-1/1 35-D46-1010-2/1	35-RF180-070 35379 HA1	780,00€	4048419066367	21,00
35358-1	Exeo Lim./Sedan+ ST/SW	Typ 3R	03/09>	12,17,32,65	VA: 40-70 HA: 30-60	35-1312452-1/1 35-1362500-1/1	35358 VA1 35358 HA1	1 026,00€	4048419005496	25,80
35985-1	Ibiza	Typ 6K, 6K/C	93>09/99	12,13,17, 32,65,V	VA: 40-70 HA: 30-60	35-4810452-1/1 35-4860452-1/1	35-RF200-050 35-RF200-040	697,00€	4048419066992	21,80
35985-2	Ibiza	Typ 6K, 6K/C	10/99>	12,13,17, 32,65,V	VA: 40-70 HA: 30-60	35-4810452-1/1 35-4860452-1/1	35-RF200-050 35-RF200-040	697,00€	4048419067005	21,80
35379-1	Ibiza+Cupra+FR	Typ 6L	01/00>	12,17,32,65	VA: 40-70 HA: 30-60	35-4813452-1/1 35-D46-1010-2/1	35-RF180-070 35379 HA1	780,00€	4048419066367	21,00
35525-1	Leon	Typ 1M, 2WD, ohne/except Cupra R, der Stabilisator muß getauscht werden/The stabilizer has to be exchanged.	99>	12,13,17, 26,32,65	VA: 40-70 HA: 30-60	35-F36-1024-1/1 35-D46-1010-1/1	35-RF180-060 35525 HA1	905,00€	4048419066718	21,10
36525-1		härteverstellbar/damping force adjustable						1 240,00€	4048419005076	21,20
35431-1	Leon Allrad	Typ 1M, 4WD	2000>	12,17,32,65	VA: 40-70 HA: 30-60	35-F36-1047-1/1 35-D46-1024-1/1	35-RF180-060 35431 HA1	948,00€	4048419066411	18,50
36431-1		härteverstellbar/damping force adjustable						1 283,00€	4048419005014	21,00
35258-1	Leon incl. FR/Cupra R	Typ 1P, 1PN, 2WD, nur für VA-Federbeinaufnahme ø 55mm/ only for FA strut clamp ø 55mm, (siehe Bild Seite/ see picture page 102)	05/03>	12,17,32,65	VA: 40-70 HA: 30-60	35-4816452-1/1 35-4866500-1/1	35258 VA1 35258 HA1	948,00€	4048419066268	22,50
36258-1		härteverstellbar/damping force adjustable						1 283,00€	4048419004987	21,60
35258-2	Leon	Typ 1P, 1PN, 2WD, nur für VA-Federbeinaufnahme ø 50mm/ only for FA strut clamp ø 50mm, (siehe Bild Seite/ see picture page 102)	05/03>	12,17,32,65	VA: 40-70 HA: 30-60	35-4816452-2/1 35-4866500-1/1	35258 VA1 35258 HA1	948,00€	4048419110404	21,00
36258-2		härteverstellbar/damping force adjustable						1 283,00€	4048419110466	21,00
35525-1	Toledo	Typ 1M, 2WD, ohne/except Cupra R, der Stabilisator muß getauscht werden/The stabilizer has to be exchanged.	99>	12,13,17, 26,32,65	VA: 40-70 HA: 30-60	35-F36-1024-1/1 35-D46-1010-1/1	35-RF180-060 35525 HA1	905,00€	4048419066718	21,10
36525-1		härteverstellbar/damping force adjustable						1 240,00€	4048419005076	21,20
35258-1	Toledo	Typ 5P, 5PN, 2WD, nur für VA-Federbeinaufnahme ø 55mm/ only for FA strut clamp ø 55mm, (siehe Bild Seite/ see picture page 102)	05/03>	12,17,32,65	VA: 40-70 HA: 30-60	35-4816452-1/1 35-4866500-1/1	35258 VA1 35258 HA1	948,00€	4048419066268	22,50
36258-1		härteverstellbar/damping force adjustable						1 283,00€	4048419004987	21,60
35258-2	Toledo	Typ 5P, 5PN, 2WD, nur für VA-Federbeinaufnahme ø 50mm/ only for FA strut clamp ø 50mm, (siehe Bild Seite/ see picture page 102)	05/03>	12,17,32,65	VA: 40-70 HA: 30-60	35-4816452-2/1 35-4866500-1/1	35258 VA1 35258 HA1	948,00€	4048419110404	21,00

36258-2		härteverstellbar/damping force adjustable							1 283,00€	4048419110466	21,00
---------	--	---	--	--	--	--	--	--	-----------	---------------	-------

Skoda

											- €
35379-1	Fabia Lim.+ Kombi Sedan+SW incl. RS	Typ 6Y	01/00>	12,17,32,65, 66	VA: 30-60 HA: 30-50	35-4813452-1/1 35-D46-1010-2/1	35-RF180-070 35379 HA1		780,00€	4048419066367	21,00
35379-1	Fabia Lim.+ Kombi Sedan+SW incl. RS	Typ 5J, nur für Fzg. mit oberer Dreipunktbefestigung/ only for cars with three point fixation top	01/00>	12,17,32,65, 66	VA: 30-60 HA: 30-50	35-4813452-1/1 35-D46-1010-2/1	35-RF180-070 35379 HA1		780,00€	4048419066367	21,00
35525-1	Octavia Lim./Sedan	Typ 1U, 2WD, der Stabilisator muß getauscht werden/ The stabilizer has to be exchanged	01/97>	12,13,17,24, 26,32,65	VA: 40-70 HA: 30-60	35-F36-1024-1/1 35-D46-1010-1/1	35-RF180-060 3525 HA1		905,00€	4048419066718	21,10
36525-1		härteverstellbar/damping force adjustable							1 240,00€	4048419005076	21,20
35431-1	Octavia Lim./Sedan Allrad	Typ 1U, 4WD	01/97>	12,17,32,65	VA: 40-70 HA: 30-60	35-F36-1047-1/1 35-D46-1024-1/1	35-RF180-060 35431 HA1		948,00€	4048419066411	18,50
36431-1		härteverstellbar/damping force adjustable							1 283,00€	4048419005014	21,00
35258-1	Octavia Lim./Sedan incl. RS	Typ 1Z, 2WD+4WD, nur für VA-Federbeinaufnahme ø 55mm/ only for FA strut clamp ø 55mm, (siehe Bild Seite/ see picture page 102)	04/04>	12,17,32,65	VA: 40-70 HA: 30-60	35-4816452-1/1 35-4866500-1/1	35258 VA1 35258 HA1		948,00€	4048419066268	22,50
36258-1		härteverstellbar/damping force adjustable							1 283,00€	4048419004987	21,60
35258-2	Octavia Lim./Sedan	Typ 1Z, 2WD+4WD, nur für VA-Federbeinaufnahme ø 50mm/ only for FA strut clamp ø 50mm, (siehe Bild Seite/ see picture page 102)	04/04>	12,17,32,65	VA: 40-70 HA: 30-60	35-4816452-2/1 35-4866500-1/1	35258 VA1 35258 HA1		948,00€	4048419110404	21,00
36258-2		härteverstellbar/damping force adjustable							1 283,00€	4048419110466	21,00
35258-3	Octavia Kombi/SW incl. RS	Typ 1Z, 2WD+4WD, nur für VA-Federbeinaufnahme ø 55mm/only for FA strut clamp ø 55mm, (siehe Bild Seite/ see picture page 102)	04/04>	12,17,32,65	VA: 40-70 HA: 30-60	35-4816452-1/1 35-4866500-1/1	35258 VA2 35258 HA3		948,00€	4048419110411	21,00
36258-3		härteverstellbar/damping force adjustable							1 283,00€	4048419110473	21,00
35258-4	Octavia Kombi/SW	Typ 1Z, 2WD+4WD, nur für VA-Federbeinaufnahme ø 50mm/only for FA strut clamp ø 50mm, (siehe Bild Seite/ see picture page 102)	04/04>	12,17,32,65	VA: 40-70 HA: 30-60	35-4816452-2/1 35-4866500-1/1	35258 VA2 35258 HA3		948,00€	4048419110428	21,00
36258-4		härteverstellbar/damping force adjustable							1 283,00€	4048419110480	21,00
35258-3	Superb	Typ 3T, 2WD+4WD, nur für VA-Federbeinaufnahme ø 55mm/only for FA strut clamp ø 55mm, (siehe Bild Seite/ see picture page 102)	07/08>	12,17,32,65	VA: 40-70 HA: 30-60	35-4816452-1/1 35-4866500-1/1	35258 VA2 35258 HA3		948,00€	4048419110411	21,00
36258-3		härteverstellbar/damping force adjustable							1 283,00€	4048419110473	21,00
35258-4	Superb	Typ 3T, 2WD+4WD, nur für VA-Federbeinaufnahme ø 50mm/only for FA strut clamp ø 50mm, (siehe Bild Seite/ see picture page 102)	07/08>	12,17,32,65	VA: 40-70 HA: 30-60	35-4816452-2/1 35-4866500-1/1	35258 VA2 35258 HA3		948,00€	4048419110428	21,00
36258-4		härteverstellbar/damping force adjustable							1 283,00€	4048419110480	21,00

VW

											- €
35525-1	Beetle+Beetle Cabrio/ Convertible	Typ 9C, 1Y, 1C, der Stabilisator muß getauscht werden/ The stabilizer has to be exchanged.	10/97>	12,13,17, 26,32,65	VA: 40-70 HA: 30-60	35-F36-1024-1/1 35-D46-1010-1/1	35-RF180-060 3525 HA1		905,00€	4048419066718	21,10
36525-1		härteverstellbar/damping force adjustable							1 240,00€	4048419005076	21,20
35525-1	Bora Lim./Sedan,	Typ 1J, 2WD, der Stabilisator muß getauscht werden/ The stabilizer has to be exchanged.	09/97>	12,13,17, 26,32,65	VA: 40-70 HA: 30-60	35-F36-1024-1/1 35-D46-1010-1/1	35-RF180-060 3525 HA1		905,00€	4048419066718	21,10
36525-1		härteverstellbar/damping force adjustable							1 240,00€	4048419005076	21,20
35431-1	Bora Lim./Sedan, 4-motion	Typ 1J, 4WD	99>	12,17,32,65	VA: 40-70 HA: 30-60	35-F36-1047-1/1 35-D46-1024-1/1	35-RF180-060 35431 HA1		948,00€	4048419066411	18,50
36431-1		härteverstellbar/damping force adjustable							1 283,00€	4048419005014	21,00
36904-2	Bus T4	2WD + 4WD, alle Karosseriefornen/ all versions	91>	12,17,32,65	Drehstäbe HA: 20-40	36-4804500-2/1 36-4854500-2/1	Serie 36904 HA1		979,00€	4048419267412	21,50
35865-2	Corrado	53i, 2WD	08/91>	12,13,17, 32,65,V	VA: 40-70 HA: 30-60	35-4803452-1/1 35-4853452-1/1	35-RF180-070 HRF250-60-050		833,00€	4048419119407	23,50
36865-2		härteverstellbar/ damping force adjustable							1 219,00€		
35258-1	Fos	Typ 1F	05/06>	12,17,32,65	VA: 40-70 HA: 30-60	35-4816452-1/1 35-4866500-1/1	35258 VA1 35258 HA1		948,00€	4048419066268	22,50
36258-1		härteverstellbar/damping force adjustable							1 283,00€	4048419004987	21,60
35379-1	Fox	Typ 5Z	04/05>	12,17,32,65	VA: 50-80 HA: 40-70	35-4813452-1/1 35-D46-1010-2/1	35-RF180-070 35379 HA1		780,00€	4048419066367	21,00
35819-1	Golf I+ Cabrio/Convertible	Typ 17, 155	74>	12,17,32,65	VA: 50-70 HA: 40-70	35-4802452-1/1 35-4852452-1/1	35-RF180-050 35-RF200-050		862,00€	4048419004970	21,80
35865-1	Golf II	Typ 19E, 2WD	08/83>	12,13,17, 32,65,V	VA: 40-70 HA: 30-60	35-4803452-1/1 35-4853452-1/1	35-RF180-070 35-RF300-050		862,00€	4048419066947	25,80
36865-1		härteverstellbar/damping force adjustable							1 261,00€	4048419005090	21,00
35865-1	Golf III Lim./Sedan+ Cabrio/Convertible/	Typ 1HXO,1H,1EXO,1E,1HXOF, 2WD alle außer Kombi/all except SW	08/91>	12,13,17, 32,65,V	VA: 40-70 HA: 30-60	35-4803452-1/1 35-4853452-1/1	35-RF180-070 35-RF300-050		862,00€	4048419066947	25,80
36865-1		härteverstellbar/damping force adjustable							1 261,00€	4048419005090	21,00
35525-1	Golf IV Lim./Sedan,	Typ 1J, 2WD, der Stabilisator muß getauscht werden/ The stabilizer has to be exchanged.	09/97>	12,13,17, 26,32,65	VA: 40-70 HA: 30-60	35-F36-1024-1/1 35-D46-1010-1/1	35-RF180-060 3525 HA1		905,00€	4048419066718	21,10
36525-1		härteverstellbar/damping force adjustable							1 240,00€	4048419005076	21,20
35431-1	Golf IV Lim./Sedan, 4-motion	Typ 1J, 4WD	99>	12,17,32,65	VA: 40-70 HA: 30-60	35-F36-1047-1/1 35-D46-1024-1/1	35-RF180-060 35431 HA1		948,00€	4048419066411	18,50
36431-1		härteverstellbar/damping force adjustable							1 283,00€	4048419005014	21,00
35258-1	Golf V +Golf Plus+ Golf GTI+Golf Kombi/ SW	Typ 1K, 1KM, 2WD nur für VA-Federbeinaufnahme ø 55mm/ only for FA strut clamp ø 55mm (siehe Bild Seite/ see picture page 103)	10/03>	12,17,32,65	VA: 40-70 HA: 30-60	35-4816452-1/1 35-4866500-1/1	35258 VA1 35258 HA1		948,00€	4048419066268	22,50
36258-1		härteverstellbar/damping force adjustable							1 283,00€	4048419004987	21,60
35258-2	Golf V+Golf Plus	Typ 1K,1KM,1KP, 2WD+4WD, nur für VA-Federbein- aufnahme ø 50mm/only for front strut clamp ø 50mm (siehe Bild Seite/see picture page 103)	10/03>	12,17,32,65	VA: 40-70 HA: 40-60	35-48 16 452-2/1 35-48 66 500-1/1	35258 VA1 35258 HA1		948,00€	4048419110404	21,00

36258-2		härteverstellbar/damping force adjustable							1 283,00€	4048419110466	21,00
35014-1	Golf VI+Golf VI Plus incl. GTD, Golf Plus, Golf R, incl. GTI incl. Cabrio/ Convertible	Typ 1K, 1KP, 2WD + 4WD, nur für VA-Federbeinaufnahme ø 55mm/ only for FA strut clamp ø 55mm, ohne/without DCC (siehe Bild Seite/see picture page 103)	09/08>	12,17,32,65	VA: 30-60 HA: 30-60	35-4816452-1/1 35-4866500-1/1	35258 VA1 35258 HA1	948,00€	4048419110381	21,00	
36014-1		härteverstellbar/damping force adjustable						1 294,00€	4048419110442	21,00	
35014-2	Golf VI+Golf VI Plus incl. GTD, Golf Plus, incl. Cabrio/ Convertible	Typ 1K, 1KP, 2WD + 4WD, nur für VA-Federbeinaufnahme ø 50mm/ only for FA strut clamp ø 50mm, ohne/without DCC (siehe Bild Seite/see picture page 103)	09/08>	12,17,32,65	VA: 30-60 HA: 30-60	35-4816452-2/1 35-4866500-1/1	35258 VA1 35258 HA1	948,00€	4048419110398	21,00	
36014-2		härteverstellbar/damping force adjustable						1 294,00€	4048419110459	21,00	
35819-1	Jetta I	Typ 17 CK	79>84	12,17,32,65	VA: 50-70 HA: 40-70	35-4802452-1/1 35-4852452-1/1	35-RF180-050 35-RF200-050	862,00€	4048419004970	21,80	
35865-1	Jetta II	Typ 19E, 2WD	08/83>92	12,13,17, 32,65,V	VA: 40-70 HA: 30-60	35-4803452-1/1 35-4853452-1/1	35-RF180-070 35-RF300-050	862,00€	4048419066947	25,80	
36865-1		härteverstellbar/damping force adjustable						1 261,00€	4048419005090	21,00	
35258-1	Jetta V	Typ 1KM, 2WD, nur für VA-Federbeinaufnahme ø 55mm/ only for FA strut clamp ø 55mm (siehe Bild Seite/ see picture page 103)	08/05>	12,17,32,65	VA: 40-70 HA: 30-60	35-4816452-1/1 35-4866500-1/1	35258 VA1 35258 HA1	948,00€	4048419066268	22,50	
36258-1		härteverstellbar/damping force adjustable						1 283,00€	4048419004987	21,60	
35258-2	Jetta V	Typ 1KM, 2WD, nur für VA-Federbeinaufnahme ø 50mm/only for front strut clamp ø 50mm (siehe Bild Seite/see picture page 103)	08/05>	12,17,32,65	VA: 40-60 HA: 40-60	35-48 16 452-2/1 35-48 66 500-1/1	35258 VA1 35258 HA1	948,00€	4048419110404	21,00	
36258-2		härteverstellbar/damping force adjustable						1 283,00€	4048419110466	21,00	
35516-1	Passat Lim./Sedan+ Variant/SW	Typ 3B, 3BG, 2WD	10/96>05	12,17,32,65	VA: 40-70 HA: 30-60	35-F46-1000-1/1 35-D46-1015-1/1	35516 VA1 35516 HA1	959,00€	4048419066640	24,70	
35258-1	Passat Lim./Sedan+ Passat CC	Typ 3C, 3CC, 3c, 2WD, nur für VA-Federbeinaufnahme ø 55mm/ only for FA strut clamp ø 55mm, (siehe Bild Seite/ see picture page 103)	03/05>	12,17,32,65	VA: 40-70 HA: 30-60	35-4816452-1/1 35-4866500-1/1	35258 VA1 35258 HA1	948,00€	4048419066268	22,50	
36258-1		härteverstellbar/damping force adjustable						1 283,00€	4048419004987	21,60	
35258-2	Passat Lim./Sedan+ Passat CC	Typ 3C, 3CC, 3c, 2WD, nur für VA-Federbeinaufnahme ø 50mm/ only for FA strut clamp ø 50mm, (siehe Bild Seite/ see picture page 103)	03/05>	12,17,32,65	VA: 40-70 HA: 30-60	35-4816452-2/1 35-4866500-1/1	35258 VA1 35258 HA1	948,00€	4048419110404	21,00	
36258-2		härteverstellbar/damping force adjustable						1 283,00€	4048419110466	21,00	
35258-3	Passat Lim./Sedan 4WD+Variant/SW 2WD+4WD	Typ 3C, 3c, nur für VA-Federbeinaufnahme ø 55mm/ only for FA strut clamp ø 55mm, (siehe Bild Seite/ see picture page 103)	03/05>	12,17,32,65	VA: 40-70 HA: 30-60	35-4816452-1/1 35-4866500-1/1	35258 VA2 35258 HA3	948,00€	4048419110411	21,00	
36258-3		härteverstellbar/damping force adjustable						1 283,00€	4048419110473	21,00	
35258-4	Passat Lim./Sedan 4WD+Variant/SW 2WD+4WD	Typ 3C, 3c, nur für VA-Federbeinaufnahme ø 50mm/ only for FA strut clamp ø 50mm, (siehe Bild Seite/ see picture page 103)	08/05>	12,17,32,65	VA: 40-70 HA: 30-60	35-4816452-2/1 35-4866500-1/1	35258 VA2 35258 HA3	948,00€	4048419110428	21,00	
36258-4		härteverstellbar/damping force adjustable						1 283,00€	4048419110480	21,00	
35258-5	Passat CC	Typ 3CC, 4WD, nur für VA-Federbeinaufnahme ø 55mm/ only for FA strut clamp ø 55mm, (siehe Bild Seite/ see picture page 103)	04/08>	12,17,32,65	VA: 40-70 HA: 30-60	35-4846452-1/1 35-4866500-1/1	35258 VA2 35258 HA1	948,00€	4048419110435	21,00	
36258-5		härteverstellbar/damping force adjustable						1 283,00€	4048419110497	21,00	
35985-1	Polo incl. Classic	Typ 6N, 6NF, 6KV	09/94>99	12,13,17, 32,65,V	VA: 40-70 HA: 30-60	35-4810452-1/1 35-4860452-1/1	35-RF200-050 35-RF200-040	697,00€	4048419066992	21,80	
35985-2	Polo	Typ 6N, 6NF	10/99>01	12,13,17, 32,65,V	VA: 40-70 HA: 30-60	35-4810452-1/1 35-4860452-1/1	35-RF200-050 35-RF200-040	697,00€	4048419067005	21,80	
35379-1	Polo incl. GTI+Edition	Typ 9N	11/01>09	12,17,32,65	VA: 40-70 HA: 30-60	35-4813452-1/1 35-4852452-1/1	35-RF180-070 35-RF200-050	780,00€	4048419066367	21,00	
35819-1	Scirocco I+II	Typ 53+53B	74>	12,17,32,65	VA: 50-70 HA: 40-70	35-4802452-1/1 35-4852452-1/1	35-RF180-050 35-RF200-050	862,00€	4048419004970	21,80	
36014-3	Scirocco III incl. R	Typ 13, 2WD, nur für VA-Federbeinaufnahme ø 55mm/ only for FA strut clamp ø 55mm, (siehe Bild Seite/ see picture page 103), ohne/ except DCC, nicht für TDI mit DGS / not for TDI with DSG	08/08>	12,17,32,65	VA: 30-60 HA: 30-60	36-4816452-1/1 36-4866500-1/1	35258VA1 35258HA1	1 294,00€	4048419119858		
35865-1	Vento	Typ 1HXO, 1H, 2WD	08/83>91	12,13,17, 32,65,V	VA: 40-70 HA: 30-60	35-4803452-1/1 35-4853452-1/1	35-RF180-070 35-RF300-050	862,00€	4048419066947	25,80	
36865-1		härteverstellbar/damping force adjustable						1 261,00€	4048419005090	21,00	
35865-1	Vento	Typ 1HXO,1H, 2WD	08/91>98	12,13,17, 32,65,V	VA: 40-70 HA: 30-60	35-4803452-1/1 35-4853452-1/1	35-RF180-070 35-RF300-050	862,00€	4048419066947	25,80	
36865-1		härteverstellbar/damping force adjustable						1 261,00€	4048419005090	21,00	

Technische Änderungen vorbehalten. Für Druckfehler übernehmen wir keine Haftung. All data subject to change. H&R is not responsible for typographical errors.